

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|--|------------|---------|
| 公制外螺纹O型圈平面密封 METRIC MALE O-RING | 1E | 1 |
| 90° 公制外螺纹O型圈平面密封 90° METRIC MALE O-RING | 1E9 | 2 |
| 90° 公制螺纹O型圈平面密封 90° METRIC MALE O-RING | 2E9 | 2 |
| 公制外螺纹O型圈平面密封堵头 METRIC MALE O-RING PLUG | 4E | 3 |
| 公制内螺纹平面堵头 METRIC FEMALE FLAT FACE PLUG | 9E | 4 |
| 公制外螺纹O型圈平面密封过板接头 METRIC MALE O-RING BULKHEAD | 6E | 4 |
| 90° 公制外螺纹O型圈平面密封过板接头 90° METRIC MALE O-RING BULKHEAD | 6E9 | 5 |
| 公制外螺纹O型圈平面密封重系列 METRIC MALE O-RING | 1EH | 5 |
| 45° 公制外螺纹O型圈平面密封/ 可调向柱端重系列 45° METRIC MALE O-RING/ADJUSTABLE STUD | 1EH4-OG | 6 |
| 90° 公制外螺纹O型圈平面密封/ 可调向柱端重系列 90° METRIC MALE O-RING/ADJUSTABLE STUD | 1EH9-OG | 6 |
| 公制外螺纹O型圈/ 60° 内锥六角端面组合垫圈 METRIC MALE O-RING/60° SEAT BONDED SEAL | 1EM | 7 |
| 公制外螺纹O型圈/ 布锥管外螺纹 METRIC MALE O-RING/NPT MALE | 1EN | 7 |
| 公制外螺纹O型圈/ 英锥管外螺纹 METRIC MALE O-RING/BSPT MALE | 1ET | 8 |
| 公制外螺纹O型圈平面密封/焊接管 METRIC MALE O-RING/BUTT-WELD TUBE | 1EW | 9 |
| 90° 公制外螺纹O型圈平面密封/焊接管 90° METRIC MALE O-RING/BUTT-WELD TUBE | 1EW9 | 9 |
| 公制外螺纹O型圈平面密封/英管螺纹组合垫密封 METRIC MALE O-RING/BSP MALE DIN 3852-2 TYREA | 1EZ | 10 |
| 焊接管/ 公制内螺纹O型圈平面密封 BUTT-WELD TUBE/METRIC FEMALE O-RING | 2WE | 11 |
| 公制外螺纹O型圈平面密封四通接头 METRIC MALE O-RING CROSS | XE | 12 |
| 公制外螺纹O型圈平面密封三通接头 METRIC MALE O-RING TEE | AE | 12 |
| 公制外螺纹O型圈/公制内螺纹平面密封三通接头 METRIC MALE O-RING/METRIC FEMALE TEE | BE | 13 |
| 公制外螺纹O型圈/公制内螺纹平面密封三通接头 METRIC MALE O-RING/METRIC FEMALE TEE | CE | 13 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|---|------------|---------|
| 公制外螺纹O型圈平面密封/ 可调向柱端重系列主支三通 METRIC MALE O-RING/METRIC MALE ADJUSTABLE STUD S-SERIES RUN TEE | AEEH-OG | 14 |
| 公制外螺纹O型圈平面密封 / 可调向柱端重系列分支三通 METRIC MALE O-RING/METRIC MALE ADJUSTABLE STUD S-SERIES BRANCH TEE | AEHE-OG | 14 |
| 90° 公制外螺纹O型圈平面密封过板接头 90° METRIC MALE O-RING BULKHEAD RUN TEE | AEE6E | 15 |
| 公制外螺纹O型圈平面密封过板分支三通 METRIC MALE O-RING BULKHEAD BRANCH TEE | AE6EE | 15 |
| 公制外螺纹24° 轻系列变径 METRIC MALE 24° L.T. REDUCERS | 1C | 16 |
| 公制外螺纹24° 轻系列 METRIC MALE 24° L.T. | 1C | 17 |
| 公制外螺纹24° 重系列 METRIC MALE 24° H.T. | 1D | 17 |
| 公制外螺纹24° 重系列变径 METRIC MALE 24° H.T. REDUCERS | 1D | 18 |
| 90° 公制外螺纹24° 轻系列 90° METRIC MALE 24° L.T. | 1C9 | 19 |
| 90° 公制外螺纹24° 重系列 90° METRIC MALE 24° H.T. | 1D9 | 19 |
| 公制内螺纹24° / 公制外螺纹24° 轻系列 METRIC FEMALE 24° / METRIC MALE 24° L.T. | 2C | 20 |
| 公制内螺纹24° / 公制外螺纹24° 重系列 METRIC FEMALE 24° / METRIC MALE 24° H.T. | 2D | 21 |
| 90° 公制内螺纹24° / 公制外螺纹24° 轻系列 90° METRIC FEMALE 24° / METRIC MALE 24° L.T. | 2C9 | 22 |
| 90° 公制内螺纹24° / 公制外螺纹24° 重系列 90° METRIC FEMALE 24° / METRIC MALE 24° H.T. | 2D9 | 22 |
| 公制内螺纹24° 轻系列 METRIC FEMALE 24° L.T. | 3C | 23 |
| 公制内螺纹24° 重系列 METRIC FEMALE 24° H.T. | 3D | 23 |
| 公制螺纹24° 轻系列堵头 METRIC MALE 24° L.T. PULG | 4C | 24 |
| 公制螺纹24° 重系列堵头 METRIC MALE 24° H.T. PLUG | 4D | 24 |
| 公制外螺纹24° 轻系列过板接头 METRIC MALE 24° L.T. BULKHEAD | 6C | 25 |
| 公制外螺纹24° 重系列过板接头 METRIC MALE 24° H.T. BULKHEAD | 6D | 25 |
| 90° 公制外螺纹24° 轻系列过板接头 90° METRIC MALE 24° L.T. BULKHEAD | 6C9 | 26 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|--|------------|---------|
| 90° 公制外螺纹24° 重系列过板接头 90° METRIC MALE 24° H.T. BULKHEAD | 6D9 | 26 |
| 公制螺纹锁母 METRIC LOCK NUT | 8C | 27 |
| 公制内螺纹24° 轻系列堵头 METRIC FEMALE 24° L.T. PLUG | 9C | 28 |
| 公制内螺纹24° 重系列堵头 METRIC FEMALE 24° H.T. PLUG | 9D | 28 |
| 公制外螺纹24° 轻系列/布锥管外螺纹60° METRIC MALE 24° L.T./NPT MALE 60° | 1CN | 29 |
| 公制外螺纹24° 重系列/布锥管外螺纹60° METRIC MALE 24° H.T./NPT MALE 60° | 1DN | 30 |
| 90° 公制外螺纹24° 轻系列/ 布锥管外螺纹60° 90° METRIC MALE 24° L.T./NPT MALE 60° | 1CN9 | 31 |
| 90° 公制外螺纹24° 重系列/ 布锥管外螺纹60° 90° METRIC MALE 24° H.T./NPT MALE 60° | 1DN9 | 32 |
| 公制外螺纹24° 轻系列/ 英锥管外螺纹60° METRIC MALE 24° L.T./BSPT MALE 60° | 1CT | 33 |
| 公制外螺纹24° 重系列/ 英锥管外螺纹60° METRIC MALE 24° H.T./BSPT MALE 60° | 1DT | 34 |
| 90° 公制外螺纹24° 轻系列/ 英锥管外螺纹60° 90° METRIC MALE 24° L.T./BSPT MALE 60° | 1CT9 | 35 |
| 90° 公制外螺纹24° / 英锥管外螺纹60° 重系列 90° METRIC MALE 24° /BSPT MALE 60° H.T. | 1DT9 | 36 |
| 公制外螺纹24° 轻系列/英管螺纹或60° 锥面组合垫密封 METRIC MALE 24° SEAL L.T./BSP MALEDOUBLE 60° SEAT BONDED SEAL | 1CB | 37 |
| 公制外螺纹24° 重系列/英管螺纹或60° 锥面或组合垫密封 METRIC MALE 24° SEALH.T./BSP MALEDOUBLE 60° SEAT BONDED SEAL | 1DB | 38 |
| 90° 公制外螺纹24° 轻系列/ 英管螺纹60° 锥面密封 90° METRIC MALE 24° L.T./BSP MALE 60° CONE | 1CB9 | 39 |
| 90° 公制外螺纹24° 重系列/ 英管螺纹60° 锥面密封 90° METRIC MALE 24° H.T./BSP MALE BSP MALE 60° CONE | 1DB9 | 40 |
| 公制外螺纹24° 轻系列/英管螺纹60° 内锥面或胶垫密封 METRIC MALE 24° L.T./BSP THREAD WITH CAPTIVE SEAL | 1CB-WD | 41 |
| 公制外螺纹24° 重系列/英管螺纹60° 内锥面胶垫密封 METRIC MALE 24° H.T./BSP THREAD WITH CAPTIVE SEAL | 1DB-WD | 42 |
| 公制外螺纹24° 轻系列/ 英管外螺纹O型圈密封 METRIC MALE 24° L.T./BSP MALE O-RING | 1CG | 43 |
| 公制外螺纹24° 重系列/ 英管外螺纹O型圈密封 METRIC MALE 24° H.T./BSP MALE O-RING | 1DG | 44 |
| 45° 英管螺纹24° 轻系列可调向柱端 45° BSP THREAD 24° L.T.ADJUSTABLE STUD. | 1CG4-OG | 45 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|---|------------|---------|
| 45 ° 英管螺纹24 ° 重系列可调向柱端 45 ° BSP THREAD 24 ° H.T.ADJUSTABLE STUD. | 1DG4-OG | 45 |
| 90 ° 英管螺纹24 ° 轻系列可调向柱端 90 ° BSP THREAD 24 ° L.T.ADJUSTABLE STUD | 1CG9-OG | 46 |
| 90 ° 英管螺纹24 ° 重系列可调向柱端 90 ° BSP THREAD 24 ° H.T.ADJUSTABLE STUD. | 1DG9-OG | 46 |
| 公制外螺纹24 ° 轻系列/ 六角端面O型圈密封 METRIC MALE 24 ° L.T./METRIC MALE WITH O-RING | 1CH | 47 |
| 公制外螺纹24 ° 重系列/ 外螺纹六角端面O型圈密封 METRIC MALE 24 ° H.T./METRIC MALE WITH O-RING | 1DH | 48 |
| 45 ° 公制外螺纹24 ° 轻系列可调向柱端 45 ° METRIC MALE 24 ° L.T.ADJUSTABLE STUD | 1CH4-OG | 49 |
| 45 ° 公制外螺纹24 ° 重系列可调向柱端 45 ° METRIC MALE 24 ° H.T.ADJUSTABLE STUD | 1DH4-OG | 49 |
| 90 ° 公制外螺纹24 ° 轻系列可调向柱端 90 ° METRIC MALE 24 ° L.T.ADJUSTABLE STUD | 1CH9-OG | 50 |
| 90 ° 公制外螺纹24 ° 重系列可调向柱端 90 ° METRIC MALE 24 ° H.T.ADJUSTABLE STUD | 1DH9-OG | 50 |
| 公制外螺纹24 ° 轻系列/美制JIC74 ° 锥密封 METRIC MALE 24 ° L.T./JIC 74 ° CONE SEAL | 1CJ | 51 |
| 公制外螺纹24 ° 重系列/美制JIC74 ° 锥密封 METRIC MALE 24 ° H.T./JIC 74 ° CONE SEAL | 1DJ | 52 |
| 公制外螺纹24 ° 轻系列/60 ° 内锥面或组合垫密封 METRIC MALE 24 ° L.T./60 ° CONE BONDED SEAL | 1CM | 53 |
| 公制外螺纹24 ° 轻系列/60 ° 内锥面或胶垫密封 METRIC MALE 24 ° L.T./60 ° CONE CAPTIVE SEAL | 1CM-WD | 54 |
| 公制外螺纹24 ° 重系列/60 ° 内锥面或组合垫密封 METRIC MALE 24 ° H.T./60 ° CONE BONDED SEAL | 1DM | 55 |
| 公制外螺纹24 ° 重系列/60 ° 内锥面或胶垫密封 METRIC MALE 24 ° H.T./60 ° CONE CAPTIVE SEAL | 1DM-WD | 55 |
| 公制外螺纹24 ° 轻系列/ 美制外螺纹O型圈密封 METRIC MALE 24 ° L.T./SAE MALE O-RING | 1CO | 56 |
| 公制外螺纹24 ° 重系列/ 美制外螺纹O型圈密封 METRIC MALE 24 ° H.T./SAE MALE O-RING | 1DO | 57 |
| 90 ° 公制外螺纹24 ° 轻系列/美制外螺纹可调向柱端 90 ° METRIC 24 ° L.T./SAE MALE ADJUSTABLE STUD | 1CO9-OG | 58 |
| 90 ° 公制外螺纹24 ° 重系列/美制外螺纹可调向柱端 90 ° METRIC 24 ° H.T./SAE MALE ADJUSTABLE STUD | 1DO9-OG | 58 |
| 公制外螺纹24 ° 轻系列/焊接接头 METRIC MALE 24 ° L.T./WELD FITTINGS | 1CW | 59 |
| 公制外螺纹24 ° 重系列/焊接接头 METRIC MALE 24 ° H.T./WELD FITTINGS | 1DW | 59 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|---|------------|---------|
| 公制螺纹24 ° 轻系列/ 英管螺纹60 ° 锥面组合垫密封 METRIC FEMALE 24 ° L.T./BSP MALEDOUBLE 60 ° SEAT BONDED SEAL | 2BC-WD | 60 |
| 公制螺纹24 ° 重系列/ 英管螺纹60 ° 锥面组合垫密封 METRIC FEMALE 24 ° H.T./BSP MALEDOUBLE 60 ° SEAT BONDED SEAL | 2BD-WD | 60 |
| 美制JIC 74 ° 锥密封/公制内螺纹24 ° 锥O型圈密封轻系列 JIC 74 ° CONE SEALING/METRIC FEMALE 24 ° CONE O-RING SEALING L.T. | 2JC | 61 |
| 美制JIC 74 ° 锥密封/公制内螺纹24 ° 锥O型圈密封重系列 JIC 74 ° CONE SEALING/METRIC FEMALE 24 ° CONE O-RING SEALING H.T. | 2JD | 62 |
| 公制螺纹24 ° 轻系列锥O型圈/英管螺纹 O型圈密封 METRIC FEMALE 24 ° L.T.CONE O-RING/BSP MALEO-RING | 2GC | 63 |
| 公制螺纹24 ° 重系列锥O型圈/英管螺纹 O型圈密封 METRIC FEMALE 24 ° H.T.CONE O-RING/BSP MALEO-RING | 2GD | 63 |
| 公制螺纹胶垫密封/ 公制内螺纹24 ° 锥面O型圈密封轻系列 METRIC THREAD /METRIC FEMALE24 ° CONE O-RING SEAL L.T. | 2MC-WD | 64 |
| 公制螺纹胶垫密封/ 公制内螺纹24 ° 锥面O型圈密封重系列 METRIC THREAD /METRIC FEMALE24 ° CONE O-RING SEAL H.T. | 2MD-WD | 64 |
| 公制螺纹24 ° 轻系列/ 英管内螺纹 METRIC MALE 24 ° L.T./BSP FEMALE | 5CB | 65 |
| 公制螺纹24 ° 重系列/ 英管内螺纹 METRIC MALE 24 ° H.T./BSP FEMALE | 5DB | 66 |
| 公制螺纹24 ° 轻系列/ 公制内螺纹 METRIC MALE 24 ° L.T./METRIC FEMALE | 5CM | 67 |
| 公制螺纹24 ° 重系列/ 公制内螺纹 METRIC MALE 24 ° H.T./METRIC FEMALE | 5DM | 67 |
| 公制外螺纹24 ° 轻系列三通 METRIC MALE 24 ° L.T. TEE | AC | 68 |
| 公制外螺纹24 ° 重系列三通 METRIC MALE 24 ° H.T. TEE | AD | 68 |
| 公制内螺纹24 ° /公制外螺纹24 ° 轻系列三通 METRIC FEMALE 24 ° /METRIC MALE 24 ° L.T. TEE | BC | 69 |
| 公制内螺纹24 ° /公制外螺纹24 ° 重系列三通 METRIC FEMALE 24 ° /METRIC MALE 24 ° H.T. TEE | BD | 69 |
| 公制外螺纹24 ° /公制内螺纹24 ° 轻系列三通 METRIC MALE 24 ° /METRIC FEMALE 24 ° L.T. TEE | CC | 70 |
| 公制外螺纹24 ° /公制内螺纹24 ° 重系列三通 METRIC MALE 24 ° /METRIC FEMALE 24 ° H.T. TEE | CD | 70 |
| 公制外螺纹24 ° 轻系列四通 METRIC MALE 24 ° L.T. CROSS | XC | 71 |
| 公制外螺纹24 ° 重系列四通 METRIC MALE 24 ° H.T. CROSS | XD | 71 |
| 公制外螺纹24 ° 轻系列可调向柱端分支三通 METRIC MALE 24 ° L.T.ADJUSTABLE STUD BRADCH TEE | ACHC-OG | 72 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|---|------------|---------|
| 公制外螺纹24 ° 重系列可调向柱端分支三通 METRIC MALE 24 ° H.T. ADJUSTABLE STUD BRADCH TEE | ADHD-OG | 72 |
| 公制外螺纹24 ° 轻系列可调向柱端主支三通 METRIC MALE 24 ° L.T. ADJUSTABLE STUD RUN TEE | ACCH-OG | 73 |
| 公制外螺纹24 ° 重系列可调向柱端主支三通 METRIC MALE 24 ° H.T. ADJUSTABLE STUD RUN TEE | ADDH-OG | 73 |
| 公制外螺纹24 ° 轻系列/ 英管可调向柱端主支三通 METRIC MALE 24 ° L.T./BSP MALE ADJUSTABLE STUD RUN TEE | ACCG-OG | 74 |
| 公制外螺纹24 ° 重系列/ 英管可调向柱端主支三通 METRIC MALE 24 ° H.T./BSP MALE ADJUSTABLE STUD RUN TEE | ADDG-OG | 74 |
| 公制外螺纹24 ° 轻系列/ 英管可调向柱端分支三通 METRIC MALE 24 ° L.T./BSP MALE ADJUSTABLE STUD BRANCH TEE | ACGC-OG | 75 |
| 公制外螺纹24 ° 重系列/ 英管可调向柱端分支三通 METRIC MALE 24 ° H.T./BSP MALE ADJUSTABLE STUD BRANCH TEE | ADGD-OG | 75 |
| 公制24 ° 轻系列/ 美制可调向柱端主支三通 METRIC MALE 24 ° L.T./SAE MALE ADJUSTABLE STUD RUN TEE | ACCO-OG | 76 |
| 公制24 ° 重系列/ 美制可调向柱端主支三通 METRIC MALE 24 ° H.T./SAE MALE ADJUSTABLE STUD RUN TEE | ADDO-OG | 76 |
| 公制24 ° 轻系列/ 美制可调向柱端分支三通 METRIC MALE 24 ° L.T./SAE MALE ADJUSTABLE STUD BRANCH TEE | ACOC-OG | 77 |
| 公制24 ° 重系列/ 美制可调向柱端分支三通 METRIC MALE 24 ° H.T./SAE MALE ADJUSTABLE STUD BRANCH TEE | ADOD-OG | 77 |
| 公制螺纹24 ° 轻系列/ 英管螺纹铰接接头 METRIC MALE 24 ° L.T./BSP BANJO | 1CL-B | 78 |
| 公制螺纹24 ° 重系列/ 英管螺纹铰接接头 METRIC MALE 24 ° H.T./BSP BANJO | 1DL-B | 78 |
| 公制螺纹24 ° 轻系列/ 公制螺纹铰接接头 METRIC MALE 24 ° L.T./METRIC BANJO | 1CL | 79 |
| 公制螺纹24 ° 重系列/ 公制螺纹铰接接头 METRIC MALE 24 ° H.T./METRIC BANJO | 1DL | 79 |
| 英制铰接螺栓 BSP BOLT | 720B | 80 |
| 公制铰接螺栓 METRIC BOLT | 700M | 80 |
| 卡套螺母轻系列 RETAINING NUTS L.T. | NL | 81 |
| 卡套螺母重系列 RETAINING NUTS H.T. | NS | 81 |
| 卡套轻系列 CUTTING RING L.T. | RL | 82 |
| 卡套重系列 CUTTING RING H.T. | RS | 82 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|---|------------|---------|
| 公制外螺纹74 ° 外锥 METRIC MALE 74 ° CONE | 1Q | 83 |
| 公制外螺纹74 ° 外锥堵头 METRIC MALE 74 ° CONE PLUG | 4Q | 84 |
| 公制外螺纹74 ° 外锥过板接头 METRIC MALE 74 ° CONE BULKHEAD | 6Q | 85 |
| 90 ° 公制外螺纹74 ° 外锥过板接头 90 ° METRIC MALE 74 ° CONE BULKHEAD | 6Q9 | 86 |
| 公制外螺纹74 ° 外锥/布锥管外螺纹 METRIC MALE 74 ° CONE/NPT MALE | 1QN | 87 |
| 45 ° 公制外螺纹74 ° 外锥/布锥管外螺纹 45 ° METRIC MALE 74 ° CONE/NPT MALE | 1QN4 | 88 |
| 90 ° 公制外螺纹74 ° 外锥/布锥管外螺纹 90 ° METRIC MALE 74 ° CONE/NPT MALE | 1QN9 | 89 |
| 公制外螺纹74 ° 外锥/英锥管外螺纹 METRIC MALE 74 ° CONE/BSPT MALE | 1QT | 90 |
| 90 ° 公制外螺纹74 ° 外锥/英锥管外螺纹 90 ° METRIC MALE 74 ° CONE/BSPT MALE | 1QT9 | 91 |
| 公制外螺纹74 ° 外锥/英管外螺纹60 ° 内锥或六角端面组合垫密封 METRIC MALE 74 ° CONE/BSP MALE DOUBLE FOR 60 ° SEAT BONDED SEAL | 1QB | 92 |
| 公制74 ° 外锥/ 英管外螺纹O型圈 METRIC 74 ° CONE/BSP MALE O-RING | 1QG | 93 |
| 90 ° 公制74 ° 外锥/ 英管外螺纹O型圈可调向柱端 90 ° METRIC 74 ° CONE/BSP MALE O-RING ADJUSTABLE STUD | 1QG9-OG | 93 |
| 公制74 ° 外锥/公制外螺纹 METRIC 74 ° CONE/METRIC MALE | 1QH | 94 |
| 90 ° 公制74 ° 外锥/公制外螺纹可调向柱端 90 ° METRIC 74 ° CONE/METRIC MALE ADJUSTABLE STUD | 1QH9-OG | 94 |
| 公制外螺纹74 ° 外锥/公制外螺纹60 ° 内锥或六角端面组合垫密封 METRIC MALE 74 ° CONE/METRIC MALE DOUBLE FOR 60 ° SEAT BONDED SEAL | 1QM | 95 |
| 公制外螺纹74 ° 外锥/SAE外螺纹O型圈 METRIC MALE 74 ° CONE/SAE MALE O-RING | 1QO | 96 |
| 90 ° 公制外螺纹74 ° 外锥/SAE外螺纹O型圈 90 ° METRIC MALE 74 ° CONE/SAE MALE O-RING ADJUSTABLE STUD | 1QO9-OG | 96 |
| 90 ° 公制外螺纹74 ° 外锥/ 公制内螺纹74 ° 内锥 90 ° METRIC MALE 74 ° CONE/METRIC FEMALE 74 ° SEAT | 2Q9 | 97 |
| 公制外螺纹74 ° 外锥三通 METRIC MALE 74 ° CONE TEE | AQ | 97 |
| 公制外螺纹74 ° 外锥/可调向柱端分支三通 METRIC MALE 74 ° CONE/ADJUSTABLE STUD BRANCH TEE | AQHQ-OG | 98 |
| 公制外螺纹74 ° 外锥/可调向柱端主支三通 METRIC MALE 74 ° CONE/ADJUSTABLE STUD RUN TEE | AQQH-OG | 98 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|---|------------|---------|
| 日本公制外螺纹60 ° 外锥 JIS METRIC MALE60 ° CONE | 1K | 99 |
| 90 ° 日本公制螺纹60 ° 外锥 90 ° JIS METRIC MALE60 ° CONE | 2K9 | 99 |
| 日本公制外螺纹60 ° 外锥堵头 JIS METRIC MALE60 ° CONE PLUG | 4K | 100 |
| 日本公制内螺纹内锥60 ° JIS METRIC FEMALE 60 ° SEAT PLUG | 9K | 100 |
| 日本公制外螺纹60 ° 外锥/布锥管外螺纹 JIS METRIC MALE 60 ° CONE/NPT MALE | 1KN | 101 |
| 日本公制外螺纹60 ° 外锥/公制外螺纹60 ° 密封或组合垫圈 JIS METRIC MALE60 ° CONE/METRIC MALE 60 ° CONE BONDED SEAL | 1KM | 101 |
| 日本公制外螺纹60 ° /英锥管外螺纹 JIS METRIC MALE60 ° CONE/BSPT MALE | 1KT | 102 |
| 日本公制外螺纹60 ° 外锥/公制外螺纹重系列 JIS METRIC MALE60 ° CONE/METRIC MALE S-SERIES | 1KH | 102 |
| 90 ° 日本公制外螺纹60 ° 外锥/公制外螺纹可调向柱端 90 ° JIS METRIC MALE 60 ° CONE/METRIC ALE ADJUSTABLE STUD | 1KH9-OG | 103 |
| 日本公制外螺纹60 ° 外锥/ 英管外螺纹O型圈 JIS METRIC MALE 60 ° CONE/BSP MALE O-RING | 1KG | 104 |
| 90 ° 日本公制外螺纹60 ° / 英管外螺纹O型圈可调向柱端 90 ° JIS METRIC MALE/BSP MALE O-RING ADJUSTABLE STUD | 1KG9-OG | 104 |
| 日本公制外螺纹60 ° 外锥三通 JIS METRIC MALE60 ° CONE TEE | AK | 105 |
| 日本公制外螺纹60 ° 外锥/日本公制内螺纹60内锥分支三通 JIS METRIC MALE60 ° CONE/JIS METRIC FEMALE 60 ° SEAT BRANCH TEE | BK | 105 |
| 日本公制外螺纹/英管外螺纹O型圈可调向柱端主支三通 JIS METRIC MALE/BSP MALE O-RING RUN TEE ADJUSTABLE STUD | AKKG-OG | 106 |
| 日本公制外螺纹60 ° 外锥/ 公制外螺纹可调向柱端主支三通 JIS METRIC MALE 60 ° CONE/ADJUSTABLE STUD RUN TEE | AKKH-OG | 107 |
| 日本公制外螺纹/英管外螺纹O型圈可调向柱端分支三通 JIS METRIC MALE/BSP MALE O-RING ADJUSTABLE STUD BRANCH TEE | AKGK-OG | 107 |
| 日本公制外螺纹60 ° 外锥/ 公制外螺纹可调向柱端分支三通 JIS METRIC MALE 60 ° CONE/ADJUSTABLE STUD BRANCHTEE | AKHK-OG | 108 |
| 公制外螺纹74 ° 内锥面 METRIC MALE 74 ° CONE SEAT | 1V | 109 |
| 公制外螺纹74 ° 内锥面/英锥管外螺纹 METRIC MALE 74 ° CONE SEAT/BSPT MALE | 1VT | 109 |
| 日本英管外螺纹60 ° 外锥 JIS GAS MALE 60 ° CONE | 1S | 110 |
| 日本英管外螺纹60 ° 外锥堵头 JIS GAS MALE 60 ° CONE PLUG | 4S | 110 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|--|------------|---------|
| 日本英管内螺纹60 ° 内锥堵头 JIS GAS FEMALE 60 ° SEAT PLUG | 9S | 111 |
| 日本英管外螺纹60 ° 外锥过板接头 JIS GAS MALE 60 ° CONE BULKHEAD | 6S | 111 |
| 日本英管外螺纹60 ° 外锥/英锥管外螺纹 JIS GAS MALE 60 ° CONE/BSPT MALE | 1ST | 112 |
| 45 ° 日本英管外螺纹60 ° 外锥/英锥管外螺纹 45 ° JIS GAS MALE 60 ° CONE/BSPT MALE | 1ST4 | 113 |
| 90 ° 日本英管外螺纹60 ° 外锥/英锥管外螺纹 90 ° JIS GAS MALE 60 ° CONE/BSPT MALE | 1ST9 | 114 |
| 日本英管外螺纹60 ° 外锥/布锥管外螺纹 JIS GAS MALE 60 ° CONE/NPT MALE | 1SN | 115 |
| 45 ° 日本英管外螺纹60 ° 外锥/布锥管外螺纹 45 ° JIS GAS MALE 60 ° CONE/NPT MALE | 1SN4 | 116 |
| 90 ° 日本英管外螺纹60 ° 外锥/布锥管外螺纹 90 ° JIS GAS MALE 60 ° CONE/NPT MALE | 1SN9 | 117 |
| 日本英管外螺纹60 ° 外锥/ 英管外螺纹O型圈 JIS GAS MALE 60 ° CONE/BSP MALE O-RING | 1SG | 118 |
| 90 ° 日本英管外螺纹60 ° 外锥/ 英管外螺纹60 ° O型圈可调向柱端 90 ° JIS GAS MALE 60 ° CONE/BSP MALE O-RING ADJUSTABLE STUD | 1SG9-OG | 118 |
| 日本英管外螺纹60 ° 外锥三通 JIS GAS FEMALE 60 ° SEAT TEE | AS | 119 |
| 日本英管外螺纹60 ° 外锥/日本英管内螺纹60 Ø内锥分支三通 JIS GAS MALE 60 ° CONE/JIS GAS FEMALE 60 ° SEAT BRANCH TEE | BS | 119 |
| 日本英管外螺纹60 ° 外锥/日本英管内螺纹60 ° 内锥主支三通 JIS GAS MALE 60 ° CONE/JIS GAS FEMALE 60 ° SEAT RUN TEE | CS | 120 |
| 日本英管内螺纹60 ° 内锥三通 JIS GAS FEMALE 60 ° SEAT TEE | DS | 120 |
| 日本英管外螺纹60 ° 外锥/英管外螺纹O型圈可调向柱端分支三通 JIS GAS MALE 60 ° CONE/BSP MALE O-RING ADJUSTABLE STUD BRANCH TEE | ASGS-OG | 121 |
| 日本英管外螺纹60 ° 外锥/英管外螺纹O型圈可调向柱端主支三通 JIS GAS MALE 60 ° CONE/BSP MALE O-RING ADJUSTABLE STUD END RUN TEE | ASSG-OG | 121 |
| 英管外螺纹60 ° 内锥或六角端面组合垫密封 BSP MALE DOUBLE FOR 60 ° SEAT BONDED SEAL | 1B | 122 |
| 45 ° 英管外螺纹60 ° 内锥 45 ° BSP MALE 60 ° SEAT | 1B4 | 123 |
| 90 ° 英管外螺纹60 ° 内锥 90 ° BSP MALE 60 ° SEAT | 1B9 | 124 |
| 英管外螺纹60 ° 内锥或六角端面组合垫密封/英管内螺纹60 ° 外锥 BSP MALE DOUBLE FOR 60 ° SEAT BONDED SEAL /BSP FEMALE 60 ° CONE | 2B | 125 |
| 45 ° 英管外螺纹60 ° 内锥/ 英管内螺纹60 ° 外锥 45 ° BSP MALE 60 ° SEAT/BSP FEMALE 60 ° CONE | 2B4 | 126 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|--|------------|---------|
| 90 ° 英管外螺纹60 ° 内锥/ 英管内螺纹60 ° 外锥 90 ° BSP MALE 60 ° SEAT/BSP FEMALE 60 ° CONE | 2B9 | 127 |
| 英管内螺纹60 ° 外锥 BSP FEMALE 60 ° CONE | 3B | 128 |
| 45 ° 英管内螺纹60 ° 外锥 45 ° BSP FEMALE 60 ° CONE | 3B4 | 129 |
| 90 ° 英管内螺纹60 ° 外锥 90 ° BSP FEMALE 60 ° CONE | 3B9 | 129 |
| 英管外螺纹60 ° 内锥或六角端面用组合垫密封堵头 BSP MALE DOUBLE FOR 60 ° SEAT OR BONDED SEAL PLUG | 4B | 130 |
| 英管内螺纹60 ° 外锥堵头 BSP FEMALE 60 ° CONE PLUG | 9B | 130 |
| 英管外螺纹60 ° 内锥过板接头 BSP MALE 60 ° SEAT BULKHEAD | 6B | 131 |
| 90 ° 英管外螺纹60 ° 内锥过板接头 90 ° BSP MALE 60 ° SEAT BULKHEAD | 6B9 | 131 |
| 英管螺纹锁母 BSP LOCK NUT | 8B | 132 |
| 英管外螺纹60 ° 内锥或六角端面组合垫密封/ 英锥管外螺纹 BSP MALE DOUBLE FOR 60 ° SEAT BONDED SEAL/BSPT MALE | 1BT | 133 |
| 45 ° 英管外螺纹60 ° 内锥/英锥管外螺纹 45 ° BSP MALE 60 ° SEAT /BSPT MALE | 1BT4 | 134 |
| 90 ° 英管外螺纹60 ° 内锥/英锥管外螺纹 90 ° BSP MALE 60 ° SEAT /BSPT MALE | 1BT9 | 135 |
| 英管外螺纹60 ° 内锥六角或端面组合垫密封/ 布锥管外螺纹 BSP MALE DOUBLE FOR 60 ° SEAT BONDED SEAL/NPT MALE | 1BN | 136 |
| 45 ° 英管外螺纹60 ° 内锥/布锥管外螺纹 45 ° BSP MALE 60 ° SEAT /NPT MALE | 1BN4 | 137 |
| 90 ° 英管外螺纹60 ° 内锥/布锥管外螺纹 90 ° BSP MALE 60 ° SEAT /NPT MALE | 1BN9 | 138 |
| 英管外螺纹60 ° 内锥或六角端面组合垫密封/英锥管外螺纹O型圈 BSP MALE DOUBLE FOR 60 ° SEAT BONDED SEAL/BSPT MALE O-RING | 1BG | 139 |
| 45 ° 英管外螺纹60 ° 内锥/ 英管外螺纹O型圈可调向柱端 45 ° BSP MALE 60 ° SEAT/BSP MALE O-RING ADJUSTABLE STUD END | 1BG4-OG | 140 |
| 90 ° 英管外螺纹60 ° 内锥/ 英管外螺纹O型圈可调向柱端 90 ° BSP MALE 60 ° SEAT/BSP MALE O-RING ADJUSTABLE STUD END | 1BG9-OG | 141 |
| 英管外螺纹60 ° 内锥或六角端面组合垫密封/ 公制外螺纹轻系列 BSP MALE DOUBLE FOR 60 ° SEAT BONDED SEAL/METRIC MALE L-SERIES | 1BH | 142 |
| 45 ° 英管外螺纹60 ° 内锥/公制外螺纹轻系列 45 ° BSP MALE 60 ° SEAT/METRIC MALE O-RING | 1BH4-OG | 143 |
| 90 ° 英管外螺纹60 ° 内锥/公制外螺纹轻系列 90 ° BSP MALE 60 ° SEAT/METRIC MALE O-RING | 1BH9-OG | 144 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|--|------------|---------|
| 英管外螺纹60 ° 内锥或六角端面组合垫密封/美制JIC 外螺纹74 ° 外锥 BSP MALE DOUBLE FOR 60 ° SEATBONDED SEAL/JIC MALE 74 ° CONE | 1BJ | 145 |
| 英管外螺纹60 ° 内锥或六角端面组合垫密封/美制JIC 外螺纹74 ° 外锥 BSP MALE DOUBLE FOR 60 ° SEATBONDED SEAL/JIC MALE 74 ° CONE | 1BJ | 146 |
| 45 ° 英管外螺纹60 ° 内锥/美制JIC外螺纹74 ° 外锥 45 ° BSP MALE 60 ° SEAT/JIC MALE 74 ° CONE | 1BJ4 | 147 |
| 90 ° 英管外螺纹60 ° 内锥/美制JIC外螺纹74 ° 外锥 90 ° BSP MALE 60 ° SEAT/JIC MALE 74 ° CONE | 1BJ9 | 148 |
| 英管外螺纹60 ° 内锥或六角端面组合垫密封/公制外螺纹60 ° 内锥或六角端面组合垫密封 BSP MALE 60 ° SEAT DOUBLE 60 ° SEAT BONDED SEAL /METRIC MALE DOUBLE 60 ° SEAT BONDED SEAL | 1BM | 149 |
| 英管外螺纹60 ° 内锥或六角端面组合垫密封/ 美制SAE 外螺纹带O型圈轻系列 BSP MALE 60 ° SEAT BONDED SEAL/SAE O-RING BOSS L-SERIES | 1BO | 150 |
| 英管外螺纹60 ° 内锥或六角端面组合垫密封/ 焊接管 BSP MALE 60 ° SEAT BONDED SEAL/BUTT-WELD TUBE | 1BW | 151 |
| 焊接管/英管内螺纹60 ° 外锥 BUTT-WELD TUBE/BSP FEMALE 60 ° CONE | 2WB | 151 |
| 英管外螺纹60 ° 内锥或六角端面组合垫密封/ 英管外螺纹胶垫密封 BSP MALE 60 ° SEAT BONDED SEAL/BSP MALE CAPTIVE SEAL | 1B-WD | 152 |
| 英管外螺纹60 ° 内锥或六角端面组合垫密封/美制JIC内螺纹74 ° 内锥 BSP MALE DOUBLE FOR 60 ° SEATBONDED SEAL/JIC FEMALE 74 ° SEAT | 2BJ | 153 |
| 英管外螺纹胶垫密封/美制JIC内螺纹74 ° 内锥 BSP MALE CAPTIVE SEAL/JIC FEMALE 74 ° SEAT | 2BJ-WD | 154 |
| 英锥管外螺纹/英管内螺纹60 ° 外锥 BSPT MALE/BSP FEMALE 60 ° CONE | 2TB | 155 |
| 45 ° 英锥管外螺纹/英管内螺纹60 ° 外锥 45 ° BSPT MALE/BSP FEMALE 60 ° CONE | 2TB4 | 156 |
| 90 ° 英锥管外螺纹/英管内螺纹60 ° 外锥 90 ° BSPT MALE/BSP FEMALE 60 ° CONE | 2TB9 | 156 |
| 布锥管外螺纹/英管内螺纹60 ° 外锥 NPT MALE/BSP FEMALE 60 ° CONE | 2NB | 157 |
| 45 ° 布锥管外螺纹/英管内螺纹60 ° 外锥 45 ° NPT MALE/BSP FEMALE 60 ° CONE | 2NB4 | 158 |
| 90 ° 布锥管外螺纹/英管内螺纹60 ° 外锥 90 ° NPT MALE/BSP FEMALE 60 ° CONE | 2NB9 | 159 |
| 英管外螺纹胶垫密封内六角堵头 BSP MALE CAPTIVE SEAL HOLLOW HEX PLUG | 4BN-WD | 160 |
| 英管外螺纹胶垫密封堵头 BSP MALE CAPTIVE SEAL PLUG | 4B-WD | 160 |
| 英管外螺纹60 ° 内锥或六角端面组合垫密封/ 英管内螺纹 BSP MALE DOUBLE FOR 60 ° SEATBONDED SEAL/BSP FEMALE | 5B | 161 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|--|------------|---------|
| 90 ° 英管外螺纹60 ° 内锥/ 英管内螺纹 90 ° BSP MALE 60 ° SEAT/BSP FEMALE | 5B9 | 162 |
| 英管外螺纹60 ° 内锥或六角端面组合垫密封/ 美制布锥管内螺纹 BSP MALE DOUBLE FOR 60 ° EATBONEDE SEAL/NPT FEMALE | 5BN | 163 |
| 英管外螺纹60 ° 内锥或六角端面组合垫密封/ 英锥管内螺纹 BSP MALE DOUBLE FOR 60 ° EATBONEDE SEAL/BSPT FEMALE | 5BT | 163 |
| 英管外螺纹胶垫密封/ 英管内螺纹 BSP MALE CAPTIVE SEAL/BSP FEMALE | 5B-WD | 164 |
| 英管外螺纹O型圈/ 英管内螺纹 BSP MALE O-RING/BSP FEMALE | 5GB | 165 |
| 英锥管内螺纹/英管内螺纹60 ° 外锥 BSPT FEMALE/BSP FEMALE 60 ° CONE | 7TB | 165 |
| 英管内螺纹 BSP FEMALE | 7B | 166 |
| 90 ° 英管内螺纹 90 ° BSP FEMALE | 7B9 | 167 |
| 英管内螺纹三通 BSP FEMALE TEE | GB | 167 |
| 英管外螺纹60 ° 内锥三通 BSP MALE 60 ° SEAT TEE | AB | 168 |
| 英管外螺纹60 ° 内锥/ 英管内螺纹外锥分支三通 BSP MALE 60 ° SEAT/BSP FEMALE 60 ° CONE BRANCH TEE | BB | 168 |
| 英管外螺纹60 ° 内锥/ 英管内螺纹外锥主支三通 BSP MALE 60 ° SEAT/BSP FEMALE 60 ° CONE RUN TEE | CB | 169 |
| 英管内螺纹外锥三通 BSP FEMALE 60 ° CONE TEE | DB | 169 |
| 英管内螺纹60 ° 外锥/英管外螺纹60 ° 内锥分支三通 BSP FEMALE 60 ° CONE/BSP MALE 60 ° BRANCH TEE | EB | 170 |
| 英管内螺纹60 ° 外锥/英管外螺纹60 ° 内锥分支三通 BSP FEMALE 60 ° CONE/BSP MALE 60 ° BRANCH TEE | FB | 170 |
| 英管外螺纹60 ° 内锥/ 英管外螺纹O型圈可调向柱端主支三通 BSP MALE 60 ° SEAT/BSP MALE O-RING ADJUSTABLE STUD END RUN TEE | ABBG-OG | 171 |
| 英管外螺纹60 ° 内锥/ 英管外螺纹O型圈可调向柱端分支三通 BSP MALE 60 ° SEAT/BSP MALE O-RING ADJUSTABLE STUD END BRANCH TEE | ABGB-OG | 171 |
| 英锥管外螺纹 BSPT MALE | 1T | 172 |
| 45 ° 英锥管外螺纹 45 ° BSPT MALE | 1T4 | 173 |
| 90 ° 英锥管外螺纹 90 ° BSPT MALE | 1T9 | 173 |
| 英锥管外螺纹堵头 BSPT MALE PLUG | 4T | 174 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|--|------------|---------|
| 英锥管外螺纹内六角堵头 BSPT MALE HOLLOW HEX PLUG | 4TN | 174 |
| 英锥管外螺纹/ 英锥管内螺纹 BSPT MALE/BSPT FEMALE | 5T | 175 |
| 90 ° 英锥管外螺纹/英锥管内螺纹 90 ° BSPT MALE/BSPT FEMALE | 5T9 | 176 |
| 英锥管内螺纹 BSPT FEMALE | 7T | 177 |
| 90 ° 英锥管内螺纹 90 ° BSPT FEMALE | 7T9 | 178 |
| 英锥管内螺纹三通 BSPT FEMALE TEE | GT | 178 |
| 英锥管内螺纹四通 BSPT FEMALE CROSS | ZT | 179 |
| 英管外螺纹O型圈/ 英锥管内螺纹 BSP MALE O-RING/BSPT FEMALE | 5GT | 179 |
| 美制布锥管外螺纹 NPT MALE | 1N | 180 |
| 45 ° 美制布锥管外螺纹 45 ° NPT MALE | 1N4 | 181 |
| 90 ° 美制布锥管外螺纹 90 ° NPT MALE | 1N9 | 181 |
| 美制布锥管外螺纹内六角堵头 NPT MALE HOLLOW HEX PLUG | 4NN | 182 |
| 美制布锥管外螺纹堵头 NPT MALE PLUG | 4N | 182 |
| 美制布锥管外螺纹/ 布锥管内螺纹 NPT MALE/NPT FEMALE | 5N | 183 |
| 45 ° 美制布锥管外螺纹/布锥管内螺纹 45 ° NPT MALE/NPT FEMALE | 5N4 | 184 |
| 90 ° 美制布锥管外螺纹/布锥管内螺纹 90 ° NPT MALE/NPT FEMALE | 5N9 | 184 |
| 美制布锥管内螺纹 NPT FEMALE | 7N | 185 |
| 90 ° 美制布锥管内螺纹 90 ° NPT FEMALE | 7N9 | 186 |
| 美制布锥管内螺纹堵头 NPT FEMALE PLUG | 9N-CAP | 186 |
| 美制SAE外螺纹带O型圈/ 美制布锥管外螺纹 NPT MALE/SAE O-RING BOSS | 1NO | 187 |
| 布锥管外螺纹/ 美制NPSM内螺纹60 ° 外锥 NPT MALE/NPSM FEMALE 60 ° CONE | 2NU | 188 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|--|------------|---------|
| 45 ° 布锥管外螺纹/美制NPSM内螺纹60 ° 外锥 45 ° NPT MALE/NPSM FEMALE 60 ° CONE | 2NU4 | 189 |
| 90 ° 布锥管外螺纹/美制NPSM内螺纹60 ° 外锥 90 ° NPT MALE/NPSM FEMALE 60 ° CONE | 2NU9 | 190 |
| 美制外螺纹O型圈/ 美制布锥管内螺纹 BSP MALE O-RING/NPT FEMALE | 5GN | 191 |
| 公制外螺纹轻系列/ 美制布锥管内螺纹 METRIC MALE L-SERIES/NPT FEMALE | 5HN | 192 |
| 公制外螺纹组合垫圈/ 美制布锥管内螺纹 METRIC MALE WITH BONDED SEAL/NPT FEMALE | 5MN | 192 |
| 美制布锥管外螺纹/ 美制SAE内螺纹 NPT MALE/SAE FEMALE | 5NO | 193 |
| 美制SAE外螺纹O型圈轻系列/ 美制布锥管内螺纹 SAE O-RING BOSS L-SERIES/NPT FEMALE | 5ON | 194 |
| 英锥管外螺纹/ 美制布锥管内螺纹 BSPT MALE/NPT FEMALE | 5TN | 195 |
| 美制布锥管内螺纹四通 NPT FEMALE CROSS | ZN | 195 |
| 布锥管内螺纹/ 美制NPSM内螺纹60 ° 外锥 NPT FEMALE/NPSM FEMALE 60 ° CONE | 7NU | 196 |
| 美制布锥管外螺纹三通 NPT MALE TEE | AN | 197 |
| 布锥管内螺纹三通 NPT FEMALE TEE | GN | 197 |
| 美制布锥管内螺纹/ 布锥管外螺纹分支三通 NPT FEMALE/NPT MALE BRANCH TEE | JN | 198 |
| 美制布锥管内螺纹/ 布锥管外螺纹主支三通 NPT FEMALE/NPT MALE RUN TEE | HN | 198 |
| 美制JIC外螺纹74 ° 外锥 JIC MALE 74 ° CONE | 1J | 199 |
| 45 ° 美制JIC外螺纹74 ° 外锥 45 ° JIC MALE 74 ° CONE | 1J4 | 200 |
| 90 ° 美制JIC外螺纹74 ° 外锥 90 ° JIC MALE 74 ° CONE | 1J9 | 200 |
| 90 ° 美制JIC外螺纹74 ° 外锥 90 ° JIC MALE 74 ° CONE | 1J9 | 200 |
| 美制JIC外螺纹74 ° 外锥/JIC内螺纹74 ° 内锥 JIC MALE 74 ° CONE/JIC FEMALE 74 ° SEAT | 2J | 201 |
| 45 ° 美制JIC外螺纹74 ° 外锥/JIC内螺纹74 ° 内锥 45 ° JIC MALE 74 ° CONE/JIC FEMALE 74 ° SEAT | 2J4 | 202 |
| 90 ° 美制JIC外螺纹74 ° 外锥/JIC内螺纹74 ° 内锥 90 ° JIC MALE 74 ° CONE/JIC FEMALE 74 ° SEAT | 2J9 | 203 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|---|------------|---------|
| 美制JIC内螺纹74 ° 内锥 JIC FEMALE 74 ° SEAT | 3J | 204 |
| 45 ° 美制JIC内螺纹74 ° 内锥 45 ° JIC FEMALE 74 ° SEAT | 3J4 | 204 |
| 90 ° 美制JIC内螺纹74 ° 内锥 90 ° JIC FEMALE 74 ° SEAT | 3J9 | 205 |
| 美制JIC外螺纹74 ° 外锥堵头 JIC MALE 74 ° CONE PLUG | 4J | 205 |
| 美制JIC外螺纹/美制JIC内螺纹 JIC MALE/JIC FEMALE | 5J | 206 |
| 美制JIC外螺纹74 ° 外锥过板接头 JIC MALE 74 ° CONE BULKHEAD | 6J | 207 |
| 45 ° 美制JIC外螺纹74 ° 外锥过板接头 45 ° JIC MALE 74 ° CONE BULKHEAD | 6J4 | 207 |
| 90 ° 美制JIC外螺纹74 ° 外锥过板接头 90 ° JIC MALE 74 ° CONE BULKHEAD | 6J9 | 208 |
| 美制JIC锁母 JIC LOCK NUT | 8J | 208 |
| 美制JIC内螺纹74 ° 内锥堵头 JIC FEMALE 74 ° SEAT PLUG | 9J | 209 |
| JIC74 ° 内螺纹堵头 JIC 74 ° FEMALE PLUG | 9J-CAP | 209 |
| JIC外螺纹74 ° 外锥/英锥管外螺纹 JIC MALE 74 ° CONE/BSPT MALE | 1JT | 210 |
| 45 ° JIC外螺纹74 ° 外锥/英锥管外螺纹 45 ° JIC MALE 74 ° CONE/BSPT MALE | 1JT4 | 211 |
| 90 ° JIC外螺纹74 ° 外锥/英锥管外螺纹 90 ° JIC MALE 74 ° CONE/BSPT MALE | 1JT9 | 212 |
| JIC外螺纹74 ° 外锥/布锥管外螺纹 JIC MALE 74 ° CONE/NPT MALE | 1JN | 213 |
| 45 ° JIC外螺纹74 ° 外锥/布锥管外螺纹 45 ° JIC MALE 74 ° CONE/NPT MALE | 1JN4 | 214 |
| 90 ° JIC外螺纹74 ° 外锥/布锥管外螺纹 90 ° JIC MALE 74 ° CONE/NPT MALE | 1JN9 | 215 |
| 90 ° JIC外螺纹74 ° 外锥/加长布锥管外螺纹 90 ° JIC MALE 74 ° CONE/LONG NPT MALE | 1JN9-L | 216 |
| 90 ° JIC外螺纹74 ° 外锥/特长布锥管外螺纹 90 ° JIC MALE 74 ° CONE/LONGGER NPT MALE | 1JN9-LL | 217 |
| 美制JIC外螺纹74 ° 外锥/英管内螺纹60 ° 外锥 JIC MALE 74 ° CONE/BSP FEMALE 60 ° CONE | 2JB | 218 |
| 美制JIC外螺纹74 ° 外锥/英管外螺纹O型圈 JIC MALE 74 ° CONE/BSP MALE O-RING | 1JG | 219 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|---|------------|---------|
| 45 ° 美制JIC外螺纹74 ° 外锥/英管外螺纹O型圈 45 ° JIC MALE 74 ° CONE/BSP MALE O-RING | 1JG4-OG | 220 |
| 90 ° 美制JIC外螺纹74 ° 外锥/英管外螺纹O型圈 90 ° JIC MALE 74 ° CONE/BSP MALE O-RING | 1JG9-OG | 221 |
| 美制JIC外螺纹74 ° 外锥/ORFS外螺纹 JIC MALE 74 ° CONE/ORFS MALE | 1JF | 222 |
| JIC外螺纹74 ° 外锥/公制外螺纹O型圈密封 JIC MALE 74 ° CONE/ METRIC MALE END O-RING | 1JH | 223 |
| 45 ° 美制JIC外螺纹74 ° 外锥/公制外螺纹可调向柱端 45 ° JIC MALE 74 ° CONE/METRIC MALEADJUSTABLE STUD END | 1JH4-OG | 224 |
| 90 ° 美制JIC外螺纹74 ° 外锥/公制外螺纹可调向柱端 90 ° JIC MALE 74 ° CONE/METRIC MALEADJUSTABLE STUD END | 1JH9-OG | 225 |
| JIC外螺纹74 ° 外锥/公制外螺纹60 ° 内锥或六角端面组合垫密封 JIC MALE 74 ° CONE/METRIC MALE DOUBLEUSE FOR 60 ° SEAT OR BONDED SEAL | 1JM | 226 |
| JIC外螺纹74 ° 外锥/公制外螺纹胶垫密封 JIC MALE 74 ° CONE/METRIC MALE CAPTIVE SEAL | 1JM-WD | 227 |
| 美制JIC外螺纹74 ° 外锥/SAE外螺纹带O型圈 JIC MALE 74 ° CONE/SAE O-RING BOSS | 1JO | 228 |
| 美制JIC外螺纹74 ° 外锥/SAE外螺纹带O型圈 JIC MALE 74 ° CONE/SAE O-RING BOSS | 1JO | 229 |
| 加长美制JIC外螺纹74 ° 外锥/SAE外螺纹带O型圈 LONG JIC MALE 74 ° CONE/SAE O-RING BOSS | 1JO-L | 229 |
| 45 ° JIC外螺纹74 ° 外锥/SAE外螺纹带O型圈 45 ° JIC MALE 74 ° CONE/SAE O-RING BOSS | 1JO4-OG | 230 |
| 90 ° JIC外螺纹74 ° 外锥/SAE外螺纹带O型圈 90 ° JIC MALE 74 ° CONE/SAE O-RING BOSS | 1JO9-OG | 231 |
| 90 ° 美制JIC外螺纹74 ° 外锥/加长SAE外螺纹带O型圈 90 ° JIC MALE 74 ° CONE/LONG SAE O-RING BOSS | 1JO9-OG/ L | 232 |
| 英管外螺纹胶垫密封/JIC外螺纹74 ° 外锥 BSP MALE CAPTIVE SEAL/JIC MALE 74 ° CONE | 1BJ-WD | 233 |
| 英锥管外螺纹/JIC内螺纹74 ° 内锥 BSPT MALE/JIC FEMALE 74 ° SEAT | 2TJ | 234 |
| 布锥管外螺纹/JIC内螺纹74 ° 内锥 NPT MALE/JIC FEMALE 74 ° SEAT | 2NJ | 235 |
| 英管外螺纹O型圈/JIC内螺纹74 ° 锥面 BSP MALE O-RING/JIC FEMALE 74 ° CONE | 2GJ | 236 |
| 美制SAE外螺纹带O型圈/JIC内螺纹74 ° 内锥 SAE O-RING BOSS/JIC FEMALE 74 ° SEAT | 2OJ | 237 |
| 焊接管/美制JIC内螺纹74 ° 内锥 BUTT-WELD TUBE/JIC FEMALE 74 ° SEAT | 2WJ | 237 |
| 美制JIC外螺纹74 ° 外锥/英管内螺纹 JIC MALE 74 ° CONE/BSP FEMALE | 5JB | 238 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|---|------------|---------|
| 美制JIC外螺纹74 ° 外锥/英锥管内螺纹 JIC MALE 74 ° CONE/BSPT FEMALE | 5JT | 239 |
| 美制JIC外螺纹74 ° 外锥/布锥管内螺纹 JIC MALE 74 ° CONE/NPT FEMALE | 5JN | 240 |
| 90 ° 美制JIC外螺纹74 ° 外锥/布锥管内螺纹 90 ° JIC MALE 74 ° CONE/NPT FEMALE | 5JN9 | 241 |
| 美制NPT外螺纹/美制JIC外螺纹外锥过板接头 NPT MALE/JIC MALE 74 ° CONE BULKHEAD | 6NJ | 242 |
| 布锥管内螺纹/JIC内螺纹74 ° 内锥 NPT FEMALE/JIC FEMALE 74 ° SEAT | 7NJ | 242 |
| 美制JIC外螺纹74 ° 外锥三通 JIC MALE 74 ° CONE TEE | AJ | 243 |
| 美制JIC外螺纹74 ° 外锥/美制JIC内螺纹74 ° 内锥分支三通 JIC MALE 74 ° CONE/JIC FEMALE BRANCH TEE | BJ | 243 |
| 美制JIC外螺纹74 ° 外锥/美制JIC内螺纹74 ° 内锥主支三通 JIC MALE 74 ° CONE/JIC FEMALE 74 ° SEAT RUN TEE | CJ | 244 |
| 美制JIC内螺纹74 ° 内锥三通 JIC FEMALE 74 ° SEAT TEE | DJ | 244 |
| 美制JIC内螺纹74 ° 内锥/美制JIC外螺纹74 ° 外锥分支三通 JIC FEMALE 74 ° SEAT/JIC MALE 74 ° CONE BRANCH TEE | EJ | 245 |
| 美制JIC内螺纹74 ° 内锥/美制JIC外螺纹74 ° 外锥分支三通 JIC FEMALE 74 ° SEAT/JIC MALE 74 ° CONE BRANCH TEE | FJ | 245 |
| 美制JIC外螺纹74 ° 外锥/布锥管外螺纹分支三通 JIC MALE 74 ° CONE/NPT MALE BRANCH TEE | AJNJ | 246 |
| 美制JIC外螺纹74 ° 外锥/布锥管外螺纹主支三通 JIC MALE 74 ° CONE/NPT MALE RUN TEE | AJJN | 247 |
| 美制JIC外螺纹74 ° 外锥过板接头主支三通 JIC MALE 74 ° CONE BULKHEAD RUN TEE | AJJ6J | 248 |
| 美制JIC外螺纹74 ° 外锥过板接头分支三通 JIC MALE 74 ° CONE BULKHEAD BRANCH TEE | AJ6JJ | 248 |
| 美制JIC外螺纹74 ° 外锥/布锥管内螺纹分支三通 JIC MALE 74 ° CONE/NPT FEMALE BRANCH TEE | KJNJ | 249 |
| 美制JIC外螺纹74 ° 外锥/布锥管内螺纹主支三通 JIC MALE 74 ° CONE/NPT FEMALE RUN TEE | LJJN | 250 |
| 美制JIC外螺纹74 ° 外锥/SAE外螺纹带O型圈分支三通 JIC MALE 74 ° CONE/SAE O-RING BOSS BRANCH TEE | AJOJ-OG | 251 |
| 美制JIC外螺纹74 ° 外锥/SAE外螺纹带O型圈主支三通 JIC MALE 74 ° CONE/SAE O-RING BOSS RUN TEE | AJJO-OG | 252 |
| JIC外螺纹74 ° 外锥/英管外螺纹O型圈分支三通 JIC MALE 74 ° CONE/BSP MALE O-RING BRANCH TEE | AJGJ-OG | 253 |
| JIC外螺纹74 ° 外锥/英管外螺纹O型圈主支三通 JIC MALE 74 ° CONE/BSP MALE O-RING RUN TEE | AJGJ-OG | 253 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|--|------------|---------|
| 美制JIC外螺纹74 ° 外锥/公制外螺纹可调向柱端主支三通 JIC MALE 74 ° CONE/METRIC MALE ADJUSTABLE STUD END | AJJH-OG | 254 |
| JIC公制管衬套 JIC METRIC SLEEVE | NB500 | 255 |
| JIC英制管衬套 JIC INCH SLEEVE | NB300 | 256 |
| 美制JIC扩口管接头螺母 JIC FLARE TUBE END NUT | 00TSUM-NB | 256 |
| 美制ORFS外螺纹O型圈平面密封 ORFS MALE O-RING | 1F | 257 |
| 45 ° 美制ORFS外螺纹O型圈平面密封 45 ° ORFS MALE O-RING | 1F4 | 258 |
| 90 ° 美制ORFS外螺纹O型圈平面密封 90 ° ORFS MALE O-RING | 1F9 | 258 |
| 美制ORFS外螺纹O型圈平面密封/ ORFS内螺纹 ORFS MALE O-RING/ORFS FEMALE | 2F | 259 |
| 45 ° 美制ORFS外螺纹O型圈平面密封/ ORFS内螺纹 45 ° ORFS MALE O-RING/ORFS FEMALE | 2F4 | 260 |
| 90 ° 美制ORFS外螺纹O型圈平面密封/ ORFS内螺纹 90 ° ORFS MALE O-RING/ORFS FEMALE | 2F9 | 260 |
| 美制ORFS内螺纹 ORFS FEMALE | 3F | 261 |
| 美制ORFS外螺纹O型圈平面密封堵头 ORFS MALE O-RING PLUG | 4F | 261 |
| 美制ORFS外螺纹O型圈平面密封过板接头 ORFS MALE O-RING BULKHEAD | 6F | 262 |
| 45 ° 美制ORFS外螺纹O型圈平面密封过板接头 45 ° ORFS MALE O-RING BULKHEAD | 6F4 | 262 |
| 90 ° 美制ORFS外螺纹O型圈平面密封过板接头 90 ° ORFS MALE O-RING BULKHEAD | 6F9 | 263 |
| 美制ORFS锁母 ORFS LOCK NUT | 8F | 264 |
| 美制ORFS内螺纹堵头 ORFS FEMALE PLUG | 9F | 264 |
| 美制ORFS外螺纹O型圈平面密封/ 布锥管外螺纹 ORFS MALE O-RING/NPT MALE | 1FN | 265 |
| 45 ° 美制ORFS外螺纹O型圈平面密封/ 布锥管外螺纹 45 ° ORFS MALE O-RING/NPT MALE | 1FN4 | 266 |
| 90 ° 美制ORFS外螺纹O型圈平面密封/ 布锥管外螺纹 90 ° ORFS MALE O-RING/NPT MALE | 1FN9 | 267 |
| 美制ORFS外螺纹O型圈平面密封/ 公制外螺纹 ORFS MALE O-RING/METRIC MALE O-RING | 1FH | 268 |

目录 INDEX


| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|--|------------|---------|
| 45 ° 美制ORFS外螺纹O型圈平面密封/ 公制外螺纹可调向柱端 45 ° ORFS MALE O-RING/ METRIC MALE ADJUSTABLE STUD END | 1FH4-OG | 269 |
| 90 ° 美制ORFS外螺纹O型圈平面密封/ 公制外螺纹可调向柱端 90 ° ORFS MALE O-RING/ METRIC MALE ADJUSTABLE STUD END | 1FH9-OG | 269 |
| 美制ORFS外螺纹O型圈平面密封/ 美制外螺纹带O型圈重系列 ORFS MALE O-RING/SAE O-RING BOSS S-SERIES | 1FO | 270 |
| 45 ° 美制ORFS外螺纹O型圈平面密封/ 美制外螺纹带O型圈重系列 45 ° ORFS MALE O-RING/SAE O-RING BOSS S-SERIES | 1FO4-OG | 271 |
| 90 ° 美制ORFS外螺纹O型圈平面密封/ 美制外螺纹带O型圈重系列 90 ° ORFS MALE O-RING/SAE O-RING BOSS S-SERIES | 1FO9-OG | 272 |
| 美制ORFS外螺纹O型圈平面密封/ 英管外螺纹O型圈 ORFS MALE O-RING/BSP MALE O-RING | 1FG | 273 |
| 45 ° 美制ORFS外螺纹O型圈平面密封/ 英管外螺纹O型圈 45 ° ORFS MALE O-RING/BSP MALE O-RING | 1FG4-OG | 274 |
| 90 ° 美制ORFS外螺纹O型圈平面密封/ 英管外螺纹O型圈 90 ° ORFS MALE O-RING/BSP MALE O-RING | 1FG9-OG | 275 |
| 美制SAE外螺纹O型圈重系列/ ORFS 内螺纹 SAE O-RING BOSS S-SERIES/ORFS FEMALE | 2OF | 276 |
| 美制ORFS外螺纹O型圈平面密封过板接头主支三通 ORFS MALE O-RING BULKHEAD RUN TEE | AFF6F | 277 |
| 美制ORFS外螺纹O型圈平面密封过板接头分支三通 ORFS MALE O-RING BULKHEAD BRANCH TEE | AF6FF | 277 |
| 美制ORFS外螺纹O型圈平面密封/ 英管外螺纹O型圈主支三通 ORFS MALE O-RING/BSP MALE O-RING RUN TEE | AFFG-OG | 278 |
| 美制ORFS外螺纹O型圈平面密封/ 英管外螺纹O型圈分支三通 ORFS MALE O-RING/BSP MALE O-RING RUN TEE | AFGF-OG | 278 |
| 美制ORFS外螺纹O型圈平面密封/ 美制SAE外螺纹带O型圈分支三通 ORFS MALE O-RING/SAE O-RING BOSS BRANCH TEE | AFOF-OG | 279 |
| 美制ORFS外螺纹O型圈平面密封/ 美制SAE外螺纹带O型圈主支三通 ORFS MALE O-RING/SAE O-RING BOSS RUN TEE | AFFO-OG | 280 |
| 美制ORFS外螺纹O型圈平面密封/ 公制外螺纹可调向柱端主支三通 ORFS MALE O-RING/ METRIC MALE ADJUSTABLE STUD END RUN TEE | AFFH-OG | 281 |
| 美制ORFS外螺纹O型圈平面密封/ 公制外螺纹可调向柱端分支三通 ORFS MALE O-RING/ METRIC MALE ADJUSTABLE STUD END BRANCH TEE | AFHF-OG | 281 |
| 英管外螺纹O型圈 BSP MALE O-RING | 1G | 282 |
| 英管外螺纹O型圈堵头 BSP MALE O-RING PLUG | 4G | 282 |
| 英管外螺纹O型圈/ 英锥管外螺纹 BSP MALE O-RING/BSPT MALE | 1GT | 283 |
| 公制外螺纹轻系列内六角堵头 METRIC MALE L-SERIES HOLLOW HEX PLUG | 4HN | 283 |

目录 INDEX

| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|--|------------|---------|
| 公制外螺纹轻系列 METRIC MALE L-SERIES | 1H | 284 |
| 公制外螺纹轻系列堵头 METRIC MALE L-SERIES PLUG | 4H | 284 |
| 公制外螺纹60 ° 内锥或六角端面组合垫密封 METRIC MALE DOUBLE FOR 60 ° CONE SEAT BONDED SEAL | 1M | 285 |
| 公制外螺纹60 ° 内锥或六角端面组合垫密封堵头 METRIC MALE DOUBLE FOR 60 ° CONE SEAT BONDED SEAL PLUG | 4M | 286 |
| 公制外螺纹胶垫密封内六角堵头 METRIC MALE CAPTIVE SEAL HOLLOW HEX PLUG | 4MN-WD | 286 |
| 美制SAE外螺纹带O型圈 SAE O-RING BOSS | 1O | 287 |
| 美制SAE外螺纹带O型圈/ 英锥管外螺纹 SAE O-RING BOSS/BSPT MALE | 1OT | 287 |
| SAE外螺纹带O型圈/ 美制NPSM内螺纹60 ° 外锥 SAE O-RING BOSS /NPSM FEMALE 60 ° CONE | 2OU | 288 |
| 美制SAE外螺纹带O型圈堵头 SAE O-RING BOSS PLUG | 4O | 289 |
| 美制SAE外螺纹带O型圈内六角堵头 SAE O-RING BOSS HOLLOW HEX PLUG | 4ON | 289 |
| 美制SAE外螺纹90 ° 外锥 SAE MALE 90 ° CONE | 1P | 290 |
| 美制SAE外螺纹90 ° 外锥堵头 SAE MALE 90 ° CONE PLUG | 4P | 290 |
| 轻系列对开法兰夹 L-SERIES SPLIT FLANGE CLAMPS | FL | 291 |
| 重系列对开法兰夹 S-SERIES SPLIT FLANGE CLAMPS | FS | 291 |
| 轻系列整体法兰夹 L-SERIES WHOLE FLANGE CLAMPS | FL-W | 292 |
| 重系列整体法兰夹 S-SERIES WHOLE FLANGE CLAMPS | FS-W | 292 |
| 公制螺纹卡套式/ 轻系列法兰 METRIC MALE BITE TYPE/L-SERIES FLANGE | 1CFL | 293 |
| 公制螺纹卡套式/ 轻系列法兰 METRIC MALE BITE TYPE/L-SERIES FLANGE | 1DFL | 293 |
| 90 ° 公制螺纹卡套式/轻系列法兰 90 ° METRIC MALE BITE TYPE/L-SERIES FLANGE | 1CFL9 | 294 |
| 90 ° 公制螺纹卡套式/轻系列法兰 90 ° METRIC MALE BITE TYPE/L-SERIES FLANGE | 1DFL9 | 294 |
| 公制螺纹卡套式/ 重系列法兰 METRIC MALE BITE TYPE/S-SERIES FLANGE | 1DFS | 295 |

目录 INDEX


| 类别 TYPE | 代号 PART NO | 页次 PAGE |
|---|------------|---------|
| 90 ° 公制螺纹卡套式/重系列法兰 90 ° METRIC MALE BITE TYPE/S-SERIES FLANGE | 1DFS9 | 295 |
| 美制ORFS外螺纹O型圈平面密封/ 轻系列法兰 ORFS MALE O-RING/L-SERIES FLANGE | 1FFL | 296 |
| 90 ° 美制ORFS外螺纹O型圈平面密封/轻系列法兰 90 ° ORFS MALE O-RING/L-SERIES FLANGE | 1FFL9 | 296 |
| 美制ORFS外螺纹O型圈平面密封/重系列法兰 ORFS MALE O-RING/S-SERIES FLANGE | 1FFS | 296 |
| 90° 美制ORFS外螺纹O型圈平面密封/重系列法兰 90° ORFS MALE O-RING/S-SERIES FLANGE | 1FFS9 | 297 |
| 美制JIC外螺纹74 ° 外锥/轻系列法兰 JIC MALE 74 ° CONE/L-SERIES FLANGE | 1JFL | 297 |
| 45 ° 美制JIC外螺纹74 ° 外锥/轻系列法兰 45 ° JIC MALE 74 ° CONE/L-SERIES FLANGE | 1JFL4 | 298 |
| 90 ° 美制JIC外螺纹74 ° 外锥/轻系列法兰 90 ° JIC MALE 74 ° CONE/L-SERIES FLANGE | 1JFL9 | 299 |
| 美制JIC外螺纹74 ° 外锥/重系列法兰 JIC MALE 74 ° CONE/S-SERIES FLANGE | 1JFS | 300 |
| 45 ° 美制JIC外螺纹74 ° 外锥/重系列法兰 45 ° JIC MALE 74 ° CONE/S-SERIES FLANGE | 1JFS4 | 301 |
| 90 ° 美制JIC外螺纹74 ° 外锥/重系列法兰 90 ° JIC MALE 74 ° CONE/S-SERIES FLANGE | 1JFS9 | 302 |
| 轻系列法兰/焊接管 L-SERIES FLANGE/BUTT-WELD TUBE | 1FLW | 303 |
| 重系列法兰/焊接管 S-SERIES FLANGE/BUTT-WELD TUBE | 1FSW | 304 |
| 轻系列法兰堵头 L-SERIES FLANGE PLUG | 4FL | 305 |
| 重系列法兰堵头 S-SERIES FLANGE PLUG | 4FS | 305 |
| 轻系列平面法兰堵头 L-SERIES FLANGE PLUG | 4FL-M | 306 |
| 重系列平面法兰堵头 S-SERIES FLANGE PLUG | 4FS-M | 306 |



1E

公制外螺纹O型圈平面密封
METRIC MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--|--|--|---------------|--|----|--|----|
| | E | | | | A | | S1 | | L |
| 1E-12 | M12x1.5 | | | | 11 | | 14 | | 28 |
| 1E-14 | M14x1.5 | | | | 11 | | 17 | | 28 |
| 1E-16 | M16x1.5 | | | | 11 | | 17 | | 28 |
| 1E-18 | M18x1.5 | | | | 11 | | 19 | | 28 |
| 1E-22 | M22x1.5 | | | | 12 | | 24 | | 32 |
| 1E-27 | M27x1.5 | | | | 13 | | 30 | | 35 |
| 1E-30 | M30x1.5 | | | | 14 | | 32 | | 38 |
| 1E-36 | M36x2 | | | | 16 | | 36 | | 43 |
| 1E-39 | M39x2 | | | | 18 | | 41 | | 48 |
| 1E-45 | M45x2 | | | | 20 | | 46 | | 53 |
| 1E-52 | M52x2 | | | | 22 | | 55 | | 59 |
| 1E-60 | M60x2 | | | | 24 | | 65 | | 65 |
| 1E-64 | M64x2 | | | | 28 | | 70 | | 73 |



1E9

90° 公制外螺纹O型圈平面密封
90° METRIC MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|---------------|--|----|--|
| | E | | | | A | | S1 | |
| 1E9-12 | M12x1.5 | | | | 25 | | 11 | |
| 1E9-14 | M14x1.5 | | | | 27 | | 14 | |
| 1E9-16 | M16x1.5 | | | | 29 | | 17 | |
| 1E9-18 | M18x1.5 | | | | 32 | | 19 | |
| 1E9-22 | M22x1.5 | | | | 37 | | 22 | |
| 1E9-27 | M27x1.5 | | | | 41 | | 27 | |
| 1E9-30 | M30x1.5 | | | | 49 | | 33 | |
| 1E9-36 | M36x2 | | | | 47 | | 33 | |
| 1E9-39 | M39x2 | | | | 57 | | 44 | |
| 1E9-45 | M45x2 | | | | 55 | | 44 | |
| 1E9-52 | M52x2 | | | | 59 | | 55 | |



2E9

90° 公制螺纹O型圈平面密封
90° METRIC MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|---------|--|--|---------------|------|----|----|
| | E | F | | | A | C | S1 | S2 |
| 2E9-14 | M14x1.5 | M14x1.5 | | | 29 | 9 | 14 | 19 |
| 2E9-16 | M16x1.5 | M16x1.5 | | | 30 | 9.5 | 17 | 22 |
| 2E9-18 | M18x1.5 | M18x1.5 | | | 33 | 9.5 | 19 | 24 |
| 2E9-22 | M22x1.5 | M22x1.5 | | | 37 | 10 | 22 | 27 |
| 2E9-27 | M27x1.5 | M27x1.5 | | | 41 | 10.5 | 27 | 32 |
| 2E9-30 | M30x1.5 | M30x1.5 | | | 49 | 11.5 | 33 | 36 |
| 2E9-36 | M36x2 | M36x2 | | | 47 | 13.5 | 33 | 41 |
| 2E9-39 | M39x2 | M39x2 | | | 57 | 13.5 | 44 | 46 |
| 2E9-45 | M45x2 | M45x2 | | | 55 | 15.5 | 44 | 55 |
| 2E9-52 | M52x2 | M52x2 | | | 59 | 17.5 | 55 | 60 |



4E

公制外螺纹O型圈平面密封堵头
METRIC MALE O-RING PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|---------------|--|----|----|
| | E | | | | A | | S1 | |
| 4E-12 | M12x1.5 | | | | 11 | | 14 | 17 |
| 4E-14 | M14x1.5 | | | | 11 | | 17 | 17 |
| 4E-16 | M16x1.5 | | | | 11 | | 17 | 17 |
| 4E-18 | M18x1.5 | | | | 11 | | 19 | 17 |
| 4E-22 | M22x1.5 | | | | 12 | | 24 | 20 |
| 4E-27 | M27x1.5 | | | | 13 | | 30 | 22 |
| 4E-30 | M30x1.5 | | | | 14 | | 32 | 24 |
| 4E-36 | M36x2 | | | | 16 | | 41 | 28 |
| 4E-39 | M39x2 | | | | 18 | | 41 | 30 |
| 4E-45 | M45x2 | | | | 20 | | 46 | 33 |
| 4E-52 | M52x2 | | | | 22 | | 55 | 37 |
| 4E-60 | M60x2 | | | | 24 | | 65 | 41 |
| 4E-64 | M64x2 | | | | 28 | | 70 | 45 |



9E

公制内螺纹平面堵头
METRIC FEMALE FLAT FACE PLUG

| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|---------------|--|----|--|
| | E | | | | C | | S1 | |
| 9E-12 | M12x1.5 | | | | 8 | | 14 | |
| 9E-14 | M14x1.5 | | | | 8 | | 17 | |
| 9E-16 | M16x1.5 | | | | 8 | | 19 | |
| 9E-18 | M18x1.5 | | | | 8.5 | | 22 | |
| 9E-22 | M22x1.5 | | | | 10 | | 27 | |
| 9E-27 | M27x1.5 | | | | 10.5 | | 32 | |
| 9E-30 | M30x1.5 | | | | 11 | | 36 | |
| 9E-36 | M36x2 | | | | 13 | | 41 | |
| 9E-39 | M39x2 | | | | 13 | | 46 | |
| 9E-45 | M45x2 | | | | 15 | | 55 | |
| 9E-52 | M52x2 | | | | 17 | | 60 | |




6E

公制外螺纹O型圈平面密封过板接头
METRIC MALE O-RING BULKHEAD

| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|---------------|------|----|------|
| | E | | | | A | B | S1 | L |
| 6E-12 | M12x1.5 | | | | 11 | 31.5 | 14 | 48.5 |
| 6E-14 | M14x1.5 | | | | 11 | 32.5 | 17 | 49.5 |
| 6E-16 | M16x1.5 | | | | 11 | 32.5 | 17 | 49.5 |
| 6E-18 | M18x1.5 | | | | 11 | 33 | 19 | 50 |
| 6E-22 | M22x1.5 | | | | 12 | 35.5 | 24 | 55 |
| 6E-27 | M27x1.5 | | | | 13 | 37 | 30 | 59 |
| 6E-30 | M30x1.5 | | | | 14 | 38 | 32 | 62 |
| 6E-36 | M36x2 | | | | 16 | 42 | 41 | 70 |
| 6E-39 | M39x2 | | | | 18 | 44 | 41 | 74 |
| 6E-45 | M45x2 | | | | 20 | 46 | 46 | 79 |
| 6E-52 | M52x2 | | | | 22 | 49 | 55 | 86 |

如需带锁母订货,则请在代号后加"LN" 如6E-30LN


In case if you are interested to order the adapter with lock nut,please insert suffix"LN" after our part NO.,for example 6E-30LN.



6E9

90° 公制外螺纹O型圈平面密封过板接头
90° METRIC MALE O-RING BULKHEAD


| 代号 PART NO. | 螺纹 THREADE | | O型圈(外径X线径) | | 尺寸 DIMENSIONS | | | |
|----------------|------------|----|------------|--|---------------|------|----|--|
| | E | E端 | | | A | B | S1 | |
| 6E9-12 | M12x1.5 | | 8x1.9 | | 25 | 44.5 | 11 | |
| 6E9-14 | M14x1.5 | | 10x1.9 | | 27 | 46.5 | 14 | |
| 6E9-16 | M16x1.5 | | 11x1.9 | | 29 | 48 | 17 | |
| 6E9-18 | M18x1.5 | | 13x1.9 | | 32 | 50 | 19 | |
| 6E9-22 | M22x1.5 | | 16x2.4 | | 37 | 54 | 22 | |
| 6E9-27 | M27x1.5 | | 18x2.4 | | 41 | 58.5 | 27 | |
| 6E9-30 | M30x1.5 | | 24x2.4 | | 49 | 61.5 | 33 | |
| 6E9-36 | M36x2 | | 30x3.1 | | 47 | 71 | 33 | |
| 6E9-39 | M39x2 | | 32x3.1 | | 57 | 76 | 44 | |
| 6E9-45 | M45x2 | | 38x3.1 | | 55 | 81 | 44 | |
| 6E9-52 | M52x2 | | 40x3.1 | | 59 | 86 | 55 | |



1EH

公制外螺纹O型圈平面密封
公制外螺纹重系列
METRIC MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|---------|--|--|--|---------------|----|----|----|
| | E | F | | | | A | B | S1 | L |
| 1EH-12-10 | M12x1.5 | M10x1 | | | | 11 | 11 | 14 | 28 |
| 1EH-14-12 | M14x1.5 | M12x1.5 | | | | 11 | 11 | 17 | 28 |
| 1EH-16-14 | M16x1.5 | M14x1.5 | | | | 11 | 11 | 19 | 28 |
| 1EH-18-16 | M18x1.5 | M16x1.5 | | | | 11 | 11 | 22 | 29 |
| 1EH-22-18 | M22x1.5 | M18x1.5 | | | | 12 | 11 | 24 | 31 |
| 1EH-27-22 | M27x1.5 | M22x1.5 | | | | 13 | 12 | 30 | 34 |
| 1EH-30-27 | M30x1.5 | M27x1.5 | | | | 14 | 13 | 32 | 37 |



1EH4-OG

45° 公制外螺纹O型圈平面密封/
可调向柱端重系列45°
METRIC MALE O-RING/
ADJUSTABLE STUD


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|--|---------------|------|----|----|--|
| | E | F | | A | B | S1 | S2 | |
| 1EH4-12-100G | M12x1.5 | M10x1 | | 20 | 25.5 | 11 | 14 | |
| 1EH4-14-120G | M14x1.5 | M12x1.5 | | 22 | 30 | 14 | 17 | |
| 1EH4-16-140G | M16x1.5 | M14x1.5 | | 22 | 30.5 | 17 | 19 | |
| 1EH4-18-160G | M18x1.5 | M16x1.5 | | 24 | 34 | 19 | 22 | |
| 1EH4-22-180G | M22x1.5 | M18x1.5 | | 27 | 38 | 22 | 24 | |
| 1EH4-27-220G | M27x1.5 | M22x1.5 | | 33 | 40.5 | 27 | 27 | |
| 1EH4-30-270G | M30x1.5 | M27x1.5 | | 33 | 48 | 27 | 32 | |
| 1EH4-36-330G | M36x2 | M33x2 | | 37 | 49.5 | 33 | 41 | |
| 1EH4-39-330G | M39x2 | M33x2 | | 41 | 52 | 44 | 41 | |
| 1EH4-45-420G | M45x2 | M42x2 | | 41 | 54 | 44 | 50 | |
| 1EH4-52-480G | M52x2 | M48x2 | | 47 | 58.5 | 53 | 55 | |



1EH9-OG

90° 公制外螺纹O型圈平面密封/
可调向柱端重系列90°
METRIC MALE O-RING/
ADJUSTABLE STUD


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|--|---------------|------|----|----|--|
| | E | F | | A | B | S1 | S2 | |
| 1EH9-12-10 | M12x1.5 | M10x1 | | 25 | 28.5 | 11 | 14 | |
| 1EH9-14-12 | M14x1.5 | M12x1.5 | | 29 | 33.2 | 14 | 17 | |
| 1EH9-16-14 | M16x1.5 | M14x1.5 | | 30 | 36 | 17 | 19 | |
| 1EH9-18-16 | M18x1.5 | M16x1.5 | | 33 | 39 | 19 | 22 | |
| 1EH9-22-18 | M22x1.5 | M18x1.5 | | 37 | 44 | 22 | 24 | |
| 1EH9-27-22 | M27x1.5 | M22x1.5 | | 41 | 48 | 27 | 32 | |
| 1EH9-30-27 | M30x1.5 | M27x1.5 | | 41 | 57 | 27 | 41 | |
| 1EH9-36-33 | M36x2 | M33x2 | | 49 | 60.5 | 33 | 41 | |
| 1EH9-39-33 | M39x2 | M33x2 | | 57 | 64 | 44 | 44 | |
| 1EH9-45-42 | M45x2 | M42x2 | | 57 | 67.5 | 44 | 50 | |
| 1EH9-52-48 | M52x2 | M48x2 | | 59 | 73.5 | 55 | 55 | |



1EM

公制外螺纹O型圈平面密封/
60°内锥六角端面组合垫圈
METRIC MALE O-RING/ 60°
SEAT BONDED SEAL


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|--|--|--|---------------|----|----|--|----|
| | E | F | | | | A | B | S1 | | L |
| 1EM-14-12 | M14x1.5 | M12x1.5 | | | | 11 | 10 | 17 | | 28 |
| 1EM-14 | M14x1.5 | M14x1.5 | | | | 11 | 11 | 19 | | 28 |
| 1EM-22-16 | M22x1.5 | M16x1.5 | | | | 11 | 12 | 22 | | 30 |
| 1EM-22-18 | M22x1.5 | M18x1.5 | | | | 11 | 12 | 24 | | 31 |
| 1EM-22 | M22x1.5 | M22x1.5 | | | | 12 | 14 | 27 | | 35 |



1EN

公制外螺纹O型圈/ 布锥管外螺纹
METRIC MALE O-RING/NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|--|--|--|---------------|------|----|--|------|
| | E | F | | | | A | B | S1 | | L |
| 1EN-14-04 | M14x1.5 | Z1/4" | | | | 11 | 14 | 17 | | 31 |
| 1EN-14-06 | M14x1.5 | Z3/8" | | | | 11 | 14 | 19 | | 31 |
| 1EN-16-04 | M16x1.5 | Z1/4" | | | | 11 | 14 | 17 | | 31 |
| 1EN-16-08 | M16x1.5 | Z1/2" | | | | 11 | 19 | 24 | | 38 |
| 1EN-18-06 | M18x1.5 | Z3/8" | | | | 11 | 14 | 19 | | 31 |
| 1EN-22-08 | M22x1.5 | Z1/2" | | | | 12 | 19 | 24 | | 39 |
| 1EN-24-08 | M24x1.5 | Z1/2" | | | | 13 | 19 | 30 | | 41 |
| 1EN-27-12 | M27x1.5 | Z3/4" | | | | 13 | 19.5 | 32 | | 42.5 |
| 1EN-30-12 | M30x1.5 | Z3/4" | | | | 14 | 19.5 | 32 | | 43.5 |
| 1EN-36-16 | M36x2 | Z1" | | | | 16 | 24 | 41 | | 52 |
| 1EN-39-16 | M39x2 | Z1" | | | | 18 | 24 | 41 | | 54 |
| 1EN-45-20 | M45x2 | Z1.1/4" | | | | 20 | 25 | 46 | | 58 |
| 1EN-52-20 | M52x2 | Z1.1/4" | | | | 22 | 25 | 55 | | 62 |
| 1EN-60-24 | M60x2 | Z1.1/2" | | | | | | | | |



1ET

公制外螺纹O型圈/ 英锥管外螺纹
METRIC MALE O-RING/BSPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|----------|--|--|---------------|------|----|--|------|
| | E | F | | | A | B | S1 | | L |
| 1ET-14-04 | M14x1.5 | ZG1/4" | | | 11 | 14 | 17 | | 31 |
| 1ET-14-06 | M14x1.5 | ZG3/8" | | | 11 | 14 | 19 | | 31 |
| 1ET-16-04 | M16x1.5 | ZG1/4" | | | 11 | 14 | 17 | | 31 |
| 1ET-16-08 | M16x1.5 | ZG1/2" | | | 11 | 19 | 24 | | 38 |
| 1ET-18-06 | M18x1.5 | ZG3/8" | | | 11 | 14 | 19 | | 31 |
| 1ET-22-08 | M22x1.5 | ZG1/2" | | | 12 | 19 | 24 | | 39 |
| 1ET-27-08 | M24x1.5 | ZG1/2" | | | 13 | 19 | 27 | | 41 |
| 1ET-27-12 | M27x1.5 | ZG3/4" | | | 13 | 19.5 | 32 | | 42.5 |
| 1ET-30-12 | M30x1.5 | ZG3/4" | | | 14 | 19.5 | 32 | | 43.5 |
| 1ET-36-16 | M36x2 | ZG1" | | | 16 | 24 | 41 | | 52 |
| 1ET-39-16 | M39x2 | ZG1" | | | 18 | 24 | 41 | | 54 |
| 1ET-45-20 | M45x2 | ZG1.1/4" | | | 20 | 25 | 46 | | 58 |
| 1ET-52-20 | M52x2 | ZG1.1/4" | | | 22 | 25 | 55 | | 62 |
| 1ET-60-24 | M60x2 | ZG1.1/2" | | | 24 | 25 | 70 | | 66 |



1EW

公制外螺纹O型圈平面密封/ 焊接管
METRIC MALE O-RING/BUTT-WELD TUBE


| 代号 PART NO. | 螺纹 THREADE | 尺寸 DIMENSIONS | | | | | | | |
|----------------|------------|---------------|--|--|----|----|----|----|----|
| | | E | | | A | B | D | S1 | L |
| 1EW-12-06 | M12x1.5 | | | | 11 | 8 | 6 | 14 | 25 |
| 1EW-14-08 | M14x1.5 | | | | 11 | 8 | 8 | 17 | 25 |
| 1EW-16-10 | M16x1.5 | | | | 11 | 8 | 10 | 17 | 25 |
| 1EW-18-12 | M18x1.5 | | | | 11 | 12 | 12 | 19 | 29 |
| 1EW-22-14 | M22x1.5 | | | | 12 | 12 | 14 | 24 | 32 |
| 1EW-27-18 | M27x1.5 | | | | 13 | 12 | 18 | 30 | 34 |
| 1EW-30-22 | M30x1.5 | | | | 14 | 14 | 22 | 32 | 38 |
| 1EW-36-28 | M36x2 | | | | 16 | 16 | 28 | 41 | 44 |
| 1EW-39-30 | M39x2 | | | | 18 | 16 | 30 | 41 | 46 |
| 1EW-45-38 | M45x2 | | | | 20 | 18 | 38 | 46 | 51 |
| 1EW-52-42 | M52x2 | | | | 22 | 18 | 42 | 55 | 55 |



1EW9

90 ° 公制外螺纹O型圈平面密封/ 焊接管
90 ° METRIC MALE O-RING/
BUTT-WELD TUBE


| 代号 PART NO. | 螺纹 THREADE | 尺寸 DIMENSIONS | | | | | | | |
|----------------|------------|---------------|--|--|----|------|----|----|--|
| | | E | | | A | B | D | S1 | |
| 1EW9-12-06 | M12x1.5 | | | | 25 | 16.5 | 6 | 11 | |
| 1EW9-14-08 | M14x1.5 | | | | 29 | 17.5 | 8 | 14 | |
| 1EW9-16-10 | M16x1.5 | | | | 30 | 19.5 | 10 | 17 | |
| 1EW9-18-12 | M18x1.5 | | | | 33 | 25 | 12 | 19 | |
| 1EW9-22-14 | M22x1.5 | | | | 37 | 27 | 14 | 22 | |
| 1EW9-27-18 | M27x1.5 | | | | 41 | 29.5 | 18 | 27 | |
| 1EW9-30-22 | M30x1.5 | | | | 41 | 33.5 | 22 | 27 | |
| 1EW9-36-28 | M36x2 | | | | 47 | 39 | 28 | 33 | |
| 1EW9-39-30 | M39x2 | | | | 57 | 43 | 30 | 44 | |
| 1EW9-45-38 | M45x2 | | | | 57 | 47.5 | 38 | 44 | |
| 1EW9-52-42 | M52x2 | | | | 59 | 50 | 42 | 55 | |



1EZ

公制外螺纹O型圈平面密封/
英管螺纹组合垫密封METRIC
MALE O-RING/
BSP MALE


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|----------|--|--|--|---------------|----|----|-------|
| | E | F | | | | A | B | S1 | L |
| 1EZ-14-04 | M14x1.5 | G1/4"X19 | | | | 11 | 12 | | 19 29 |
| 1EZ-16-04 | M16x1.5 | G1/4"X19 | | | | 11 | 12 | | 19 29 |
| 1EZ-16-06 | M16x1.5 | G3/8"X19 | | | | 11 | 12 | | 22 30 |
| 1EZ-18-06 | M18x1.5 | G3/8"X19 | | | | 11 | 12 | | 22 30 |
| 1EZ-18-08 | M18x1.5 | G1/2"X14 | | | | 11 | 14 | | 27 34 |
| 1EZ-22-08 | M22x1.5 | G1/2"X14 | | | | 12 | 14 | | 27 35 |
| 1EZ-27-08 | M27x1.5 | G1/2"X14 | | | | 13 | 14 | | 27 36 |
| 1EZ-27-12 | M27x1.5 | G3/4"X14 | | | | 13 | 16 | | 32 39 |
| 1EZ-30-12 | M30x1.5 | G3/4"X14 | | | | 14 | 16 | | 32 40 |
| 1EZ-30-16 | M30x1.5 | G1"X11 | | | | 14 | 18 | | 41 44 |
| 1EZ-36-16 | M36x2 | G1"X11 | | | | 16 | 18 | | 41 46 |



2WE

焊接管/ 公制内螺纹O型圈平面密封
BUTT-WELD TUBE/METRIC FEMALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | 管子直径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|-------------------|--|--|---------------|----|--|----|
| | E | | | | | C | D | | S1 |
| 2WE-06-12 | M12x1.5 | | 6 | | | 8 | 6 | | 14 |
| 2WE-08-14 | M14x1.5 | | 8 | | | 8 | 8 | | 17 |
| 2WE-10-16 | M16x1.5 | | 10 | | | 8 | 10 | | 19 |
| 2WE-12-18 | M18x1.5 | | 12 | | | 8.5 | 12 | | 22 |
| 2WE-14-22 | M22x1.5 | | 14 | | | 10 | 14 | | 27 |
| 2WE-18-27 | M27x1.5 | | 18 | | | 10.5 | 18 | | 32 |
| 2WE-22-30 | M30x1.5 | | 22 | | | 11 | 22 | | 36 |
| 2WE-28-36 | M36x2 | | 28 | | | 13 | 28 | | 41 |
| 2WE-30-39 | M39x2 | | 30 | | | 13 | 30 | | 46 |
| 2WE-38-52 | M52x2 | | 38 | | | 17 | 38 | | 60 |
| 2WE-42-52 | M52x2 | | 42 | | | 17 | 42 | | 60 |
| 2WE-50-60 | M60x2 | | 50 | | | 20 | 50 | | 70 |
| 2WE-52-64 | M64x2 | | 52 | | | 23 | 52 | | 75 |



XE

公制外螺纹O型圈平面密封四通接头
METRIC MALE O-RING CROSS


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | |
|----------------|------------|--|--|------|---------------|----|
| | | | | | A | S1 |
| XE-14 | M14x1.5 | | | 22.5 | | 14 |
| XE-16 | M16x1.5 | | | 24 | | 17 |
| XE-18 | M18x1.5 | | | 26 | | 19 |
| XE-22 | M22x1.5 | | | 29 | | 22 |
| XE-27 | M27x1.5 | | | 32.5 | | 27 |
| XE-30 | M30x1.5 | | | 35.5 | | 30 |
| XE-36 | M36x2 | | | 42 | | 33 |
| XE-39 | M39x2 | | | 47.5 | | 41 |
| XE-45 | M45x2 | | | 52.5 | | 46 |
| XE-52 | M52x2 | | | 57 | | 55 |



AE

公制外螺纹O型圈平面密封三通接头
METRIC MALE O-RING TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | |
|----------------|------------|--|--|----|---------------|----|--|
| | | | | | A | S1 | |
| AE-12 | M12x1.5 | | | 25 | | 11 | |
| AE-14 | M14x1.5 | | | 27 | | 14 | |
| AE-16 | M16x1.5 | | | 29 | | 17 | |
| AE-18 | M18x1.5 | | | 31 | | 19 | |
| AE-22 | M22x1.5 | | | 34 | | 22 | |
| AE-27 | M27x1.5 | | | 40 | | 27 | |
| AE-30 | M30x1.5 | | | 40 | | 27 | |
| AE-36 | M36x2 | | | 46 | | 33 | |
| AE-39 | M39x2 | | | 57 | | 44 | |



BE

公制外螺纹O型圈/公制内
螺纹平面密封三通接头
METRIC MALE O-RING
/METRIC FEMALE TEE


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|--|--|--|---------------|------|----|----|--|
| | E | F | | | | A | C | S1 | S2 | |
| BE-12 | M12x1.5 | M12x1.5 | | | | 25 | 8 | 11 | 17 | |
| BE-14 | M14x1.5 | M14x1.5 | | | | 27 | 9 | 14 | 19 | |
| BE-16 | M16x1.5 | M16x1.5 | | | | 29 | 9.5 | 17 | 22 | |
| BE-18 | M18x1.5 | M18x1.5 | | | | 31 | 9.5 | 19 | 24 | |
| BE-22 | M22x1.5 | M22x1.5 | | | | 34 | 10 | 22 | 27 | |
| BE-27 | M27x1.5 | M27x1.5 | | | | 40 | 10.5 | 27 | 32 | |
| BE-30 | M30x1.5 | M30x1.5 | | | | 40 | 11.5 | 27 | 36 | |
| BE-36 | M36x2 | M36x2 | | | | 46 | 13.5 | 33 | 41 | |
| BE-39 | M39x2 | M39x2 | | | | 57 | 13.5 | 44 | 46 | |



CE

公制外螺纹O型圈/公制内
螺纹平面密封三通接头
METRIC MALE O-RING
/METRIC FEMALE TEE


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|--|--|--|---------------|------|----|----|--|
| | E | F | | | | A | C | S1 | S2 | |
| CE-12 | M12x1.5 | M12x1.5 | | | | 25 | 8 | 11 | 17 | |
| CE-14 | M14x1.5 | M14x1.5 | | | | 27 | 9 | 14 | 19 | |
| CE-16 | M16x1.5 | M16x1.5 | | | | 29 | 9.5 | 17 | 22 | |
| CE-18 | M18x1.5 | M18x1.5 | | | | 31 | 9.5 | 19 | 24 | |
| CE-22 | M22x1.5 | M22x1.5 | | | | 34 | 10 | 22 | 27 | |
| CE-27 | M27x1.5 | M27x1.5 | | | | 40 | 10.5 | 27 | 32 | |
| CE-30 | M30x1.5 | M30x1.5 | | | | 40 | 11.5 | 27 | 36 | |
| CE-36 | M36x2 | M36x2 | | | | 46 | 13.5 | 33 | 41 | |
| CE-39 | M39x2 | M39x2 | | | | 57 | 13.5 | 44 | 46 | |



AEEH-OG

公制外螺纹O型圈平面密封/
公制外螺纹可调向柱端重系列主支三通
METRIC MALE O-RING/
METIRC MALE ADJUSTABLE STUD
S-SERIES RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | |
|-----------------|------------|---------|--|--|--|---------------|------|----|----|
| | E | F | | | | A | B | S1 | S2 |
| AEEH-12-12-100G | M12x1.5 | M10x1 | | | | 25 | 28.5 | 11 | 14 |
| AEEH-14-14-120G | M14x1.5 | M12x1.5 | | | | 27 | 33.2 | 14 | 17 |
| AEEH-16-16-140G | M16x1.5 | M14x1.5 | | | | 29 | 36 | 17 | 19 |
| AEEH-18-18-160G | M18x1.5 | M16x1.5 | | | | 31 | 39 | 19 | 22 |
| AEEH-22-22-180G | M22x1.5 | M18x1.5 | | | | 34 | 44 | 22 | 24 |
| AEEH-27-27-220G | M27x1.5 | M22x1.5 | | | | 40 | 48 | 27 | 27 |
| AEEH-30-30-270G | M30x1.5 | M27x1.5 | | | | 40 | 57 | 27 | 32 |
| AEEH-36-36-330G | M36x2 | M33x2 | | | | 46 | 60.5 | 33 | 41 |
| AEEH-39-39-330G | M39x2 | M33x2 | | | | 57 | 64 | 44 | 41 |



AEHE-OG

公制外螺纹O型圈平面密封/
公制外螺纹可调向柱端重系列分支三通
METRIC MALE O-RING/
METIRC MALE ADJUSTABLE STUD
S-SERIES BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | |
|-----------------|------------|---------|--|--|--|---------------|------|----|----|
| | E | F | | | | A | B | S1 | S2 |
| AEHE-12-10-120G | M12x1.5 | M10x1 | | | | 25 | 28.5 | 11 | 14 |
| AEHE-14-12-140G | M14x1.5 | M12x1.5 | | | | 27 | 33.2 | 14 | 17 |
| AEHE-16-14-160G | M16x1.5 | M14x1.5 | | | | 29 | 36 | 17 | 19 |
| AEHE-18-16-180G | M18x1.5 | M16x1.5 | | | | 31 | 39 | 19 | 22 |
| AEHE-22-18-220G | M22x1.5 | M18x1.5 | | | | 34 | 44 | 22 | 24 |
| AEHE-27-22-270G | M27x1.5 | M22x1.5 | | | | 40 | 48 | 27 | 27 |
| AEHE-30-27-300G | M30x1.5 | M27x1.5 | | | | 40 | 57 | 27 | 32 |
| AEHE-36-33-360G | M36x2 | M33x2 | | | | 46 | 60.5 | 33 | 41 |
| AEHE-39-33-390G | M39x2 | M33x2 | | | | 57 | 64 | 44 | 41 |



AEE6E

90 ° 公制外螺纹O型圈平面密封过板接头
90 ° METRIC MALE O-RING BULKHEAD RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|---------------|------|----|--|
| | E | | | | A | B | S1 | |
| AEE6E-12 | M12x1.5 | | | | 25 | 44.5 | 11 | |
| AEE6E-14 | M14x1.5 | | | | 27 | 46.5 | 14 | |
| AEE6E-16 | M16x1.5 | | | | 29 | 48 | 17 | |
| AEE6E-18 | M18x1.5 | | | | 31 | 50 | 19 | |
| AEE6E-22 | M22x1.5 | | | | 34 | 54 | 22 | |
| AEE6E-27 | M27x1.5 | | | | 40 | 58.5 | 27 | |
| AEE6E-30 | M30x1.5 | | | | 40 | 61.5 | 27 | |
| AEE6E-36 | M36x2 | | | | 46 | 71 | 33 | |
| AEE6E-39 | M39x2 | | | | 57 | 76 | 44 | |



AE6EE

公制外螺纹O型圈平面密封过板分支三通
METRIC MALE O-RING BULKHEAD
BRANCH TEE

| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|---------------|------|----|--|
| | E | | | | A | B | S1 | |
| AE6EE-12 | M12x1.5 | | | | 25 | 44.5 | 11 | |
| AE6EE-14 | M14x1.5 | | | | 27 | 46.5 | 14 | |
| AE6EE-16 | M16x1.5 | | | | 29 | 48 | 17 | |
| AE6EE-18 | M18x1.5 | | | | 31 | 50 | 19 | |
| AE6EE-22 | M22x1.5 | | | | 34 | 54 | 22 | |
| AE6EE-27 | M27x1.5 | | | | 40 | 58.5 | 27 | |
| AE6EE-30 | M30x1.5 | | | | 40 | 61.5 | 27 | |
| AE6EE-36 | M36x2 | | | | 46 | 71 | 33 | |
| AE6EE-39 | M39x2 | | | | 57 | 76 | 44 | |




1C

公制外螺纹24°轻系列变径
METRIC MALE 24° L.T. REDUCERS

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|----------------|----|--|---------------|----|----|---|------|
| | E | D1 | D2 | A | | B | S1 | | L | |
| 1C-12-14 | M12x1.5 | M14x1.5 | 6 | 8 | | 10 | 10 | 14 | | 26 |
| 1C-12-16 | M12x1.5 | M16x1.5 | 6 | 10 | | 10 | 11 | 17 | | 27 |
| 1C-12-18 | M12x1.5 | M18x1.5 | 6 | 12 | | 10 | 11 | 19 | | 27 |
| 1C-14-16 | M14x1.5 | M16x1.5 | 8 | 10 | | 11 | 11 | 17 | | 28 |
| 1C-14-18 | M14x1.5 | M18x1.5 | 8 | 12 | | 11 | 11 | 19 | | 28 |
| 1C-16-18 | M16x1.5 | M18x1.5 | 10 | 12 | | 11 | 11 | 19 | | 28 |
| 1C-16-22 | M16x1.5 | M22x1.5 | 10 | 15 | | 11 | 12 | 24 | | 30 |
| 1C-16-26 | M16x1.5 | M26x1.5 | 10 | 18 | | 11 | 12 | 27 | | 33 |
| 1C-18-22 | M18x1.5 | M22x1.5 | 12 | 15 | | 11.5 | 12 | 24 | | 31 |
| 1C-18-26 | M18x1.5 | M26x1.5 | 12 | 18 | | 11.5 | 12 | 27 | | 32 |
| 1C-18-30 | M18x1.5 | M30x2 | 12 | 22 | | 11.5 | 14 | 32 | | 35.5 |
| 1C-22-26 | M22x1.5 | M26x1.5 | 15 | 18 | | 12.5 | 12 | 27 | | 33 |
| 1C-22-30 | M22x1.5 | M30x2 | 15 | 22 | | 12.5 | 14 | 32 | | 36.5 |
| 1C-26-30 | M26x1.5 | M30x2 | 18 | 22 | | 12 | 14 | 32 | | 37 |
| 1C-26-36 | M26x1.5 | M36x2 | 18 | 28 | | 12 | 14 | 36 | | 37 |
| 1C-30-36 | M30x2 | M36x2 | 22 | 28 | | 14 | 14 | 36 | | 39 |
| 1C-30-45 | M30x2 | M45x2 | 22 | 35 | | 14 | 16 | 46 | | 43 |
| 1C-33-45 | M33x2 | M45x2 | 25 | 35 | | 16 | 16 | 46 | | 45 |


备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1C-22-26RN"
 Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part No., for example 1C-22-26RN.



1C

公制外螺纹24°轻系列
METRIC MALE 24° L.T.

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--|----------------|--|--|---------------|--|----|--|----|
| | E | | D1 | | | A | | S1 | | L |
| 1C-12 | M12x1.5 | | 6 | | | 10 | | 12 | | 26 |
| 1C-14 | M14x1.5 | | 8 | | | 11 | | 14 | | 28 |
| 1C-16 | M16x1.5 | | 10 | | | 11 | | 17 | | 28 |
| 1C-18 | M18x1.5 | | 12 | | | 11.5 | | 19 | | 29 |
| 1C-22 | M22x1.5 | | 15 | | | 12.5 | | 24 | | 33 |
| 1C-26 | M26x1.5 | | 18 | | | 12 | | 27 | | 34 |
| 1C-30 | M30x2 | | 22 | | | 14 | | 32 | | 39 |
| 1C-36 | M36x2 | | 28 | | | 16 | | 36 | | 43 |
| 1C-45 | M45x2 | | 35 | | | 16 | | 46 | | 45 |
| 1C-52 | M52x2 | | 42 | | | 16 | | 55 | | 49 |




1D

公制外螺纹24°重系列
METRIC MALE 24° H.T.

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--|----------------|--|--|---------------|--|----|--|----|
| | E | | D1 | | | A | | S1 | | L |
| 1D-14 | M14x1.5 | | 6 | | | 12 | | 14 | | 30 |
| 1D-16 | M16x1.5 | | 8 | | | 12 | | 17 | | 30 |
| 1D-18 | M18x1.5 | | 10 | | | 12 | | 19 | | 30 |
| 1D-20 | M20x1.5 | | 12 | | | 12 | | 22 | | 31 |
| 1D-22 | M22x1.5 | | 14 | | | 14 | | 24 | | 36 |
| 1D-24 | M24x1.5 | | 16 | | | 14 | | 27 | | 38 |
| 1D-30 | M30x2 | | 20 | | | 16 | | 32 | | 43 |
| 1D-36 | M36x2 | | 25 | | | 18 | | 36 | | 47 |
| 1D-42 | M42x2 | | 30 | | | 20 | | 46 | | 52 |
| 1D-52 | M52x2 | | 38 | | | 22 | | 55 | | 61 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1D-22RN" (同上)

Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1D-22RN. (the same with above)




1D

公制外螺纹24°重系列变径
METRIC MALE 24° H.T. REDUCERS

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|---------|----------------|----|--|---------------|----|----|----|
| | E | D1 | D2 | A | | B | S1 | L | |
| 1D-14-16 | M14x1.5 | M16x1.5 | 6 | 8 | | 12 | 12 | 17 | 30 |
| 1D-14-18 | M14x1.5 | M18x1.5 | 6 | 10 | | 12 | 12 | 19 | 30 |
| 1D-14-20 | M14x1.5 | M20x1.5 | 6 | 12 | | 12 | 12 | 22 | 32 |
| 1D-16-18 | M16x1.5 | M18x1.5 | 8 | 10 | | 12 | 12 | 19 | 30 |
| 1D-16-20 | M16x1.5 | M20x1.5 | 8 | 12 | | 12 | 12 | 22 | 32 |
| 1D-18-20 | M18x1.5 | M20x1.5 | 10 | 12 | | 12 | 12 | 22 | 32 |
| 1D-18-22 | M18x1.5 | M22x1.5 | 10 | 14 | | 12 | 14 | 24 | 34 |
| 1D-18-30 | M18x1.5 | M30x2 | 10 | 20 | | 12 | 16 | 32 | 39 |
| 1D-20-22 | M20x1.5 | M22x1.5 | 12 | 14 | | 12 | 14 | 24 | 34 |
| 1D-20-24 | M20x1.5 | M24x1.5 | 12 | 16 | | 12 | 14 | 27 | 36 |
| 1D-20-30 | M20x1.5 | M30x2 | 12 | 20 | | 12 | 16 | 32 | 39 |
| 1D-22-24 | M22x1.5 | M24x1.5 | 14 | 16 | | 14 | 14 | 27 | 38 |
| 1D-24-30 | M24x1.5 | M30x2 | 16 | 20 | | 14 | 16 | 32 | 41 |
| 1D-24-36 | M24x1.5 | M36x2 | 16 | 25 | | 14 | 18 | 36 | 43 |
| 1D-30-36 | M30x2 | M36x2 | 20 | 25 | | 16 | 18 | 36 | 45 |
| 1D-30-42 | M30x2 | M42x2 | 20 | 30 | | 16 | 20 | 46 | 48 |
| 1D-36-42 | M36x2 | M42x2 | 25 | 30 | | 18 | 20 | 46 | 50 |
| 1D-42-52 | M42x2 | M52x2 | 30 | 38 | | 20 | 22 | 55 | 59 |


备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1D-22-24RN"
 Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part No., for example 1D-22-24RN.



1C9

90° 公制外螺纹 24° 轻系列
90° METRIC MALE 24° L.T.

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺 寸 DIMENSIONS | | | |
|----------------|------------|--|----------------|--|----------------|--|----|--|
| | E | | | | A | | S1 | |
| 1C9-12 | M12x1.5 | | 6 | | 25 | | 11 | |
| 1C9-14 | M14x1.5 | | 8 | | 29 | | 14 | |
| 1C9-16 | M16x1.5 | | 10 | | 30 | | 17 | |
| 1C9-18 | M18x1.5 | | 12 | | 33 | | 19 | |
| 1C9-22 | M22x1.5 | | 15 | | 37 | | 22 | |
| 1C9-26 | M26x1.5 | | 18 | | 41 | | 27 | |
| 1C9-30 | M30x2 | | 25 | | 41 | | 27 | |
| 1C9-36 | M36x2 | | 28 | | 46 | | 33 | |
| 1C9-45 | M45x2 | | 35 | | 55 | | 44 | |
| 1C9-52 | M52x2 | | 42 | | 59 | | 55 | |




1D9

90° 公制外螺纹 24° 重系列
90° METRIC MALE 24° H.T.

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺 寸 DIMENSIONS | | | |
|----------------|------------|--|----------------|--|----------------|--|----|--|
| | E | | | | A | | S1 | |
| 1D9-14 | M14x1.5 | | 6 | | 29 | | 14 | |
| 1D9-16 | M16x1.5 | | 8 | | 30 | | 17 | |
| 1D9-18 | M18x1.5 | | 10 | | 33 | | 19 | |
| 1D9-20 | M20x1.5 | | 12 | | 37 | | 22 | |
| 1D9-22 | M22x1.5 | | 14 | | 37 | | 22 | |
| 1D9-24 | M24x1.5 | | 16 | | 33 | | 24 | |
| 1D9-30 | M30x2 | | 20 | | 41 | | 27 | |
| 1D9-42 | M42x2 | | 30 | | 57 | | 44 | |
| 1D9-52 | M52x2 | | 38 | | 59 | | 50 | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1D9-22RN" (同上)

Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1D9-22RN.(the same with above)




2C

公制内螺纹24° / 公制外螺纹24° 轻系列
METRIC FEMALE 24° / METRIC MALE 24° L.T.

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | C | 尺寸 DIMENSIONS | | | |
|----------------|------------|---------|----------------|--|-----|---------------|----|----|--|
| | E | F | D1 | | | S1 | S2 | | |
| 2C-12 | M12x1.5 | M12x1.5 | 6 | | 2 | | 12 | 17 | |
| 2C-12-14 | M12x1.5 | M14x1.5 | 6 | | 3.5 | | 14 | 19 | |
| 2C-12-16 | M12x1.5 | M16x1.5 | 6 | | 3.5 | | 14 | 22 | |
| 2C-14 | M14x1.5 | M14x1.5 | 8 | | 3.5 | | 14 | 19 | |
| 2C-14-16 | M14x1.5 | M16x1.5 | 8 | | 3.5 | | 14 | 22 | |
| 2C-14-18 | M14x1.5 | M18x1.5 | 8 | | 3.5 | | 17 | 24 | |
| 2C-16 | M16x1.5 | M16x1.5 | 10 | | 3.5 | | 17 | 22 | |
| 2C-16-18 | M16x1.5 | M18x1.5 | 10 | | 3.5 | | 17 | 24 | |
| 2C-16-22 | M16x1.5 | M22x1.5 | 10 | | 3 | | 22 | 27 | |
| 2C-18 | M18x1.5 | M18x1.5 | 12 | | 3.5 | | 17 | 24 | |
| 2C-18-22 | M18x1.5 | M22x1.5 | 12 | | 3 | | 22 | 27 | |
| 2C-12-26 | M12x1.5 | M26x1.5 | 6 | | 3.5 | | 24 | 32 | |
| 2C-22-26 | M22x1.5 | M26x1.5 | 15 | | 3.5 | | 24 | 32 | |
| 2C-26 | M26x1.5 | M26x1.5 | 18 | | 3.5 | | 24 | 32 | |
| 2C-26-30 | M26x1.5 | M30x2 | 18 | | 4.5 | | 30 | 36 | |
| 2C-26-36 | M26x1.5 | M36x2 | 18 | | 4.5 | | 36 | 41 | |
| 2C-30 | M30x2 | M30x2 | 22 | | 4.5 | | 30 | 36 | |
| 2C-30-36 | M30x2 | M36x2 | 22 | | 4.5 | | 36 | 41 | |
| 2C-30-45 | M30x2 | M45x2 | 22 | | 5.5 | | 46 | 55 | |
| 2C-36-45 | M36x2 | M45x2 | 28 | | 5.5 | | 46 | 55 | |
| 2C-45 | M45x2 | M45x2 | 35 | | 5.5 | | 46 | 55 | |
| 2C-45-52 | M45x2 | M52x2 | 35 | | 6.5 | | 55 | 60 | |
| 2C-52 | M52x2 | M52x2 | 42 | | 6.5 | | 55 | 60 | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"2C-22-26RN"

Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 2C-22-26RN.




2D

公制内螺纹24° / 公制外螺纹24° 重系列
METRIC FEMALE 24° / METRIC MALE 24° H.T.

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | C | 尺寸 DIMENSIONS | | | |
|----------------|------------|---------|----------------|--|-----|---------------|----|----|--|
| | E | F | D1 | | | S1 | S2 | | |
| 2D-14-16 | M14x1.5 | M16x1.5 | 6 | | 3.5 | | 14 | 22 | |
| 2D-14-18 | M14x1.5 | M18x1.5 | 6 | | 3 | | 17 | 24 | |
| 2D-14-20 | M14x1.5 | M20x1.5 | 6 | | 3 | | 19 | 27 | |
| 2D-16-18 | M16x1.5 | M18x1.5 | 8 | | 3 | | 17 | 24 | |
| 2D-16-20 | M16x1.5 | M20x1.5 | 8 | | 3 | | 19 | 27 | |
| 2D-16-22 | M16x1.5 | M22x1.5 | 8 | | 2.5 | | 22 | 27 | |
| 2D-18-20 | M18x1.5 | M20x1.5 | 10 | | 3 | | 19 | 27 | |
| 2D-18-22 | M18x1.5 | M22x1.5 | 10 | | 2.5 | | 22 | 27 | |
| 2D-20-22 | M20x1.5 | M22x1.5 | 12 | | 2.5 | | 22 | 27 | |
| 2D-16-24 | M16x1.5 | M24x1.5 | 8 | | 3.5 | | 22 | 30 | |
| 2D-18-24 | M18x1.5 | M24x1.5 | 10 | | 3.5 | | 22 | 30 | |
| 2D-20-24 | M20x1.5 | M24x1.5 | 12 | | 3.5 | | 22 | 30 | |
| 2D-20-30 | M20x1.5 | M30x2 | 12 | | 4.5 | | 30 | 36 | |
| 2D-22-24 | M22x1.5 | M24x1.5 | 14 | | 3.5 | | 22 | 30 | |
| 2D-22-30 | M22x1.5 | M30x2 | 14 | | 4.5 | | 30 | 36 | |
| 2D-24-30 | M24x1.5 | M30x2 | 16 | | 4.5 | | 27 | 36 | |
| 2D-30-36 | M30x2 | M36x2 | 20 | | 3.5 | | 36 | 41 | |
| 2D-30-42 | M30x2 | M42x2 | 20 | | 5.5 | | 41 | 50 | |
| 2D-33-42 | M33x2 | M42x2 | 22 | | 5.5 | | 41 | 50 | |
| 2D-33-52 | M33x2 | M52x2 | 22 | | 7 | | 50 | 60 | |
| 2D-42-52 | M42x2 | M52x2 | 30 | | 7 | | 50 | 60 | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"2D-22-30RN"


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 2D-22-30RN.



2C9

90 ° 公制内螺纹24 ° /
公制外螺纹24 ° 轻系列
90 ° METRIC FEMALE 24 ° /
METRIC MALE 24 ° L.T.

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|----------------|--|--|---------------|-----|----|----|--|
| | E | F | D1 | | | A | C | S1 | S2 | |
| 2C9-12 | M12x1.5 | M12x1.5 | 6 | | | 25 | 2 | 11 | 17 | |
| 2C9-14 | M14x1.5 | M14x1.5 | 8 | | | 29 | 3.5 | 14 | 19 | |
| 2C9-16 | M16x1.5 | M16x1.5 | 10 | | | 30 | 3.5 | 17 | 22 | |
| 2C9-18 | M18x1.5 | M18x1.5 | 12 | | | 33 | 3.5 | 19 | 24 | |
| 2C9-22 | M22x1.5 | M22x1.5 | 15 | | | 37 | 3 | 22 | 27 | |
| 2C9-26 | M26x1.5 | M26x1.5 | 18 | | | 41 | 3.5 | 27 | 32 | |
| 2C9-30 | M30x2 | M30x2 | 22 | | | 41 | 4.5 | 27 | 36 | |
| 2C9-36 | M36x2 | M36x2 | 28 | | | 46 | 4.5 | 33 | 41 | |
| 2C9-45 | M45x2 | M45x2 | 35 | | | 55 | 5.5 | 44 | 55 | |
| 2C9-52 | M52x2 | M52x2 | 42 | | | 59 | 6.5 | 55 | 60 | |




2D9

90 ° 公制内螺纹24 ° /
公制外螺纹24 ° 重系列
90 ° METRIC FEMALE 24 ° /
METRIC MALE 24 ° H.T.

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|----------------|--|--|---------------|-----|----|----|--|
| | E | F | D1 | | | A | C | S1 | S2 | |
| 2D9-14 | M14x1.5 | M14x1.5 | 6 | | | 29 | 3 | 14 | 19 | |
| 2D9-16 | M16x1.5 | M16x1.5 | 8 | | | 30 | 3.5 | 17 | 22 | |
| 2D9-18 | M18x1.5 | M18x1.5 | 10 | | | 33 | 3 | 19 | 24 | |
| 2D9-20 | M20x1.5 | M20x1.5 | 12 | | | 37 | 3 | 22 | 27 | |
| 2D9-22 | M22x1.5 | M22x1.5 | 14 | | | 37 | 2.5 | 22 | 27 | |
| 2D9-30 | M30x2 | M30x2 | 20 | | | 41 | 4.5 | 27 | 36 | |
| 2D9-36 | M36x2 | M36x2 | 25 | | | 46 | 3.5 | 33 | 41 | |
| 2D9-42 | M42x2 | M42x2 | 30 | | | 55 | 5.5 | 44 | 50 | |
| 2D9-52 | M52x2 | M52x2 | 38 | | | 59 | 7 | 55 | 60 | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"2D9-22RN" (同上)


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 2D9-22RN.(the same with above)



3C

公制内螺纹24°轻系列
METRIC FEMALE 24° L.T.


| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS C | | | | |
|----------------|------------|--|----------------|--|-----------------|-----|----|--|--|
| | E | | | | | S1 | | | |
| 3C-12 | M12x1.5 | | 6 | | | 2 | 17 | | |
| 3C-14 | M14x1.5 | | 8 | | | 3.5 | 19 | | |
| 3C-16 | M16x1.5 | | 10 | | | 3.5 | 22 | | |
| 3C-18 | M18x1.5 | | 12 | | | 3.5 | 24 | | |
| 3C-22 | M22x1.5 | | 15 | | | 3 | 27 | | |
| 3C-26 | M26x1.5 | | 18 | | | 3.5 | 32 | | |
| 3C-30 | M30x2 | | 22 | | | 4.5 | 36 | | |
| 3C-36 | M36x2 | | 28 | | | 4.5 | 41 | | |
| 3C-45 | M45x2 | | 35 | | | 5.5 | 55 | | |
| 3C-52 | M52x2 | | 42 | | | 6.5 | 60 | | |



3D

公制内螺纹24°重系列
METRIC FEMALE 24° H.T.


| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--|----------------|--|---------------|-----|----|--|--|
| | E | | | | | C | S1 | | |
| 3D-14 | M14x1.5 | | 6 | | | 3 | 19 | | |
| 3D-16 | M16x1.5 | | 8 | | | 3.5 | 22 | | |
| 3D-18 | M18x1.5 | | 10 | | | 3 | 24 | | |
| 3D-20 | M20x1.5 | | 12 | | | 3 | 27 | | |
| 3D-22 | M22x1.5 | | 14 | | | 2.5 | 27 | | |
| 3D-24 | M24x1.5 | | 16 | | | 3.5 | 30 | | |
| 3D-30 | M30x2 | | 20 | | | 4.5 | 36 | | |
| 3D-36 | M36x2 | | 25 | | | 3.5 | 41 | | |
| 3D-42 | M42x2 | | 30 | | | 5.5 | 50 | | |
| 3D-52 | M52x2 | | 38 | | | 7 | 60 | | |



4C

公制螺纹24°轻系列堵头
METRIC MALE 24° L.T. PULG

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|----|----------------|--|---------------|--|----|--|------|
| | E | D1 | | | A | | S1 | | L |
| 4C-12 | M12x1.5 | | 6 | | 10 | | 12 | | 16 |
| 4C-14 | M14x1.5 | | 8 | | 11 | | 14 | | 17 |
| 4C-16 | M16x1.5 | | 10 | | 11 | | 17 | | 17 |
| 4C-18 | M18x1.5 | | 12 | | 11.5 | | 19 | | 17.5 |
| 4C-22 | M22x1.5 | | 15 | | 12.5 | | 24 | | 20 |
| 4C-26 | M26x1.5 | | 18 | | 12 | | 27 | | 22 |
| 4C-30 | M30x2 | | 22 | | 14 | | 32 | | 25 |
| 4C-36 | M36x2 | | 28 | | 16 | | 36 | | 27 |
| 4C-45 | M45x2 | | 35 | | 18 | | 46 | | 31 |
| 4C-52 | M52x2 | | 42 | | 19 | | 55 | | 36 |




4D

公制螺纹24°重系列堵头
METRIC MALE 24° H.T. PLUG

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|----|----------------|--|---------------|--|----|---|----|
| | E | D1 | | | A | | S1 | L | |
| 4D-14 | M14x1.5 | | 6 | | 12 | | 14 | | 18 |
| 4D-16 | M16x1.5 | | 8 | | 12 | | 17 | | 18 |
| 4D-18 | M18x1.5 | | 10 | | 12 | | 19 | | 18 |
| 4D-20 | M20x1.5 | | 12 | | 12 | | 22 | | 19 |
| 4D-22 | M22x1.5 | | 14 | | 14 | | 24 | | 22 |
| 4D-30 | M30x2 | | 20 | | 16 | | 32 | | 26 |
| 4D-36 | M36x2 | | 25 | | 18 | | 36 | | 29 |
| 4D-42 | M42x2 | | 30 | | 20 | | 46 | | 32 |
| 4D-52 | M52x2 | | 38 | | 22 | | 55 | | 39 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"4D-22RN" (同上)


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 4D-22RN. (the same with above)



6C

公制外螺纹24°轻系列过板接头
METRIC MALE 24° L.T. BULKHEAD

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | A | 尺寸 DIMENSIONS | | |
|----------------|------------|--|----------------|--|------|---------------|----|--|
| | E | | D1 | | | S1 | | |
| 6C-12 | M12x1.5 | | 6 | | 10 | | 12 | |
| 6C-14 | M14x1.5 | | 8 | | 11 | | 14 | |
| 6C-16 | M16x1.5 | | 10 | | 11 | | 17 | |
| 6C-18 | M18x1.5 | | 12 | | 11.5 | | 19 | |
| 6C-22 | M22x1.5 | | 15 | | 12.5 | | 24 | |
| 6C-26 | M26x1.5 | | 18 | | 12 | | 27 | |
| 6C-30 | M30x2 | | 22 | | 14 | | 32 | |
| 6C-33 | M33x2 | | 25 | | 16 | | 36 | |
| 6C-45 | M45x2 | | 35 | | 18 | | 46 | |
| 6C-52 | M52x2 | | 42 | | 19 | | 55 | |




6D

公制外螺纹24°重系列过板接头
METRIC MALE 24° H.T. BULKHEAD

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | A | 尺寸 DIMENSIONS | | |
|----------------|------------|--|----------------|--|----|---------------|----|--|
| | E | | D1 | | | S1 | | |
| 6D-14 | M14x1.5 | | 6 | | 12 | | 14 | |
| 6D-16 | M16x1.5 | | 8 | | 12 | | 17 | |
| 6D-18 | M18x1.5 | | 10 | | 12 | | 19 | |
| 6D-20 | M20x1.5 | | 12 | | 12 | | 22 | |
| 6D-22 | M22x1.5 | | 14 | | 14 | | 24 | |
| 6D-24 | M24x1.5 | | 16 | | 14 | | 27 | |
| 6D-30 | M30x2 | | 20 | | 16 | | 32 | |
| 6D-36 | M36x2 | | 25 | | 18 | | 36 | |
| 6D-42 | M42x2 | | 30 | | 20 | | 46 | |
| 6D-52 | M52x2 | | 38 | | 22 | | 55 | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"6D-22RN"、如需带锁母订货,请在代号后加"LN",如"6D-22LN"(同上)


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 6D-22RN.order the adapter with cutting ring and nut,insert suffix "LN" after part NO for example "6D-22LN"(the same with above)



6C9

90° 公制外螺纹 24° 轻系列过板接头
90° METRIC MALE 24° L.T. BULKHEAD

| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|-------------------|--|--|---------------|--|----|--|
| | E | 管子外径 TUBE O.D. | | | A | | S1 | |
| 6C9-12 | M12x1.5 | 6 | | | 25 | | 11 | |
| 6C9-14 | M14x1.5 | 8 | | | 29 | | 14 | |
| 6C9-16 | M16x1.5 | 10 | | | 30 | | 17 | |
| 6C9-18 | M18x1.5 | 12 | | | 33 | | 19 | |
| 6C9-22 | M22x1.5 | 15 | | | 37 | | 22 | |
| 6C9-26 | M26x1.5 | 18 | | | 41 | | 27 | |
| 6C9-30 | M30x2 | 22 | | | 41 | | 27 | |
| 6C9-36 | M36x2 | 28 | | | 46 | | 33 | |
| 6C9-45 | M45x2 | 35 | | | 55 | | 44 | |
| 6C9-52 | M52x2 | 42 | | | 59 | | 55 | |




6D9

90° 公制外螺纹 24° 重系列过板接头
90° METRIC MALE 24° H.T. BULKHEAD

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | |
|----------------|------------|----|----------------|--|---------------|--|----|--|
| | E | D1 | | | A | | S1 | |
| 6D9-14 | M14x1.5 | 6 | | | 29 | | 14 | |
| 6D9-16 | M16x1.5 | 8 | | | 30 | | 17 | |
| 6D9-18 | M18x1.5 | 10 | | | 33 | | 19 | |
| 6D9-20 | M20x1.5 | 12 | | | 37 | | 22 | |
| 6D9-22 | M22x1.5 | 14 | | | 37 | | 22 | |
| 6D9-30 | M30x2 | 20 | | | 41 | | 27 | |
| 6D9-36 | M36x2 | 25 | | | 41 | | 27 | |
| 6D9-42 | M42x2 | 30 | | | 55 | | 44 | |
| 6D9-52 | M52x2 | 38 | | | 59 | | 55 | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"6D9-22RN"、如需带锁母订货,请在代号后加"LN",如"6D9-22LN"(同上)


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part No., for example 6D9-22RN.order the adapter with cutting ring and nut,insert suffix "LN" after part No for example "6D9-22LN"(the same with above)



8C

公制螺纹锁母
METRIC LOCK NUT


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|---------------|--|----|--|
| | E | | | | A | | S1 | |
| 8C-10 | M10x1 | | | | 6 | | 14 | |
| 8C-12 | M12x1.5 | | | | 7.5 | | 17 | |
| 8C-14 | M14x1.5 | | | | 7.5 | | 19 | |
| 8C-16 | M16x1.5 | | | | 7.5 | | 22 | |
| 8C-18 | M18x1.5 | | | | 7.5 | | 24 | |
| 8C-20 | M20x1.5 | | | | 8 | | 27 | |
| 8C-22 | M22x1.5 | | | | 8 | | 27 | |
| 8C-24 | M24x1.5 | | | | 8 | | 30 | |
| 8C-26 | M26x1.5 | | | | 8 | | 32 | |
| 8C-27D | M27x1.5 | | | | 10 | | 32 | |
| 8C-30 | M30x2 | | | | 10 | | 36 | |
| 8C-30D | M30x1.5 | | | | 10 | | 36 | |
| 8C-36 | M36x2 | | | | 10 | | 41 | |
| 8C-38 | M38x2 | | | | 10 | | 46 | |
| 8C-42 | M42x2 | | | | 10 | | 50 | |
| 8C-45 | M45x2 | | | | 10 | | 55 | |
| 8C-52 | M52x2 | | | | 10 | | 60 | |



9C

公制内螺纹24°轻系列堵头
METRIC FEMALE 24° L.T. PLUG


| 代号 PART NO. | 螺纹 THREADE | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS C | | | |
|----------------|------------|----------------|----|--|-----------------|-----|----|--|
| | | E | D1 | | | S1 | | |
| 9C-12 | M12x1.5 | | 6 | | | 2 | 14 | |
| 9C-14 | M14x1.5 | | 8 | | | 2 | 17 | |
| 9C-16 | M16x1.5 | | 10 | | | 2 | 19 | |
| 9C-18 | M18x1.5 | | 12 | | | 2.5 | 22 | |
| 9C-22 | M22x1.5 | | 15 | | | 3 | 27 | |
| 9C-26 | M26x1.5 | | 18 | | | 3.5 | 32 | |
| 9C-30 | M30x2 | | 22 | | | 3.5 | 36 | |
| 9C-36 | M36x2 | | 28 | | | 4 | 41 | |
| 9C-45 | M45x2 | | 35 | | | 5 | 55 | |
| 9C-52 | M52x2 | | 42 | | | 6 | 60 | |



9D

公制内螺纹24°重系列堵头
METRIC FEMALE 24° H.T. PLUG

| 代号 PART NO. | 螺纹 THREADE | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|----------------|----|--|---------------|-----|----|--|
| | | E | D1 | | C | S1 | | |
| 9D-16 | M16x1.5 | | 8 | | | 2 | 19 | |
| 9D-18 | M18x1.5 | | 10 | | | 2 | 22 | |
| 9D-20 | M20x1.5 | | 12 | | | 3 | 24 | |
| 9D-22 | M22x1.5 | | 14 | | | 2.5 | 27 | |
| 9D-24 | M24x1.5 | | 16 | | | 3 | 30 | |
| 9D-30 | M30x2 | | 20 | | | 3.5 | 36 | |
| 9D-36 | M36x2 | | 25 | | | 3 | 41 | |
| 9D-42 | M42x2 | | 30 | | | 5 | 50 | |
| 9D-52 | M52x2 | | 38 | | | 6.5 | 60 | |




1CN

公制外螺纹24°轻系列/
布锥管外螺纹60°
METRIC MALE 24° L.T.
/NPT MALE 60°

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|----------------|----------------|--|---------------|------|----|--|------|
| | E | F | | | A | B | S1 | | L |
| 1CN-12-02 | M12x1.5 | Z1/8"X27 | 6 | | 10 | 10 | 12 | | 26 |
| 1CN-12-04 | M12x1.5 | Z1/4"X18 | 6 | | 10 | 14 | 14 | | 31 |
| 1CN-14-04 | M14x1.5 | Z1/4"X18 | 8 | | 11 | 14 | 14 | | 31 |
| 1CN-16-04 | M16x1.5 | Z1/4"X18 | 10 | | 11 | 14 | 17 | | 32.5 |
| 1CN-16-06 | M16x1.5 | Z3/8"X18 | 10 | | 11 | 14 | 17 | | 32.5 |
| 1CN-18-04 | M18x1.5 | Z1/4"X18 | 12 | | 11.5 | 14 | 19 | | 31.5 |
| 1CN-18-06 | M18x1.5 | Z3/8"X18 | 12 | | 11.5 | 14 | 19 | | 31.5 |
| 1CN-18-08 | M18x1.5 | Z1/2"X14 | 12 | | 11.5 | 19 | 22 | | 38 |
| 1CN-22-08 | M22x1.5 | Z1/2"X14 | 15 | | 12.5 | 19 | 24 | | 39 |
| 1CN-22-20 | M22x1.5 | Z1.1 / 4"X11.5 | 15 | | 12.5 | 25 | 46 | | 50.5 |
| 1CN-26-08 | M26x1.5 | Z1/2"X14 | 18 | | 12 | 19 | 27 | | 40 |
| 1CN-26-12 | M26x1.5 | Z3/4"X14 | 18 | | 12 | 19.5 | 27 | | 40 |
| 1CN-30-08 | M30x2 | Z1/2"X14 | 22 | | 14 | 19 | 32 | | 43 |
| 1CN-30-12 | M30x2 | Z3/4"X14 | 22 | | 14 | 19.5 | 32 | | 43.5 |
| 1CN-36-16 | M36x2 | Z1"X11.5 | 28 | | 16 | 24 | 36 | | 51 |
| 1CN-36-20 | M36x2 | Z1.1 / 4"X11.5 | 28 | | 16 | 25 | 46 | | 54 |
| 1CN-45-20 | M45x2 | Z1.1 / 4"X11.5 | 35 | | 18 | 25 | 46 | | 56 |
| 1CN-52-20 | M52x2 | Z1.1 / 4"X11.5 | 42 | | 19 | 25 | 55 | | 61 |
| 1CN-52-24 | M52x2 | Z1.1 / 2"X11.5 | 42 | | 19 | 25 | 55 | | 61 |


备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1CN-22-08RN"
Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix"RN" after our part No., for example 1CN-22-08RN.



1DN

公制外螺纹24°重系列/
布锥管外螺纹60°
METRIC MALE 24° H.T.
/NPT MALE 60°

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|--|------------|--------------|----------------|--|---------------|------|----|--|------|
| | E | F | | | A | B | S1 | | L |
| 1DN-14-04 | M14x1.5 | Z1/4"X18 | 6 | | 12 | 14 | 14 | | 32 |
| 1DN-16-04 | M16x1.5 | Z1/4"X18 | 8 | | 12 | 14 | 17 | | 32 |
| 1DN-18-04 | M18x1.5 | Z1/4"X18 | 10 | | 12 | 14 | 19 | | 32 |
| 1DN-18-06 | M18x1.5 | Z3/8"X18 | 10 | | 12 | 14 | 19 | | 32 |
| 1DN-20-04 | M20x1.5 | Z1/4"X18 | 12 | | 12 | 14 | 22 | | 33 |
| 1DN-20-06 | M20x1.5 | Z3/8"X18 | 12 | | 12 | 14 | 22 | | 33 |
| 1DN-20-08 | M20x1.5 | Z1/2"X14 | 12 | | 12 | 19 | 22 | | 38 |
| 1DN-22-08 | M22x1.5 | Z1/2"X14 | 14 | | 14 | 19 | 24 | | 41 |
| 1DN-24-08 | M24x1.5 | Z1/2"X14 | 16 | | 14 | 19 | 27 | | 42 |
| 1DN-30-12 | M30x2 | Z3/4"X14 | 20 | | 16 | 19.5 | 32 | | 45.5 |
| 1DN-36-16 | M36x2 | Z1"X11.5 | 25 | | 18 | 24 | 36 | | 53 |
| 1DN-42-16 | M42x2 | Z1"X11.5 | 30 | | 20 | 24 | 46 | | 57 |
| 1DN-42-20 | M42x2 | Z1.1/4"X11.5 | 30 | | 20 | 25 | 46 | | 58 |
| 1DN-52-24 | M52x2 | Z1.1/2"X11.5 | 38 | | 22 | 25 | 55 | | 64 |
| 备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1DN-22-08RN" Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1DN-22-08RN. | | | | | | | | | |




1CN9

90° 公制外螺纹24°轻系列/
布锥管外螺纹60°
90° METRIC MALE 24° L.T.
/NPT MALE 60°

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--------------|----------------|--|---------------|----|----|--|--|
| | E | F | | | A | B | S1 | | |
| 1CN9-12-02 | M12x1.5 | Z1/8"X27 | 6 | | 25 | 25 | 11 | | |
| 1CN9-12-04 | M12x1.5 | Z1/4"X18 | 6 | | 27 | 29 | 14 | | |
| 1CN9-14-04 | M14x1.5 | Z1/4"X18 | 8 | | 27 | 29 | 14 | | |
| 1CN9-16-06 | M16x1.5 | Z3/8"X18 | 10 | | 29 | 30 | 17 | | |
| 1CN9-18-04 | M18x1.5 | Z1/4"X18 | 12 | | 33 | 33 | 19 | | |
| 1CN9-18-06 | M18x1.5 | Z3/8"X18 | 12 | | 33 | 33 | 19 | | |
| 1CN9-18-08 | M18x1.5 | Z1/2"X14 | 12 | | 37 | 37 | 22 | | |
| 1CN9-22-06 | M22x1.5 | Z3/8"X18 | 15 | | 37 | 37 | 22 | | |
| 1CN9-22-08 | M22x1.5 | Z1/2"X14 | 12 | | 37 | 37 | 22 | | |
| 1CN9-26-08 | M26x1.5 | Z1/2"X14 | 18 | | 41 | 41 | 27 | | |
| 1CN9-26-12 | M26x1.5 | Z3/4"X14 | 18 | | 41 | 41 | 27 | | |
| 1CN9-30-12 | M30x2 | Z3/4"X14 | 22 | | 41 | 41 | 27 | | |
| 1CN9-30-16 | M30x2 | Z1"X11.5 | 22 | | 49 | 49 | 33 | | |
| 1CN9-36-16 | M36x2 | Z1"X11.5 | 28 | | 46 | 46 | 33 | | |
| 1CN9-45-20 | M45x2 | Z1.1/4"X11.5 | 35 | | 55 | 55 | 44 | | |
| 1CN9-52-24 | M52x2 | Z1.1/2"X11.5 | 42 | | 57 | 60 | 55 | | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1CN9-22-08RN"
Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix"RN" after our part NO., for example 1CN9-22-08RN.




1DN9

90° 公制外螺纹 24° 重系列
/ 布锥管外螺纹 60°
90° METRIC MALE 24° H.T.
/ NPT MALE 60°

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|----------------|----------------|--|---------------|----|----|--|--|
| | E | F | | | A | B | S1 | | |
| 1DN9-14-04 | M14x1.5 | Z1/4"X18 | 6 | | 27 | 29 | 14 | | |
| 1DN9-16-04 | M16x1.5 | Z1/4"X18 | 8 | | 29 | 30 | 17 | | |
| 1DN9-18-06 | M18x1.5 | Z3/8"X18 | 10 | | 33 | 33 | 19 | | |
| 1DN9-20-04 | M20x1.5 | Z1/4"X18 | 12 | | 37 | 37 | 22 | | |
| 1DN9-20-06 | M20x1.5 | Z3/8"X18 | 12 | | 37 | 37 | 22 | | |
| 1DN9-22-06 | M22x1.5 | Z3/8"X18 | 14 | | 37 | 37 | 22 | | |
| 1DN9-22-08 | M22x1.5 | Z1/2"X14 | 14 | | 37 | 37 | 22 | | |
| 1DN9-24-06 | M24x1.5 | Z3/8"X18 | 16 | | 37 | 33 | 24 | | |
| 1DN9-24-08 | M24x1.5 | Z1/2"X14 | 16 | | 33 | 37 | 24 | | |
| 1DN9-30-08 | M30x2 | Z1/2"X14 | 20 | | 40 | 40 | 27 | | |
| 1DN9-30-12 | M30x2 | Z3/4"X14 | 20 | | 40 | 40 | 27 | | |
| 1DN9-36-16 | M36x2 | Z1"X11.5 | 28 | | 49 | 49 | 33 | | |
| 1DN9-42-16 | M42x2 | Z1"X11.5 | 30 | | 57 | 57 | 44 | | |
| 1DN9-42-20 | M42x2 | Z1.1 / 4"X11.5 | 30 | | 57 | 57 | 44 | | |
| 1DN9-52-20 | M52x2 | Z1.1 / 4"X11.5 | 38 | | 56 | 60 | 55 | | |
| 1DN9-52-24 | M52x2 | Z1.1 / 2"X11.5 | 38 | | 56 | 60 | 55 | | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1DN9-22-08RN"
Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix"RN" after our part NO., for example 1DN9-22-08RN.



1CT

公制外螺纹24°轻系列/

英锥管外螺纹60°


METRIC MALE 24° L.T./

BSPT MALE 60°

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | A | B | 尺寸 DIMENSIONS | | |
|----------------|------------|-------------|----------------|--|------|------|---------------|--|------|
| | E | F | D1 | | | | S1 | | L |
| 1CT-12-02 | M12x1.5 | ZG1/8"X28 | 6 | | 10 | 10 | 12 | | 26 |
| 1CT-12-04 | M12x1.5 | ZG1/4"X19 | 6 | | 10 | 14 | 14 | | 31 |
| 1CT-14-04 | M14x1.5 | ZG1/4"X19 | 8 | | 11 | 14 | 14 | | 31 |
| 1CT-16-04 | M16x1.5 | ZG1/4"X19 | 10 | | 11 | 14 | 17 | | 32.5 |
| 1CT-16-06 | M16x1.5 | ZG3/8"X19 | 10 | | 11 | 14 | 17 | | 32.5 |
| 1CT-18-04 | M18x1.5 | ZG1/4"X19 | 12 | | 11.5 | 14 | 19 | | 31.5 |
| 1CT-18-06 | M18x1.5 | ZG3/8"X19 | 12 | | 11.5 | 14 | 19 | | 31.5 |
| 1CT-18-08 | M18x1.5 | ZG1/2"X14 | 12 | | 11.5 | 19 | 22 | | 38 |
| 1CT-22-08 | M22x1.5 | ZG1/2"X14 | 15 | | 12.5 | 19 | 24 | | 39 |
| 1CT-22-20 | M22x1.5 | ZG1.1/4"X11 | 15 | | 12.5 | 25 | 46 | | 50.5 |
| 1CT-26-08 | M26x1.5 | ZG1/2"X14 | 18 | | 12 | 19 | 27 | | 40 |
| 1CT-26-12 | M26x1.5 | ZG3/4"X14 | 18 | | 12 | 19.5 | 27 | | 40 |
| 1CT-30-08 | M30x2 | ZG1/2"X14 | 22 | | 14 | 19 | 32 | | 43 |
| 1CT-30-12 | M30x2 | ZG3/4"X14 | 22 | | 14 | 19.5 | 32 | | 43.5 |
| 1CT-36-16 | M36x2 | ZG1"X11 | 28 | | 16 | 24 | 36 | | 51 |
| 1CT-36-20 | M36x2 | ZG1.1/4"X11 | 28 | | 16 | 25 | 46 | | 54 |
| 1CT-45-20 | M45x2 | ZG1.1/4"X11 | 35 | | 18 | 25 | 46 | | 56 |
| 1CT-52-20 | M52x2 | ZG1.1/4"X11 | 42 | | 19 | 25 | 55 | | 61 |
| 1CT-52-24 | M52x2 | ZG1.1/2"X11 | 42 | | 19 | 25 | 55 | | 61 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1CT-22-08RN"

Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix"RN" after our part NO., for example 1CT-22-08RN.




1DT

公制外螺纹24°重系列/
英锥管外螺纹60°。
METRIC MALE 24° H.T./
BSPT MALE 60°。

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|-------------|----------------|--|---------------|------|----|--|------|
| | E | F | | | A | B | S1 | | L |
| 1DT-14-04 | M14x1.5 | ZG1/4"X19 | 6 | | 12 | 14 | 14 | | 32 |
| 1DT-16-04 | M16x1.5 | ZG1/4"X19 | 8 | | 12 | 14 | 17 | | 32 |
| 1DT-18-04 | M18x1.5 | ZG1/4"X19 | 10 | | 12 | 14 | 19 | | 32 |
| 1DT-18-06 | M18x1.5 | ZG3/8"X19 | 10 | | 12 | 14 | 19 | | 32 |
| 1DT-20-04 | M20x1.5 | ZG1/4"X19 | 12 | | 12 | 14 | 22 | | 33 |
| 1DT-20-06 | M20x1.5 | ZG3/8"X19 | 12 | | 12 | 14 | 22 | | 33 |
| 1DT-20-08 | M20x1.5 | ZG1/2"X14 | 12 | | 12 | 19 | 22 | | 38 |
| 1DT-22-08 | M22x1.5 | ZG1/2"X14 | 14 | | 14 | 19 | 24 | | 41 |
| 1DT-24-08 | M24x1.5 | ZG1/2"X14 | 16 | | 14 | 19 | 27 | | 42 |
| 1DT-30-12 | M30x2 | ZG3/4"X14 | 20 | | 16 | 19.5 | 32 | | 45.5 |
| 1DT-36-16 | M36x2 | ZG1"X11 | 25 | | 18 | 24 | 36 | | 53 |
| 1DT-42-16 | M42x2 | ZG1"X11 | 30 | | 20 | 24 | 46 | | 57 |
| 1DT-42-20 | M42x2 | ZG1.1/4"X11 | 30 | | 20 | 25 | 46 | | 58 |
| 1DT-52-24 | M52x2 | ZG1.1/4"X11 | 38 | | 22 | 25 | 55 | | 64 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1CT-22-08RN"
Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1CT-22-08RN.




1CT9

90 ° 公制外螺纹24 ° 轻系列/
英锥管外螺纹60 ° 90 °
METRIC MALE 24 ° L.T./
BSPT MALE 60 °

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|-------------|----------------|--|---------------|----|----|--|--|
| | E | F | | | A | B | S1 | | |
| 1CT9-12-02 | M12x1.5 | ZG1/8"X28 | 6 | | 25 | 25 | 11 | | |
| 1CT9-12-04 | M12x1.5 | ZG1/4"X19 | 6 | | 27 | 29 | 14 | | |
| 1CT9-14-04 | M14x1.5 | ZG1/4"X19 | 8 | | 27 | 29 | 14 | | |
| 1CT9-16-06 | M16x1.5 | ZG3/8"X19 | 10 | | 29 | 30 | 17 | | |
| 1CT9-18-04 | M18x1.5 | ZG1/4"X19 | 12 | | 33 | 33 | 19 | | |
| 1CT9-18-06 | M18x1.5 | ZG3/8"X19 | 12 | | 33 | 33 | 19 | | |
| 1CT9-18-08 | M18x1.5 | ZG1/2"X14 | 12 | | 37 | 37 | 22 | | |
| 1CT9-22-06 | M22x1.5 | ZG3/8"X19 | 15 | | 37 | 37 | 22 | | |
| 1CT9-22-08 | M22x1.5 | ZG1/2"X14 | 12 | | 37 | 37 | 22 | | |
| 1CT9-26-08 | M26x1.5 | ZG1/2"X14 | 18 | | 41 | 41 | 27 | | |
| 1CT9-26-12 | M26x1.5 | ZG3/4"X14 | 18 | | 41 | 41 | 27 | | |
| 1CT9-30-12 | M30x2 | ZG3/4"X14 | 22 | | 41 | 41 | 27 | | |
| 1CT9-30-16 | M30x2 | ZG1"X11 | 22 | | 49 | 49 | 33 | | |
| 1CT9-36-16 | M36x2 | ZG1"X11 | 28 | | 46 | 46 | 33 | | |
| 1CT9-45-20 | M45x2 | ZG1.1/4"X11 | 35 | | 55 | 55 | 44 | | |
| 1CT9-52-24 | M52x2 | ZG1.1/2"X11 | 42 | | 57 | 60 | 55 | | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1CT9-22-08RN"
Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix"RN" after our part NO., for example 1CT9-22-08RN.




1DT9

90 ° 公制外螺纹 24 ° /
英锥管外螺纹 60 ° 重系列
90 ° METRIC MALE 24 ° /
BSPT MALE 60 ° H.T.

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|-------------|----------------|--|---------------|----|----|--|--|
| | E | F | | | A | B | S1 | | |
| 1DT9-14-04 | M14x1.5 | ZG1/4"X19 | 6 | | 27 | 29 | 14 | | |
| 1DT9-16-04 | M16x1.5 | ZG1/4"X19 | 8 | | 29 | 30 | 17 | | |
| 1DT9-18-06 | M18x1.5 | ZG3/8"X19 | 10 | | 33 | 33 | 19 | | |
| 1DT9-20-04 | M20x1.5 | ZG1/4"X19 | 12 | | 37 | 37 | 22 | | |
| 1DT9-20-06 | M20x1.5 | ZG3/8"X19 | 12 | | 37 | 37 | 22 | | |
| 1DT9-22-06 | M22x1.5 | ZG3/8"X19 | 14 | | 37 | 37 | 22 | | |
| 1DT9-22-08 | M22x1.5 | ZG1/2"X14 | 14 | | 37 | 37 | 22 | | |
| 1DT9-24-06 | M24x1.5 | ZG3/8"X19 | 16 | | 37 | 33 | 24 | | |
| 1DT9-24-08 | M24x1.5 | ZG1/2"X14 | 16 | | 33 | 37 | 24 | | |
| 1DT9-30-08 | M30x2 | ZG1/2"X14 | 20 | | 40 | 40 | 27 | | |
| 1DT9-30-12 | M30x2 | ZG3/4"X14 | 20 | | 40 | 40 | 27 | | |
| 1DT9-36-16 | M36x2 | ZG1"X11 | 25 | | 49 | 49 | 33 | | |
| 1DT9-42-16 | M42x2 | ZG1"X11 | 30 | | 57 | 57 | 44 | | |
| 1DT9-42-20 | M42x2 | ZG1.1/4"X11 | 30 | | 57 | 57 | 44 | | |
| 1DT9-52-20 | M52x2 | ZG1.1/4"X11 | 38 | | 56 | 60 | 55 | | |
| 1DT9-52-24 | M52x2 | ZG1.1/2"X11 | 38 | | 56 | 60 | 55 | | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1DT9-22-08RN"

Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix"RN" after our part NO., for example 1DT9-22-08RN.




1CB

公制外螺纹24°轻系列/ 英管螺纹
或60°锥面组合垫密封
METRIC MALE 24° SEAL L.T./BSP MALE
DOUBLE 60° SEAT BONDED SEAL

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|----------------|--|--|---------------|------|----|--|------|
| | E | F | D1 | | | A | B | S1 | | L |
| 1CB-12-02 | M12x1.5 | G1/8"X28 | 6 | | | 10 | 10 | 14 | | 26 |
| 1CB-12-04 | M12x1.5 | G1/4"X19 | 6 | | | 10 | 12 | 19 | | 28 |
| 1CB-14-02 | M14x1.5 | G1/8"X28 | 8 | | | 11 | 10 | 14 | | 27 |
| 1CB-14-04 | M14x1.5 | G1/4"X19 | 8 | | | 11 | 12 | 19 | | 29 |
| 1CB-14-06 | M14x1.5 | G3/8"X19 | 8 | | | 11 | 13.5 | 22 | | 32 |
| 1CB-16-04 | M16x1.5 | G1/4"X19 | 10 | | | 11 | 12 | 19 | | 29 |
| 1CB-16-06 | M16x1.5 | G3/8"X19 | 10 | | | 11 | 13.5 | 22 | | 32.5 |
| 1CB-16-08 | M16x1.5 | G1/2"X14 | 10 | | | 11 | 16 | 27 | | 37 |
| 1CB-18-04 | M18x1.5 | G1/4"X19 | 12 | | | 11.5 | 12 | 19 | | 29.5 |
| 1CB-18-06 | M18x1.5 | G3/8"X19 | 12 | | | 11.5 | 13.5 | 22 | | 32 |
| 1CB-18-08 | M18x1.5 | G1/2"X14 | 12 | | | 11.5 | 16 | 27 | | 36 |
| 1CB-18-12 | M18x1.5 | G3/4"X14 | 12 | | | 11.5 | 18.5 | 32 | | 40 |
| 1CB-22-06 | M22x1.5 | G3/8"X19 | 15 | | | 12.5 | 13.5 | 22 | | 33 |
| 1CB-22-08 | M22x1.5 | G1/2"X14 | 15 | | | 12.5 | 16 | 27 | | 37 |
| 1CB-26-08 | M26x1.5 | G1/2"X14 | 18 | | | 12 | 16 | 27 | | 37 |
| 1CB-26-12 | M26x1.5 | G3/4"X14 | 18 | | | 12 | 18.5 | 32 | | 41.5 |
| 1CB-30-12 | M30x2 | G3/4"X14 | 22 | | | 14 | 18.5 | 32 | | 42.5 |
| 1CB-36-16 | M36x2 | G1"X11 | 28 | | | 16 | 20.5 | 41 | | 48.5 |
| 1CB-45-20 | M45x2 | G1.1/4"X11 | 35 | | | 18 | 20.5 | 50 | | 55.5 |
| 1CB-52-24 | M52x2 | G1.1/2"X11 | 42 | | | 19 | 23 | 55 | | 59 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1CB-22-08RN"

Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1CB-22-08RN.




1DB

公制外螺纹24°重系列/ 英管螺纹
或60°锥面或组合垫密封
METRIC MALE 24° SEAL H.T. / BSP MALE
DOUBLE 60° SEAT BONDED SEAL

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|----------------|--|--|---------------|------|----|--|------|
| | E | F | D1 | | | A | B | S1 | | L |
| 1DB-14-04 | M14x1.5 | G1/4"X19 | 6 | | | 12 | 12 | 19 | | 30 |
| 1DB-16-04 | M16x1.5 | G1/4"X19 | 8 | | | 12 | 12 | 19 | | 30 |
| 1DB-16-06 | M16x1.5 | G3/8"X19 | 8 | | | 12 | 13.5 | 22 | | 33 |
| 1DB-18-04 | M18x1.5 | G1/4"X19 | 10 | | | 12 | 12 | 19 | | 30 |
| 1DB-18-06 | M18x1.5 | G3/8"X19 | 10 | | | 12 | 13.5 | 22 | | 33 |
| 1DB-18-08 | M18x1.5 | G1/2"X14 | 10 | | | 12 | 16 | 27 | | 37 |
| 1DB-20-04 | M20x1.5 | G1/4"X19 | 12 | | | 12 | 12 | 22 | | 31 |
| 1DB-20-06 | M20x1.5 | G3/8"X19 | 12 | | | 12 | 13.5 | 22 | | 33 |
| 1DB-20-08 | M20x1.5 | G1/2"X14 | 12 | | | 12 | 16 | 27 | | 37 |
| 1DB-22-08 | M22x1.5 | G1/2"X14 | 14 | | | 14 | 16 | 27 | | 39 |
| 1DB-24-06 | M24x1.5 | G3/8"X19 | 16 | | | 14 | 13.5 | 27 | | 36 |
| 1DB-24-08 | M24x1.5 | G1/2"X14 | 16 | | | 14 | 16 | 27 | | 39 |
| 1DB-24-12 | M24x1.5 | G3/4"X14 | 16 | | | 14 | 18.5 | 32 | | 42.5 |
| 1DB-30-12 | M30x2 | G3/4"X14 | 20 | | | 16 | 18.5 | 32 | | 44.5 |
| 1DB-36-16 | M36x2 | G1"X11 | 25 | | | 18 | 20.5 | 41 | | 50.5 |
| 1DB-42-20 | M42x2 | G1.1/4"X11 | 30 | | | 20 | 20.5 | 50 | | 57.5 |
| 1DB-52-24 | M52x2 | G1.1/2"X11 | 38 | | | 22 | 23 | 55 | | 62 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1DB-22-08RN"
Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1DB-22-08RN.




1CB9

90° 公制外螺纹24° 轻系列/
英管螺纹60° 锥面密封90°
METRIC MALE 24° L.T.
/BSP MALE 60° CONE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | A | B | 尺寸 DIMENSIONS | |
|----------------|------------|------------|----------------|--|----|----|---------------|--|
| | E | F | D1 | | | | S1 | |
| 1CB9-12-04 | M12x1.5 | G1/4"X19 | 6 | | 29 | 27 | 14 | |
| 1CB9-14-04 | M14x1.5 | G1/4"X19 | 8 | | 29 | 27 | 14 | |
| 1CB9-14-06 | M14x1.5 | G3/8"X19 | 8 | | 30 | 29 | 17 | |
| 1CB9-16-04 | M16x1.5 | G1/4"X19 | 10 | | 30 | 29 | 17 | |
| 1CB9-16-06 | M16x1.5 | G3/8"X19 | 10 | | 30 | 29 | 17 | |
| 1CB9-16-08 | M16x1.5 | G1/2"X14 | 10 | | 37 | 37 | 22 | |
| 1CB9-18-04 | M18x1.5 | G1/4"X19 | 12 | | 33 | 33 | 19 | |
| 1CB9-18-06 | M18x1.5 | G3/8"X19 | 12 | | 33 | 33 | 19 | |
| 1CB9-18-08 | M18x1.5 | G1/2"X14 | 12 | | 37 | 37 | 22 | |
| 1CB9-22-06 | M22x1.5 | G3/8"X19 | 15 | | 37 | 37 | 22 | |
| 1CB9-22-08 | M22x1.5 | G1/2"X14 | 15 | | 37 | 37 | 22 | |
| 1CB9-26-08 | M26x1.5 | G1/2"X14 | 18 | | 41 | 41 | 27 | |
| 1CB9-30-12 | M30x2 | G3/4"X14 | 22 | | 40 | 40 | 27 | |
| 1CB9-36-16 | M36x2 | G1"X11 | 28 | | 46 | 46 | 33 | |
| 1CB9-45-20 | M45x2 | G1.1/4"X11 | 35 | | 55 | 55 | 44 | |
| 1CB9-52-24 | M52x2 | G1.1/2"X11 | 42 | | 61 | 57 | 55 | |

备注: 如需带卡套及卡套螺母整套订货, 则请在代号后加"RN", 如"1CB9-22-08RN"
 Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix"RN" after our part NO., for example 1CB9-22-08RN.




1DB9

90 ° 公制外螺纹 24 ° 重系列 / 英
管螺纹 60 ° 锥面密封 90 °
METRIC MALE 24 ° H.T. / BSP
MALE BSP MALE 60 ° CONE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | A | B | 尺寸 DIMENSIONS | |
|----------------|------------|------------|----------------|--|----|----|---------------|--|
| | E | F | D1 | | | | S1 | |
| 1DB9-14-04 | M14x1.5 | G1/4"X19 | 6 | | 29 | 27 | 14 | |
| 1DB9-16-04 | M16x1.5 | G1/4"X19 | 8 | | 30 | 29 | 17 | |
| 1DB9-16-06 | M16x1.5 | G3/8"X19 | 8 | | 30 | 29 | 17 | |
| 1DB9-18-04 | M18x1.5 | G1/4"X19 | 10 | | 33 | 33 | 19 | |
| 1DB9-18-06 | M18x1.5 | G3/8"X19 | 10 | | 33 | 33 | 19 | |
| 1DB9-18-08 | M18x1.5 | G1/2"X14 | 10 | | 37 | 37 | 22 | |
| 1DB9-20-04 | M20x1.5 | G1/4"X19 | 12 | | 37 | 37 | 22 | |
| 1DB9-20-06 | M20x1.5 | G3/8"X19 | 12 | | 37 | 37 | 22 | |
| 1DB9-20-08 | M20x1.5 | G1/2"X14 | 12 | | 37 | 37 | 22 | |
| 1DB9-22-08 | M22x1.5 | G1/2"X14 | 14 | | 37 | 37 | 22 | |
| 1DB9-24-06 | M24x1.5 | G3/8"X19 | 16 | | 37 | 33 | 24 | |
| 1DB9-24-08 | M24x1.5 | G1/2"X14 | 16 | | 37 | 33 | 24 | |
| 1DB9-24-12 | M24x1.5 | G3/4"X14 | 16 | | 41 | 41 | 27 | |
| 1DB9-30-12 | M30x2 | G3/4"X14 | 20 | | 41 | 41 | 27 | |
| 1DB9-36-08 | M36x2 | G1/2"X14 | 25 | | 49 | 49 | 33 | |
| 1DB9-36-12 | M36x2 | G3/4"X14 | 25 | | 49 | 49 | 33 | |
| 1DB9-36-16 | M36x2 | G1"X11 | 25 | | 49 | 49 | 33 | |
| 1DB9-42-20 | M42x2 | G1.1/4"X11 | 30 | | 55 | 55 | 44 | |
| 1DB9-52-24 | M52x2 | G1.1/2"X11 | 38 | | 61 | 57 | 55 | |

备注: 如需带卡套及卡套螺母整套订货, 则请在代号后加"RN", 如"1DB9-22-08RN"
 Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1DB9-22-08RN.




1CB-WD

公制外螺纹24°轻系列/ 英管螺纹
60°内锥面或胶垫密封
METRIC MALE 24° L.T./BSP THREAD
WITH CAPTIVE SEAL

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|----------------|--|--|---------------|------|----|--|--|
| | E | F | D1 | | | A | B | S1 | | |
| 1CB-12-02WD | M12x1.5 | G1/8"X28 | 6 | | | 10 | 10 | 12 | | |
| 1CB-12-04WD | M12x1.5 | G1/4"X19 | 6 | | | 10 | 12 | 19 | | |
| 1CB-12-06WD | M12x1.5 | G3/8"X19 | 6 | | | 10 | 13.5 | 22 | | |
| 1CB-14-02WD | M14x1.5 | G1/8"X28 | 8 | | | 11 | 10 | 14 | | |
| 1CB-14-04WD | M14x1.5 | G1/4"X19 | 8 | | | 11 | 12 | 19 | | |
| 1CB-14-06WD | M14x1.5 | G3/8"X19 | 8 | | | 11 | 13.5 | 22 | | |
| 1CB-16-04WD | M16x1.5 | G1/4"X19 | 10 | | | 11 | 12 | 19 | | |
| 1CB-16-06WD | M16x1.5 | G3/8"X19 | 10 | | | 11 | 13.5 | 22 | | |
| 1CB-16-08WD | M16x1.5 | G1/2"X14 | 10 | | | 11 | 16 | 27 | | |
| 1CB-18-04WD | M18x1.5 | G1/4"X19 | 12 | | | 11.5 | 12 | 19 | | |
| 1CB-18-06WD | M18x1.5 | G3/8"X19 | 12 | | | 11.5 | 13.5 | 22 | | |
| 1CB-18-08WD | M18x1.5 | G1/2"X14 | 12 | | | 11.5 | 16 | 27 | | |
| 1CB-22-04WD | M22x1.5 | G1/4"X19 | 15 | | | 12.5 | 12 | 22 | | |
| 1CB-22-06WD | M22x1.5 | G3/8"X19 | 15 | | | 12.5 | 13.5 | 22 | | |
| 1CB-22-08WD | M22x1.5 | G1/2"X14 | 15 | | | 12.5 | 16 | 27 | | |
| 1CB-22-12WD | M22x1.5 | G3/4"X14 | 15 | | | 12.5 | 18.5 | 32 | | |
| 1CB-26-08WD | M26x1.5 | G1/2"X14 | 18 | | | 12 | 16 | 27 | | |
| 1CB-26-12WD | M26x1.5 | G3/4"X14 | 18 | | | 12 | 18.5 | 32 | | |
| 1CB-30-12WD | M30x2 | G3/4"X14 | 22 | | | 14 | 18.5 | 32 | | |
| 1CB-36-16WD | M36x2 | G1"X11 | 28 | | | 16 | 20.5 | 41 | | |
| 1CB-45-20WD | M45x2 | G1.1/4"X11 | 35 | | | 18 | 20.5 | 50 | | |
| 1CB-52-24WD | M52x2 | G1.1/2"X11 | 42 | | | 19 | 23 | 55 | | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1CB-22-08WD/RN"

Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1CB-22-08WD/RN.




1DB-WD

公制外螺纹24°重系列/ 英管螺纹
60°内锥面胶垫密封
METRIC MALE 24° H.T./BSP THREAD
WITH CAPTIVE SEAL

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|----------------|--|---------------|------|----|--|--|
| | E | F | | | A | B | S1 | | |
| 1DB-14-04WD | M14x1.5 | G1/4"X19 | 6 | | 12 | 12 | 19 | | |
| 1DB-16-04WD | M16x1.5 | G1/4"X19 | 8 | | 12 | 12 | 19 | | |
| 1DB-16-06WD | M16x1.5 | G3/8"X19 | 8 | | 12 | 13.5 | 22 | | |
| 1DB-18-04WD | M18x1.5 | G1/4"X19 | 10 | | 12 | 12 | 19 | | |
| 1DB-18-06WD | M18x1.5 | G3/8"X19 | 10 | | 12 | 13.5 | 22 | | |
| 1DB-18-08WD | M18x1.5 | G1/2"X14 | 10 | | 12 | 16 | 27 | | |
| 1DB-20-04WD | M20x1.5 | G1/4"X19 | 12 | | 12 | 12 | 22 | | |
| 1DB-20-06WD | M20x1.5 | G3/8"X19 | 12 | | 12 | 13.5 | 22 | | |
| 1DB-20-08WD | M20x1.5 | G1/2"X14 | 12 | | 12 | 16 | 27 | | |
| 1DB-22-08WD | M22x1.5 | G1/2"X14 | 14 | | 14 | 16 | 27 | | |
| 1DB-24-06WD | M24x1.5 | G3/8"X19 | 16 | | 14 | 13.5 | 27 | | |
| 1DB-24-08WD | M24x1.5 | G1/2"X14 | 16 | | 14 | 16 | 27 | | |
| 1DB-24-12WD | M24x1.5 | G3/4"X14 | 16 | | 14 | 18.5 | 32 | | |
| 1DB-30-12WD | M30x2 | G3/4"X14 | 20 | | 16 | 18.5 | 32 | | |
| 1DB-42-20WD | M42x2 | G1.1/4"X11 | 30 | | 20 | 20.5 | 50 | | |
| 1DB-52-24WD | M52x2 | G1.1/2"X11 | 38 | | 22 | 23 | 55 | | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1DB-22-08RN"
Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1DB-22-08RN.




1CG

公制外螺纹24°轻系列/
英管外螺纹O型圈密封
METRIC MALE 24° L.T./
BSP MALE O-RING

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|----------------|--|---------------|------|----|--|------|
| | E | F | | | A | B | S1 | | L |
| 1CG-12-02 | M12x1.5 | G1/8"X28 | 6 | | 10 | 9 | 14 | | 25 |
| 1CG-12-04 | M12x1.5 | G1/4"X19 | 6 | | 10 | 12 | 14 | | 28 |
| 1CG-14-04 | M14x1.5 | G1/4"X19 | 8 | | 11 | 12 | 14 | | 29 |
| 1CG-14-06 | M14x1.5 | G3/8"X19 | 8 | | 11 | 13.5 | 22 | | 32 |
| 1CG-14-08 | M14x1.5 | G1/2"X14 | 8 | | 11 | 16 | 27 | | 36 |
| 1CG-16-04 | M16x1.5 | G1/4"X19 | 10 | | 11 | 12 | 19 | | 29 |
| 1CG-16-06 | M16x1.5 | G3/8"X19 | 10 | | 11 | 13.5 | 22 | | 32 |
| 1CG-16-08 | M16x1.5 | G1/2"X14 | 10 | | 11 | 16 | 27 | | 36 |
| 1CG-18-06 | M18x1.5 | G3/8"X19 | 12 | | 11.5 | 13.5 | 22 | | 32 |
| 1CG-18-08 | M18x1.5 | G1/2"X14 | 12 | | 11.5 | 16 | 27 | | 36 |
| 1CG-22-06 | M22x1.5 | G3/8"X19 | 15 | | 12.5 | 13.5 | 22 | | 33 |
| 1CG-22-08 | M22x1.5 | G1/2"X14 | 15 | | 12.5 | 16 | 27 | | 37 |
| 1CG-22-12 | M22x1.5 | G3/4"X14 | 15 | | 12.5 | 18.5 | 32 | | 41 |
| 1CG-26-08 | M26x1.5 | G1/2"X14 | 18 | | 12 | 16 | 27 | | 37 |
| 1CG-26-12 | M26x1.5 | G3/4"X14 | 18 | | 12 | 18.5 | 32 | | 40.5 |
| 1CG-30-12 | M30x2 | G3/4"X14 | 22 | | 14 | 18.5 | 32 | | 42.5 |
| 1CG-30-16 | M30x2 | G1"X11 | 22 | | 14 | 20.5 | 41 | | 46.5 |
| 1CG-36-16 | M36x2 | G1"X11 | 28 | | 16 | 20.5 | 41 | | 48.5 |
| 1CG-45-20 | M45x2 | G1.1/4"X11 | 35 | | 18 | 20.5 | 50 | | 55 |
| 1CG-52-20 | M52x2 | G1.1/4"X11 | 42 | | 19 | 20.5 | 55 | | 56.5 |
| 1CG-52-24 | M52x2 | G1.1/2"X11 | 42 | | 19 | 23 | 55 | | 59 |
| 1CG-52-32 | M52x2 | G2" | 42 | | 19 | 25.5 | 70 | | 62.5 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1CG-22-08RN"

Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1CG-22-08RN.




1DG

公制外螺纹24°重系列/
英管外螺纹O型圈密封
METRIC MALE 24° H.T./
BSP MALE O-RING

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|----------------|--|---------------|------|----|--|------|
| | E | F | | | A | B | S1 | | L |
| 1DG-14-04 | M14x1.5 | G1/4"X19 | 6 | | 12 | 12 | 19 | | 30 |
| 1DG-16-04 | M16x1.5 | G1/4"X19 | 8 | | 12 | 12 | 19 | | 30 |
| 1DG-18-04 | M18x1.5 | G1/4"X19 | 10 | | 12 | 12 | 19 | | 30 |
| 1DG-18-06 | M18x1.5 | G3/8"X19 | 10 | | 12 | 13.5 | 22 | | 33 |
| 1DG-20-06 | M20x1.5 | G3/8"X19 | 12 | | 12 | 13.5 | 22 | | 33 |
| 1DG-20-08 | M20x1.5 | G1/2"X14 | 12 | | 12 | 16 | 27 | | 37 |
| 1DG-22-06 | M22x1.5 | G3/8"X19 | 14 | | 14 | 13.5 | 24 | | 35 |
| 1DG-22-08 | M22x1.5 | G1/2"X14 | 14 | | 14 | 16 | 27 | | 39 |
| 1DG-24-08 | M24x1.5 | G1/2"X14 | 16 | | 14 | 16 | 27 | | 39 |
| 1DG-30-12 | M30x2 | G3/4"X14 | 20 | | 16 | 18.5 | 32 | | 44.5 |
| 1DG-36-16 | M36x2 | G1"X11 | 25 | | 18 | 20.5 | 41 | | 51.5 |
| 1DG-42-16 | M42x2 | G1"X11 | 30 | | 20 | 20.5 | 46 | | 53.5 |
| 1DG-42-20 | M42x2 | G1.1/4"X11 | 30 | | 20 | 20.5 | 50 | | 57.5 |
| 1DG-52-24 | M52x2 | G1.1/2"X11 | 38 | | 22 | 23 | 55 | | 62 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1DG-22-08RN"


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix"RN" after our part NO., for example 1DG-22-08RN.



1CG4-OG

45° 英管螺纹 24° 轻系列可调向柱端
45° BSP THREAD 24° L.T.ADJUSTABLE STUD.

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|----------------|--|--|---------------|------|----|----|--|
| | E | F | D1 | | | A | B | S1 | S2 | |
| 1CG4-12-020G | M12x1.5 | G1/8"X28 | 6 | | | 20 | 24 | 11 | 14 | |
| 1CG4-14-040G | M14x1.5 | G1/4"X19 | 8 | | | 22 | 27 | 14 | 19 | |
| 1CG4-16-040G | M16x1.5 | G1/4"X19 | 10 | | | 22 | 27 | 17 | 19 | |
| 1CG4-16-060G | M16x1.5 | G3/8"X19 | 10 | | | 22 | 30 | 17 | 22 | |
| 1CG4-18-060G | M18x1.5 | G3/8"X19 | 12 | | | 24 | 31 | 19 | 22 | |
| 1CG4-22-080G | M22x1.5 | G1/2"X14 | 15 | | | 27 | 36 | 22 | 27 | |
| 1CG4-26-080G | M26x1.5 | G1/2"X14 | 18 | | | 33 | 37.5 | 27 | 27 | |
| 1CG4-26-120G | M26x1.5 | G3/4"X14 | 18 | | | 33 | 42 | 27 | 32 | |
| 1CG4-30-120G | M30x2 | G3/4"X14 | 22 | | | 33 | 42.5 | 27 | 32 | |
| 1CG4-36-160G | M36x2 | G1"X11 | 28 | | | 37 | 44.5 | 33 | 41 | |
| 1CG4-45-200G | M45x2 | G1.1/4"X11 | 35 | | | 41 | 50.5 | 44 | 50 | |




1DG4-OG

45° 英管螺纹 24° 重系列可调向柱端
45° BSP THREAD 24° H.T.ADJUSTABLE STUD.

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|----------------|--|--|---------------|------|----|----|--|
| | E | F | D1 | | | A | B | S1 | S2 | |
| 1DG4-14-040G | M14x1.5 | G1/4"X19 | 6 | | | 22 | 27 | 14 | 19 | |
| 1DG4-16-040G | M16x1.5 | G1/4"X19 | 8 | | | 22 | 27 | 17 | 19 | |
| 1DG4-18-060G | M18x1.5 | G3/8"X19 | 10 | | | 24 | 31 | 19 | 22 | |
| 1DG4-20-060G | M20x1.5 | G3/8"X19 | 12 | | | 27 | 31 | 22 | 22 | |
| 1DG4-22-080G | M22x1.5 | G1/2"X14 | 14 | | | 27 | 36 | 22 | 27 | |
| 1DG4-30-120G | M30x2 | G3/4"X14 | 20 | | | 33 | 42.5 | 27 | 32 | |
| 1DG4-36-160G | M36x2 | G1"X11 | 25 | | | 37 | 44.5 | 33 | 41 | |
| 1DG4-42-200G | M42x2 | G1.1/4"X11 | 30 | | | 41 | 47.5 | 44 | 50 | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1DG4-22-080G/RN"(同上)


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1DG4-22-080G/RN. (the same with above)



1CG9-OG

90 ° 英管螺纹 24 ° 轻系列可调向柱端
90 ° BSP THREAD 24 ° L.T.ADJUSTABLE STUD

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|----------------|--|--|---------------|------|----|----|--|
| | E | F | D1 | | | A | B | S1 | S2 | |
| 1CG9-12-02OG | M12x1.5 | G1/8"X28 | 6 | | | 25 | 26.2 | 11 | 14 | |
| 1CG9-14-04OG | M14x1.5 | G1/4"X19 | 8 | | | 29 | 31.3 | 14 | 19 | |
| 1CG9-16-04OG | M16x1.5 | G1/4"X19 | 10 | | | 30 | 32.5 | 17 | 19 | |
| 1CG9-16-06OG | M16x1.5 | G3/8"X19 | 10 | | | 30 | 35.8 | 17 | 22 | |
| 1CG9-18-06OG | M18x1.5 | G3/8"X19 | 12 | | | 33 | 36.8 | 19 | 22 | |
| 1CG9-22-08OG | M22x1.5 | G1/2"X14 | 15 | | | 37 | 43.2 | 22 | 27 | |
| 1CG9-26-08OG | M26x1.5 | G1/2"X14 | 18 | | | 41 | 46 | 27 | 27 | |
| 1CG9-30-12OG | M30x2 | G3/4"X14 | 22 | | | 40 | 52 | 27 | 32 | |
| 1CG9-36-16OG | M36x2 | G1"X11 | 28 | | | 46 | 56 | 33 | 41 | |
| 1CG9-45-20OG | M45x2 | G1.1/4"X11 | 35 | | | 55 | 63 | 44 | 50 | |
| 1CG9-52-24OG | M52x2 | G1.1/2"X11 | 42 | | | 59 | 68.5 | 55 | 55 | |




1DG9-OG

90 ° 英管螺纹 24 ° 重系列可调向柱端
90 ° BSP THREAD 24 ° H.T.ADJUSTABLE STUD

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|----------------|--|--|---------------|------|----|----|--|
| | E | F | D1 | | | A | B | S1 | S2 | |
| 1DG9-14-04OG | M14x1.5 | G1/4"X19 | 6 | | | 29 | 31.3 | 14 | 19 | |
| 1DG9-16-04OG | M16x1.5 | G1/4"X19 | 8 | | | 30 | 32.5 | 17 | 19 | |
| 1DG9-18-06OG | M18x1.5 | G3/8"X19 | 10 | | | 33 | 36.8 | 19 | 22 | |
| 1DG9-20-06OG | M20x1.5 | G3/8"X19 | 12 | | | 37 | 36.8 | 22 | 22 | |
| 1DG9-22-08OG | M22x1.5 | G1/2"X14 | 14 | | | 37 | 43.2 | 22 | 27 | |
| 1DG9-30-12OG | M30x2 | G3/4"X14 | 20 | | | 40 | 52 | 27 | 32 | |
| 1DG9-36-16OG | M36x2 | G1"X11 | 25 | | | 46 | 56 | 33 | 41 | |
| 1DG9-42-20OG | M42x2 | G1.1/4"X11 | 30 | | | 55 | 58 | 44 | 50 | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1DG9-22-08OG/RN"(同上)

Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1DG9-22-08OG/RN. (the same with above)




1CH

公制外螺纹24°轻系列/ 六
角端面O型圈密封METRIC
MALE 24° L.T. / METRIC
MALE WITH O-RING

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|----------------|--|--|---------------|-----|----|--|------|
| | E | F | D1 | | | A | B | S1 | | L |
| 1CH-12-10 | M12x1.5 | M10x1 | 6 | | | 10 | 8.5 | 12 | | 24.5 |
| 1CH-14 | M14x1.5 | M14x1.5 | 8 | | | 11 | 11 | 19 | | 28 |
| 1CH-14-12 | M14x1.5 | M12x1.5 | 8 | | | 11 | 11 | 17 | | 28 |
| 1CH-16-14 | M16x1.5 | M14x1.5 | 10 | | | 11 | 11 | 19 | | 28 |
| 1CH-18-14 | M18x1.5 | M14x1.5 | 12 | | | 11.5 | 11 | 19 | | 28.5 |
| 1CH-14-18 | M14x1.5 | M18x1.5 | 8 | | | 11 | 11 | 24 | | 30 |
| 1CH-16 | M16x1.5 | M16x1.5 | 10 | | | 11 | 11 | 22 | | 29 |
| 1CH-16-18 | M16x1.5 | M18x1.5 | 10 | | | 11 | 11 | 24 | | 30 |
| 1CH-18-16 | M18x1.5 | M16x1.5 | 12 | | | 11.5 | 11 | 22 | | 30 |
| 1CH-22-16 | M22x1.5 | M16x1.5 | 12 | | | 12.5 | 11 | 24 | | 31 |
| 1CH-22-18 | M22x1.5 | M18x1.5 | 15 | | | 12.5 | 11 | 24 | | 31 |
| 1CH-16-22 | M16x1.5 | M22x1.5 | 10 | | | 11 | 12 | 27 | | 32 |
| 1CH-22-20 | M22x1.5 | M20x1.5 | 15 | | | 12.5 | 12 | 27 | | 33 |
| 1CH-22 | M22x1.5 | M22x1.5 | 12 | | | 12.5 | 12 | 27 | | 33 |
| 1CH-26-22 | M26x1.5 | M22x1.5 | 18 | | | 12 | 12 | 27 | | 33 |
| 1CH-26 | M26x1.5 | M26x1.5 | 18 | | | 12 | 13 | 32 | | 35 |
| 1CH-26-27 | M26x1.5 | M27x2 | 18 | | | 12 | 13 | 32 | | 35 |
| 1CH-30-22 | M30x2 | M22x1.5 | 22 | | | 14 | 12 | 32 | | 36 |
| 1CH-30-27 | M30x2 | M27x2 | 22 | | | 14 | 13 | 32 | | 37 |
| 1CH-30 | M30x2 | M30x2 | 22 | | | 14 | 14 | 36 | | 39 |
| 1CH-36-27 | M36x2 | M27x2 | 28 | | | 16 | 13 | 36 | | 40 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1CH-22-08RN"

Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix"RN" after our part NO., for example 1CH-22-08RN.




1DH

公制外螺纹24°重系列/
外螺纹六角端面O型圈密封
METRIC MALE 24° H.T./
METRIC MALE WITH O-RING

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|----------------|--|--|---------------|----|----|--|----|
| | E | F | D1 | | | A | B | S1 | | L |
| 1DH-14 | M14x1.5 | M14x1.5 | 6 | | | 12 | 11 | 19 | | 29 |
| 1DH-14-12 | M14x1.5 | M12x1.5 | 6 | | | 12 | 11 | 17 | | 29 |
| 1DH-16-14 | M16x1.5 | M14x1.5 | 8 | | | 12 | 11 | 19 | | 29 |
| 1DH-18-16 | M18x1.5 | M16x1.5 | 10 | | | 12 | 11 | 22 | | 30 |
| 1DH-20-14 | M20x1.5 | M14x1.5 | 12 | | | 12 | 11 | 22 | | 30 |
| 1DH-20-16 | M20x1.5 | M16x1.5 | 12 | | | 12 | 11 | 22 | | 30 |
| 1DH-20-18 | M20x1.5 | M18x1.5 | 12 | | | 12 | 11 | 24 | | 31 |
| 1DH-20-22 | M20x1.5 | M22x1.5 | 12 | | | 12 | 12 | 27 | | 33 |
| 1DH-24-22 | M24x1.5 | M22x1.5 | 16 | | | 14 | 12 | 27 | | 35 |
| 1DH-30 | M30x2 | M30x2 | 20 | | | 16 | 14 | 36 | | 41 |
| 1DH-30-27 | M30x2 | M27x2 | 20 | | | 16 | 13 | 32 | | 39 |
| 1DH-36-27 | M36x2 | M27x2 | 25 | | | 18 | 13 | 36 | | 42 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1DH-22-08RN"


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix"RN" after our part NO., for example 1DH-22-08RN.



1CH4-OG

45° 公制外螺纹 24° 轻系列可调向柱端
45° METRIC MALE 24° L.T.ADJUSTABLE STUD

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|----------------|--|--|---------------|------|----|----|--|
| | E | F | D1 | | | A | B | S1 | S2 | |
| 1CH4-12-10OG | M12x1.5 | M10x1 | 6 | | | 20 | 25.5 | 11 | 14 | |
| 1CH4-14-12OG | M14x1.5 | M12x1.5 | 8 | | | 22 | 30 | 14 | 17 | |
| 1CH4-16-14OG | M16x1.5 | M14x1.5 | 10 | | | 22 | 30.5 | 17 | 19 | |
| 1CH4-18-16OG | M18x1.5 | M16x1.5 | 12 | | | 24 | 34 | 19 | 22 | |
| 1CH4-22-18OG | M22x1.5 | M18x1.5 | 15 | | | 27 | 38 | 22 | 24 | |
| 1CH4-26-22OG | M26x1.5 | M22x1.5 | 18 | | | 33 | 40.5 | 27 | 27 | |
| 1CH4-30-27OG | M30x2 | M27x2 | 25 | | | 33 | 48 | 27 | 32 | |
| 1CH4-36-33OG | M36x2 | M33x2 | 28 | | | 37 | 49.5 | 33 | 41 | |
| 1CH4-45-42OG | M45x2 | M42x2 | 35 | | | 41 | 55 | 44 | 50 | |




1DH4-OG

45° 公制外螺纹 24° 重系列可调向柱端
45° METRIC MALE 24° H.T.ADJUSTABLE STUD

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|----------------|--|--|---------------|------|----|----|--|
| | E | F | D1 | | | A | B | S1 | S2 | |
| 1DH4-14-12OG | M14x1.5 | M12x1.5 | 6 | | | 22 | 30 | 14 | 17 | |
| 1DH4-16-14OG | M16x1.5 | M14x1.5 | 8 | | | 22 | 30.5 | 17 | 19 | |
| 1DH4-18-16OG | M18x1.5 | M16x1.5 | 10 | | | 24 | 34 | 19 | 22 | |
| 1DH4-20-18OG | M20x1.5 | M18x1.5 | 12 | | | 27 | 37 | 22 | 24 | |
| 1DH4-24-22OG | M24x1.5 | M22x1.5 | 16 | | | 33 | 40 | 27 | 27 | |
| 1DH4-30-27OG | M30x2 | M27x2 | 20 | | | 33 | 48 | 27 | 32 | |
| 1DH4-36-33OG | M36x2 | M33x2 | 25 | | | 37 | 49.5 | 33 | 41 | |
| 1DH4-42-42OG | M42x2 | M42x2 | 30 | | | 41 | 54 | 44 | 50 | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1DH4-24-220G/RN"(同上)


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part No., for example 1DH4-24-220G/RN. (the same with above)



1CH9-OG

90 ° 公制外螺纹 24 ° 轻系列可调向柱端
90 ° METRIC MALE 24 ° L.T. ADJUSTABLE STUD

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|---------|----------------|--|--|---------------|------|----|----|
| | E | F | D1 | | | A | B | S1 | S2 |
| 1CH9-12-100G | M12x1.5 | M10x1 | 6 | | | 25 | 26.5 | 11 | 14 |
| 1CH9-14-120G | M14x1.5 | M12x1.5 | 8 | | | 29 | 32 | 14 | 17 |
| 1CH9-16-140G | M16x1.5 | M14x1.5 | 10 | | | 30 | 34 | 17 | 19 |
| 1CH9-18-160G | M18x1.5 | M16x1.5 | 12 | | | 33 | 36 | 19 | 22 |
| 1CH9-22-180G | M22x1.5 | M18x1.5 | 15 | | | 37 | 39.5 | 22 | 24 |
| 1CH9-26-220G | M26x1.5 | M22x1.5 | 18 | | | 41 | 43.5 | 27 | 27 |
| 1CH9-30-270G | M30x2 | M27x2 | 25 | | | 40 | 50 | 27 | 32 |
| 1CH9-36-330G | M36x2 | M33x2 | 28 | | | 46 | 54 | 33 | 41 |




1DH9-OG

90 ° 公制外螺纹 24 ° 重系列可调向柱端
90 ° METRIC MALE 24 ° H.T. ADJUSTABLE STUD

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|---------|----------------|--|--|---------------|------|----|----|
| | E | F | D1 | | | A | B | S1 | S2 |
| 1DH9-14-120G | M14x1.5 | M12x1.5 | 6 | | | 29 | 32 | 14 | 17 |
| 1DH9-16-140G | M16x1.5 | M14x1.5 | 8 | | | 30 | 34 | 17 | 19 |
| 1DH9-18-160G | M18x1.5 | M16x1.5 | 10 | | | 33 | 36 | 19 | 22 |
| 1DH9-20-180G | M20x1.5 | M18x1.5 | 12 | | | 37 | 37 | 22 | 24 |
| 1DH9-22-200G | M22x1.5 | M20x1.5 | 14 | | | 37 | 40 | 22 | 27 |
| 1DH9-24-220G | M24x1.5 | M22x1.5 | 16 | | | 37 | 37.5 | 24 | 27 |
| 1DH9-30-270G | M30x2 | M27x2 | 20 | | | 41 | 50 | 27 | 32 |
| 1DH9-36-330G | M36x2 | M33x2 | 25 | | | 46 | 54 | 33 | 41 |
| 1DH9-420G | M42x2 | M42x2 | 30 | | | 55 | 57.2 | 44 | 50 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1CB-22-08RN"(同上)
Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1CB-22-08RN. (the same with above)


1CJ



公制外螺纹24°轻系列
/美制JIC74°锥密封
METRIC MALE 24° L.T./
JIC 74° CONE SEAL

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|-------------|----------------|--|--|---------------|------|----|--|------|
| | E | F | D1 | | | A | B | S1 | | L |
| 1CJ-12-04 | M12x1.5 | U7/16"X20 | 6 | | | 10 | 14 | 14 | | 30 |
| 1CJ-14-04 | M14x1.5 | U7/16"X20 | 8 | | | 11 | 14 | 14 | | 31 |
| 1CJ-14-06 | M14x1.5 | U9/16"X18 | 8 | | | 11 | 14 | 17 | | 31 |
| 1CJ-16-06 | M16x1.5 | U9/16"X18 | 10 | | | 11 | 14 | 17 | | 31 |
| 1CJ-18-06 | M18x1.5 | U9/16"X18 | 12 | | | 11.5 | 14 | 19 | | 31.5 |
| 1CJ-18-08 | M18x1.5 | U3/4"X16 | 12 | | | 11.5 | 16.7 | 22 | | 35 |
| 1CJ-22-08 | M22x1.5 | U3/4"X16 | 15 | | | 12.5 | 16.7 | 24 | | 37 |
| 1CJ-22-10 | M22x1.5 | U7/8"X14 | 15 | | | 12.5 | 19.5 | 24 | | 40 |
| 1CJ-26-10 | M26x1.5 | U7/8"X14 | 18 | | | 12 | 19.5 | 27 | | 40 |
| 1CJ-26-12 | M26x1.5 | U1.1/16"X12 | 18 | | | 12 | 19.5 | 30 | | 41.5 |
| 1CJ-30-12 | M30x2 | U1.1/16"X12 | 22 | | | 14 | 22 | 32 | | 46 |
| 1CJ-36-16 | M36x2 | U1.5/16"X12 | 28 | | | 16 | 23 | 36 | | 50 |
| 1CJ-45-20 | M45x2 | U1.5/8"X12 | 35 | | | 18 | 24.5 | 46 | | 55.5 |
| 1CJ-52-20 | M52x2 | U1.5/8"X12 | 42 | | | 19 | 24.5 | 55 | | 60.5 |
| 1CJ-52-24 | M52x2 | U1.7/8"X12 | 42 | | | 19 | 27.5 | 55 | | 63.5 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1CJ-22-08RN"
 Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part No., for example 1CJ-22-08RN.




1DJ

公制外螺纹24°重系列
/美制JIC74°锥密封
METRIC MALE 24° H.T. /
JIC 74° CONE SEAL

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|-------------|----------------|--|--|---------------|------|----|--|------|
| | E | F | D1 | | | A | B | S1 | | L |
| 1DJ-14-04 | M14x1.5 | U7/16"X20 | 6 | | | 12 | 14 | 14 | | 32 |
| 1DJ-16-04 | M16x1.5 | U7/16"X20 | 8 | | | 12 | 14 | 17 | | 32 |
| 1DJ-16-06 | M16x1.5 | U9/16"X18 | 8 | | | 12 | 14 | 17 | | 32 |
| 1DJ-18-04 | M18x1.5 | U7/16"X20 | 10 | | | 12 | 14 | 19 | | 32 |
| 1DJ-18-06 | M18x1.5 | U9/16"X18 | 10 | | | 12 | 14 | 19 | | 32 |
| 1DJ-20-06 | M20x1.5 | U9/16"X18 | 12 | | | 12 | 14 | 22 | | 33 |
| 1DJ-20-08 | M20x1.5 | U3/4"X16 | 12 | | | 12 | 16.7 | 22 | | 36 |
| 1DJ-22-08 | M22x1.5 | U3/4"X16 | 14 | | | 14 | 16.7 | 24 | | 38 |
| 1DJ-24-08 | M24x1.5 | U3/4"X16 | 16 | | | 14 | 16.7 | 27 | | 39 |
| 1DJ-24-10 | M24x1.5 | U7/8"X14 | 16 | | | 14 | 19.5 | 30 | | 42.5 |
| 1DJ-30-12 | M30x2 | U1.1/16"X12 | 20 | | | 16 | 22 | 32 | | 48 |
| 1DJ-36-16 | M36x2 | U1.5/16"X12 | 25 | | | 18 | 23 | 32 | | 52 |
| 1DJ-42-20 | M42x2 | U1.5/8"X12 | 30 | | | 20 | 24.5 | 46 | | 57.5 |
| 1DJ-52-24 | M52x2 | U1.7/8"X12 | 38 | | | 22 | 27.5 | 55 | | 66.5 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1DJ-22-08RN"

Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1DJ-22-08RN.




1CM

公制外螺纹24 ° 轻系列
/ 60 ° 内锥面或组合垫密封
METRIC MALE 24 ° L.T.
/ 60 ° CONE BONDED SEAL

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|----------------|--|--|---------------|----|----|--|------|
| | E | F | D1 | | | A | B | S1 | | |
| 1CM-14-12 | M14x1.5 | M12x1.5 | 8 | | | 11 | 10 | 17 | | 29 |
| 1CM-14-18 | M14x1.5 | M18x1.5 | 8 | | | 11 | 12 | 24 | | 33 |
| 1CM-16-14 | M16x1.5 | M14x1.5 | 10 | | | 11 | 11 | 19 | | 30 |
| 1CM-16-16 | M16x1.5 | M16x1.5 | 10 | | | 11 | 12 | 22 | | 32 |
| 1CM-16-18 | M16x1.5 | M18x1.5 | 10 | | | 11 | 12 | 24 | | 33 |
| 1CM-16-22 | M16x1.5 | M22x1.5 | 10 | | | 11 | 14 | 27 | | 36 |
| 1CM-18-14 | M18x1.5 | M14x1.5 | 12 | | | 11.5 | 11 | 19 | | 30.5 |
| 1CM-18-16 | M18x1.5 | M16x1.5 | 12 | | | 11.5 | 12 | 22 | | 33 |
| 1CM-18-18 | M18x1.5 | M18x1.5 | 12 | | | 11.5 | 12 | 24 | | 33 |
| 1CM-18-22 | M18x1.5 | M22x1.5 | 12 | | | 11.5 | 14 | 27 | | 36 |
| 1CM-22-16 | M22x1.5 | M16x1.5 | 15 | | | 12.5 | 12 | 22 | | 34 |
| 1CM-22-18 | M22x1.5 | M18x1.5 | 15 | | | 12.5 | 12 | 24 | | 34 |
| 1CM-22 | M22x1.5 | M22x1.5 | 15 | | | 12.5 | 14 | 27 | | 37 |
| 1CM-26-18 | M26x1.5 | M18x1.5 | 18 | | | 12 | 12 | 24 | | 34 |
| 1CM-26-22 | M26x1.5 | M22x1.5 | 18 | | | 12 | 14 | 27 | | 37 |
| 1CM-30-22 | M30x2 | M22x1.5 | 22 | | | 14 | 14 | 30 | | 39 |
| 1CM-36-33 | M36x2 | M33x2 | 28 | | | 16 | 18 | 41 | | 49 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1CM-18-16RN"
 Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part No., for example 1CM-18-16RN.




1CM-WD

公制外螺纹24 ° 轻系列
/ 60 ° 内锥面或胶垫密封
METRIC MALE 24 ° L.T. /
60 ° CONE CAPTIVE SEAL

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|---------|----------------|--|--|---------------|----|----|--|
| | E | F | D1 | | | A | B | S1 | |
| 1CM-14-12WD | M14x1.5 | M12x1.5 | 8 | | | 11 | 10 | 17 | |
| 1CM-16-12WD | M16x1.5 | M12x1.5 | 10 | | | 11 | 10 | 17 | |
| 1CM-16-14WD | M16x1.5 | M14x1.5 | 10 | | | 11 | 11 | 19 | |
| 1CM-16-18WD | M16x1.5 | M18x1.5 | 10 | | | 11 | 12 | 24 | |
| 1CM-18-16WD | M18x1.5 | M16x1.5 | 12 | | | 11.5 | 12 | 22 | |
| 1CM-18WD | M18x1.5 | M18x1.5 | 12 | | | 11.5 | 12 | 24 | |
| 1CM-18-22WD | M18x1.5 | M22x1.5 | 12 | | | 11.5 | 14 | 27 | |
| 1CM-22-18WD | M22x1.5 | M18x1.5 | 15 | | | 12.5 | 12 | 24 | |
| 1CM-22WD | M22x1.5 | M22x1.5 | 15 | | | 12.5 | 14 | 27 | |
| 1CM-26-22WD | M26x1.5 | M22x1.5 | 18 | | | 12 | 14 | 27 | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1CM-18-16WD/RN"
Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix"RN" after our part NO., for example 1CM-18-16WD/RN.




1DM

公制外螺纹24 ° 重系列
/ 60 ° 内锥面或组合垫密封
METRIC MALE 24 ° H.T. /
60 ° CONE BONDED SEAL

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|----------------|--|---------------|----|----|--|----|
| | E | F | | | A | B | S1 | | L |
| 1DM-14-12 | M14x1.5 | M12x1.5 | 6 | | 12 | 10 | 17 | | 30 |
| 1DM-16-14 | M16x1.5 | M14x1.5 | 8 | | 12 | 11 | 19 | | 31 |
| 1DM-18-16 | M18x1.5 | M16x1.5 | 10 | | 12 | 12 | 22 | | 33 |
| 1DM-20-18 | M20x1.5 | M18x1.5 | 12 | | 12 | 12 | 24 | | 34 |
| 1DM-20-22 | M20x1.5 | M22x1.5 | 12 | | 12 | 14 | 27 | | 37 |
| 1DM-24-18 | M24x1.5 | M18x1.5 | 16 | | 14 | 12 | 27 | | 37 |
| 1DM-24-22 | M24x1.5 | M22x1.5 | 16 | | 14 | 14 | 27 | | 39 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1DM-20-22RN"

Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part No., for example 1DM-20-22RN.




1DM-WD

公制外螺纹24 ° 重系列
/ 60 ° 内锥面或胶垫密封
METRIC MALE 24 ° H.T. /
60 ° CONE CAPTIVE SEAL

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|----------------|--|---------------|----|----|--|--|
| | E | F | | | A | B | S1 | | |
| 1DM-14-12WD | M14x1.5 | M12x1.5 | 6 | | 12 | 10 | 17 | | |
| 1DM-16-14WD | M16x1.5 | M14x1.5 | 8 | | 12 | 11 | 19 | | |
| 1DM-18-16WD | M18x1.5 | M16x1.5 | 10 | | 12 | 12 | 22 | | |
| 1DM-20-18WD | M20x1.5 | M18x1.5 | 12 | | 12 | 12 | 24 | | |
| 1DM-24-22WD | M24x1.5 | M22x1.5 | 14 | | 14 | 14 | 27 | | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1DM-20-18WD/RN"

Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part No., for example 1DM-20-18WD/RN.




1CO

公制外螺纹24 ° 轻系列
/美制外螺纹O型圈密封
METRIC MALE 24 ° L.T. /
SAE MALE O-RING

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|-------------|----------------|--|---------------|------|----|--|------|
| | E | F | | | A | B | S1 | | L |
| 1CO-14-04 | M14x1.5 | U7/16"X20 | 8 | | 11 | 10 | 14 | | 27 |
| 1CO-16-04 | M16x1.5 | U7/16"X20 | 10 | | 11 | 10 | 17 | | 27 |
| 1CO-18-06 | M18x1.5 | U9/16"X18 | 12 | | 11.5 | 12 | 19 | | 29.5 |
| 1CO-18-08 | M18x1.5 | U3/4"X16 | 12 | | 11.5 | 12 | 24 | | 31 |
| 1CO-18-10 | M18x1.5 | U7/8"X14 | 12 | | 11.5 | 13.5 | 27 | | 34 |
| 1CO-22-08 | M22x1.5 | U3/4"X16 | 15 | | 12.5 | 12 | 24 | | 32 |
| 1CO-22-10 | M22x1.5 | U7/8"X14 | 15 | | 12.5 | 13.5 | 27 | | 35 |
| 1CO-22-12 | M22x1.5 | U1.1/16"X12 | 15 | | 12.5 | 16 | 32 | | 38.5 |
| 1CO-26-08 | M26x1.5 | U3/4"X16 | 18 | | 12 | 12 | 27 | | 33 |
| 1CO-26-10 | M26x1.5 | U7/8"X14 | 18 | | 12 | 13.5 | 27 | | 34 |
| 1CO-30-08 | M30x2 | U3/4"X16 | 22 | | 14 | 12 | 32 | | 36 |
| 1CO-30-10 | M30x2 | U7/8"X14 | 22 | | 14 | 13.5 | 32 | | 37.5 |
| 1CO-30-12 | M30x2 | U1.1/16"X12 | 22 | | 14 | 16 | 32 | | 40 |
| 1CO-30-16 | M30x2 | U1.5/16"X12 | 22 | | 14 | 17 | 41 | | 43 |
| 1CO-36-16 | M36x2 | U1.5/16"X12 | 28 | | 16 | 17 | 41 | | 45 |
| 1CO-45-16 | M45x2 | U1.5/16"X12 | 35 | | 18 | 17 | 46 | | 48 |
| 1CO-45-20 | M45x2 | U1.5/8"X12 | 35 | | 18 | 18 | 50 | | 53 |
| 1CO-52-20 | M45x2 | U1.5/8"X12 | 42 | | 19 | 18 | 55 | | 54 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1CO-22-08RN"
 Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix"RN" after our part NO., for example 1CO-22-08RN.




1DO

公制外螺纹24 ° 重系列
/美制外螺纹O型圈密封
METRIC MALE 24 ° H.T./
SAE MALE O-RING

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | 尺寸 DIMENSIONS | | | | | |
|----------------|------------|---------------|----------------|---------------|---|----|------|----|------|
| | E | F | | A | B | S1 | | L | |
| 1DO-16-04 | M16x1.5 | U7/16"X20 | 8 | | | 12 | 10 | 17 | 28 |
| 1DO-18-06 | M18x1.5 | U9/16"X18 | 10 | | | 12 | 12 | 19 | 30 |
| 1DO-20-06 | M20x1.5 | U9/16"X18 | 12 | | | 12 | 12 | 22 | 31 |
| 1DO-20-08 | M20x1.5 | U3/4"X16 | 12 | | | 12 | 12 | 24 | 32 |
| 1DO-24-08 | M24x1.5 | U3/4"X16 | 16 | | | 14 | 12 | 24 | 34 |
| 1DO-24-10 | M24x1.5 | U7/8"X14 | 16 | | | 14 | 13.5 | 27 | 36 |
| 1DO-30-08 | M30x2 | U3/4"X16 | 20 | | | 16 | 12 | 32 | 38 |
| 1DO-30-10 | M30x2 | U7/8"X14 | 20 | | | 16 | 13.5 | 32 | 39.5 |
| 1DO-30-12 | M30x2 | U1.1 / 16"X12 | 20 | | | 16 | 16 | 32 | 42 |
| 1DO-36-16 | M36x2 | U1.5 / 16"X12 | 25 | | | 18 | 17 | 41 | 47 |
| 1DO-42-16 | M42x2 | U1.5 / 16"X12 | 30 | | | 20 | 17 | 46 | 50 |
| 1DO-42-20 | M42x2 | U1.5 / 8"X12 | 30 | | | 20 | 18 | 50 | 55 |
| 1DO-52-20 | M52x2 | U1.5 / 8"X12 | 38 | | | 22 | 18 | 55 | 57 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1DO-24-08RN"


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix"RN" after our part NO., for example 1DO-24-08RN.



1C09-OG

90 ° 公制外螺纹24 ° 轻系列
/美制外螺纹可调向柱端
90 ° METRIC 24 ° L.T.
/SAE MALE ADJUSTABLE STUD

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------------|----------------|--|--|---------------|------|----|----|--|
| | E | F | D1 | | | A | B | S1 | S2 | |
| 1C09-12-04OG | M12x1.5 | U7 / 16"X20 | 6 | | | 25 | 27.2 | 11 | 17 | |
| 1C09-14-06OG | M14x1.5 | U9 / 16"X18 | 8 | | | 29 | 31.8 | 14 | 19 | |
| 1C09-16-06OG | M16x1.5 | U9 / 16"X18 | 10 | | | 30 | 33.3 | 17 | 19 | |
| 1C09-18-08OG | M18x1.5 | U3 / 4"X16 | 12 | | | 33 | 37.5 | 19 | 24 | |
| 1C09-22-08OG | M22x1.5 | U3 / 4"X16 | 15 | | | 37 | 44 | 22 | 27 | |
| 1C09-22-10OG | M22x1.5 | U7 / 8"X14 | 15 | | | 37 | 39.5 | 22 | 24 | |
| 1C09-26-12OG | M26x1.5 | U1.1 / 16"X12 | 18 | | | 41 | 51 | 27 | 32 | |
| 1C09-30-12OG | M30x2 | U1.1 / 16"X12 | 22 | | | 41 | 53.5 | 27 | 32 | |
| 1C09-36-16OG | M36x2 | U1.5 / 16"X12 | 28 | | | 49 | 57.5 | 33 | 41 | |
| 1C09-45-20OG | M45x2 | U1.5 / 8"X12 | 35 | | | 55 | 63 | 44 | 50 | |
| 1C09-52-24OG | M52x2 | U1.7 / 8"X12 | 42 | | | 59 | 70.5 | 55 | 55 | |




1D09-OG

90 ° 公制外螺纹24 ° 重系列
/美制外螺纹可调向柱端
90 ° METRIC 24 ° H.T.
/SAE MALE ADJUSTABLE STUD

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------------|----------------|--|--|---------------|------|----|----|--|
| | E | F | D1 | | | A | B | S1 | S2 | |
| 1D09-14-04OG | M14x1.5 | U7/16"X20 | 6 | | | 29 | 30 | 14 | 17 | |
| 1D09-16-06OG | M16x1.5 | U9/16"X18 | 8 | | | 30 | 33.3 | 17 | 19 | |
| 1D09-18-06OG | M18x1.5 | U9/16"X18 | 10 | | | 33 | 33.5 | 19 | 19 | |
| 1D09-20-08OG | M20x1.5 | U3/4"X16 | 12 | | | 37 | 37.5 | 22 | 24 | |
| 1D09-24-10OG | M24x1.5 | U7/8"X14 | 16 | | | 37 | 46.5 | 24 | 27 | |
| 1D09-30-12OG | M30x2 | U1.1 / 16"X12 | 20 | | | 41 | 53.5 | 27 | 32 | |
| 1D09-36-16OG | M36x2 | U1.5 / 16"X12 | 25 | | | 49 | 57.5 | 33 | 41 | |
| 1D09-42-20OG | M42x2 | U1.5 / 8"X12 | 30 | | | 57 | 59.5 | 44 | 50 | |


备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1D09-20-08RN"(同上)
Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1D09-20-08RN. (the same with above)



1CW

公制外螺纹24°轻系列/ 焊接接头
METRIC MALE 24° L.T./WELD FITTINGS

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺 寸 DIMENSIONS | | | | |
|----------------|------------|--|----------------|----|--|----------------|----|----|----|------|
| | E | | D1 | D2 | | A | B | D | S1 | L |
| 1CW-12-06 | M12x1.5 | | 6 | 6 | | 10 | 7 | 10 | 12 | 23 |
| 1CW-14-08 | M12x1.5 | | 8 | 8 | | 11 | 8 | 12 | 14 | 25 |
| 1CW-16-10 | M16x1.5 | | 10 | 10 | | 11 | 8 | 14 | 17 | 25 |
| 1CW-18-12 | M18x1.5 | | 12 | 12 | | 11.5 | 8 | 16 | 19 | 25.5 |
| 1CW-22-15 | M22x1.5 | | 15 | 15 | | 12.5 | 10 | 19 | 22 | 30 |
| 1CW-26-22 | M26x1.5 | | 18 | 22 | | 12 | 10 | 27 | 27 | 32 |
| 1CW-30-22 | M30x2 | | 22 | 22 | | 14 | 12 | 27 | 32 | 37 |
| 1CW-30-25 | M30x2 | | 22 | 25 | | 14 | 12 | 31 | 32 | 37 |
| 1CW-36-28 | M36x2 | | 28 | 28 | | 16 | 12 | 32 | 36 | 39 |
| 1CW-45-35 | M45x2 | | 35 | 35 | | 18 | 14 | 40 | 46 | 45 |
| 1CW-52-42 | M52x2 | | 42 | 42 | | 19 | 16 | 46 | 55 | 52 |




1DW

公制外螺纹24°重系列/ 焊接接头
METRIC MALE 24° H.T./WELD FITTINGS

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺 寸 DIMENSIONS | | | | |
|----------------|------------|--|----------------|----|--|----------------|----|----|----|----|
| | E | | D1 | D2 | | A | B | D | S1 | L |
| 1DW-14-06 | M14x1.5 | | 6 | 6 | | 12 | 7 | 11 | 14 | 25 |
| 1DW-16-08 | M16x1.5 | | 8 | 8 | | 12 | 8 | 13 | 17 | 26 |
| 1DW-18-10 | M18x1.5 | | 10 | 10 | | 12 | 8 | 15 | 19 | 26 |
| 1DW-20-12 | M20x1.5 | | 12 | 12 | | 12 | 10 | 17 | 22 | 29 |
| 1DW-24-16 | M24x1.5 | | 16 | 16 | | 14 | 10 | 21 | 27 | 33 |
| 1DW-30-20 | M30x2 | | 20 | 20 | | 16 | 12 | 26 | 32 | 38 |
| 1DW-36-25 | M36x2 | | 25 | 25 | | 18 | 12 | 31 | 41 | 42 |
| 1DW-42-30 | M42x2 | | 30 | 30 | | 20 | 14 | 36 | 46 | 47 |
| 1DW-52-38 | M52x2 | | 38 | 38 | | 22 | 16 | 44 | 55 | 55 |


备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1DW-20-12RN"(同上)
Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1DW-20-12RN. (the same with above)



2BC-WD

公制螺纹24°轻系列/ 英管螺纹
60°锥面组合垫密封
METRIC FEMALE 24° L.T./BSP MALE
DOUBLE 60° SEAT BONDED SEAL


| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|--------------|---------|----------------|--|---------------|-----|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| 2BC-02-12WD | G1 / 8"X28 | M12x1.5 | 6 | | 10 | 2 | 14 | 17 | |
| 2BC-04-14WD | G1 / 4"X19 | M14x1.5 | 8 | | 12 | 3.5 | 19 | 19 | |
| 2BC-04-16WD | G1 / 4"X19 | M16x1.5 | 10 | | 12 | 3.5 | 19 | 22 | |
| 2BC-06-18WD | G3 / 8"X19 | M18x1.5 | 12 | | 13.5 | 3.5 | 22 | 24 | |
| 2BC-08-22WD | G1 / 2"X14 | M22x1.5 | 15 | | 16 | 3 | 27 | 27 | |
| 2BC-08-26WD | G1 / 2"X14 | M26x1.5 | 18 | | 16 | 3.5 | 27 | 32 | |
| 2BC-12-30WD | G3 / 4"X14 | M30x2 | 22 | | 18.5 | 4.5 | 32 | 36 | |
| 2BC-16-36WD | G1"X11 | M36x2 | 28 | | 20.5 | 4.5 | 41 | 41 | |
| 2BC-20-45WD | G1.1 / 4"X11 | M45x2 | 35 | | 20.5 | 5.5 | 50 | 55 | |
| 2BC-24-52WD | G1.1 / 2"X11 | M52x2 | 42 | | 23 | 6.5 | 55 | 60 | |



2BD-WD

公制螺纹24°重系列/ 英管螺纹
60°锥面组合垫密封
METRIC FEMALE 24° H.T./BSP MALE
DOUBLE 60° SEAT BONDED SEAL


| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|--------------|---------|----------------|--|---------------|-----|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| 2BD-04-14WD | G1 / 4"X19 | M14x1.5 | 6 | | 12 | 3 | 19 | 19 | |
| 2BD-04-16WD | G1 / 4"X19 | M16x1.5 | 8 | | 12 | 3.5 | 19 | 22 | |
| 2BD-06-18WD | G3 / 8"X19 | M18x1.5 | 10 | | 13.5 | 3 | 22 | 24 | |
| 2BD-06-20WD | G3 / 8"X19 | M20x1.5 | 12 | | 13.5 | 3 | 22 | 27 | |
| 2BD-08-22WD | G1 / 2"X14 | M22x1.5 | 14 | | 16 | 2.5 | 27 | 27 | |
| 2BD-08-24WD | G1 / 2"X14 | M24x1.5 | 16 | | 16 | 3.5 | 27 | 30 | |
| 2BD-12-30WD | G3 / 4"X14 | M30x2 | 20 | | 18.5 | 4.5 | 32 | 36 | |
| 2BD-16-36WD | G1"X11 | M36x2 | 25 | | 20.5 | 3.5 | 41 | 41 | |
| 2BD-20-42WD | G1.1 / 4"X11 | M42x2 | 30 | | 20.5 | 5.5 | 50 | 50 | |
| 2BD-24-52WD | G1.1 / 2"X11 | M52x2 | 38 | | 23 | 7 | 55 | 60 | |



2JC

美制JIC 74° 锥密封/公制内螺
纹24° 锥O型圈密封轻系列
JIC 74° CONE SEALING/METRIC
FEMALE 24° CONE O-RING SEALING L.T.


| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|---------|----------------|--|--|---------------|-----|----|----|--|
| | E | F | D1 | | | A | C | S1 | S2 | |
| 2JC-04-12 | U7/16"X20 | M12x1.5 | 6 | | | 14 | 2 | 14 | 17 | |
| 2JC-04-14 | U7/16"X20 | M14x1.5 | 8 | | | 14 | 3.5 | 14 | 19 | |
| 2JC-05-14 | U1/2"X20 | M14x1.5 | 8 | | | 14 | 3.5 | 14 | 19 | |
| 2JC-05-16 | U1/2"X20 | M16x1.5 | 10 | | | 14 | 3.5 | 17 | 22 | |
| 2JC-06-14 | U9/16"X18 | M14x1.5 | 8 | | | 14 | 3.5 | 17 | 19 | |
| 2JC-06-16 | U9/16"X18 | M16x1.5 | 10 | | | 14 | 3.5 | 17 | 22 | |
| 2JC-06-18 | U9/16"X18 | M18x1.5 | 12 | | | 14 | 3.5 | 17 | 24 | |
| 2JC-08-18 | U3/4"X16 | M18x1.5 | 12 | | | 16.7 | 3.5 | 22 | 24 | |
| 2JC-08-22 | U3/4"X16 | M22x1.5 | 15 | | | 16.7 | 3 | 22 | 27 | |
| 2JC-10-22 | U7/8"X14 | M22x1.5 | 15 | | | 19.5 | 3 | 24 | 27 | |
| 2JC-10-26 | U7/8"X14 | M26x1.5 | 18 | | | 19.5 | 3.5 | 27 | 32 | |
| 2JC-12-26 | U1.1/16"X12 | M26x1.5 | 18 | | | 22 | 3.5 | 27 | 32 | |
| 2JC-12-30 | U1.1/16"X12 | M30x2 | 22 | | | 22 | 4.5 | 30 | 36 | |
| 2JC-16-36 | U1.5/16"X12 | M36x2 | 28 | | | 23 | 4.5 | 36 | 41 | |
| 2JC-16-45 | U1.5/16"X12 | M45x2 | 35 | | | 23 | 5.5 | 46 | 55 | |
| 2JC-20-45 | U1.5/8"X12 | M45x2 | 35 | | | 24.5 | 5.5 | 46 | 55 | |
| 2JC-20-52 | U1.5/8"X12 | M52x2 | 42 | | | 24.5 | 6.5 | 50 | 60 | |
| 2JC-24-52 | U1.7/8"X12 | M52x2 | 42 | | | 27.5 | 6.5 | 50 | 60 | |



2JD

美制JIC 74 ° 锥密封/公制内螺
纹24 ° 锥O型圈密封重系列
JIC 74 ° CONE SEALING/METRIC
FEMALE 24 ° CONE O-RING SEALING H.T.


| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|---------|----------------|--|--|---------------|-----|----|----|--|
| | E | F | D1 | | | A | C | S1 | S2 | |
| 2JD-04-14 | U7/16"X20 | M14x1.5 | 6 | | | 14 | 3 | 14 | 19 | |
| 2JD-04-16 | U7/16"X20 | M16x1.5 | 8 | | | 14 | 3.5 | 17 | 22 | |
| 2JD-04-18 | U7/16"X20 | M18x1.5 | 10 | | | 14 | 3 | 17 | 24 | |
| 2JD-05-18 | U1/2"X20 | M18x1.5 | 10 | | | 14 | 3 | 17 | 24 | |
| 2JD-06-16 | U9/16"X18 | M16x1.5 | 8 | | | 14 | 3.5 | 17 | 22 | |
| 2JD-06-18 | U9/16"X18 | M18x1.5 | 10 | | | 14 | 3 | 17 | 24 | |
| 2JD-06-20 | U9/16"X18 | M20x1.5 | 12 | | | 14 | 3 | 19 | 27 | |
| 2JD-06-22 | U9/16"X18 | M22x1.5 | 14 | | | 14 | 2.5 | 22 | 27 | |
| 2JD-08-22 | U3/4"X16 | M22x1.5 | 14 | | | 16.7 | 2.5 | 22 | 27 | |
| 2JD-08-24 | U3/4"X16 | M24x1.5 | 16 | | | 16.7 | 3.5 | 24 | 30 | |
| 2JD-10-30 | U7/8"X14 | M30x2 | 20 | | | 19.5 | 4.5 | 30 | 36 | |
| 2JD-10-36 | U7/8"X14 | M36x2 | 25 | | | 19.5 | 3.5 | 36 | 41 | |
| 2JD-12-30 | U1.1/16"X12 | M30x2 | 20 | | | 22 | 4.5 | 30 | 36 | |
| 2JD-12-36 | U1.1/16"X12 | M36x2 | 25 | | | 22 | 3.5 | 36 | 41 | |
| 2JD-16-42 | U1.5/16"X12 | M42x2 | 30 | | | 23 | 5.5 | 41 | 50 | |
| 2JD-20-42 | U1.5/8"X12 | M42x2 | 30 | | | 24.5 | 5.5 | 46 | 50 | |
| 2JD-20-52 | U1.5/8"X12 | M52x2 | 38 | | | 24.5 | 7 | 50 | 60 | |
| 2JD-24-52 | U1.7/8"X12 | M52x2 | 38 | | | 27.5 | 7 | 50 | 60 | |



2GC

公制螺纹24°轻系列锥O型圈/
英管螺纹 O型圈密封
METRIC FEMALE 24° L.T.CONE O-RING/
BSP MALEO-RING


| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|--------------|---------|----------------|--|---------------|-----|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| 2GC-02-12 | G1 / 8"X28 | M12x1.5 | 6 | | 9 | 2 | 14 | 17 | |
| 2GC-04-14 | G1 / 4"X19 | M14x1.5 | 8 | | 12 | 3.5 | 19 | 19 | |
| 2GC-04-16 | G1 / 4"X19 | M16x1.5 | 10 | | 12 | 3.5 | 19 | 22 | |
| 2GC-06-18 | G3 / 8"X19 | M18x1.5 | 12 | | 13.5 | 3.5 | 22 | 24 | |
| 2GC-08-22 | G1 / 2"X14 | M22x1.5 | 15 | | 16 | 3 | 27 | 27 | |
| 2GC-08-26 | G1 / 2"X14 | M26x1.5 | 18 | | 16 | 3.5 | 27 | 32 | |
| 2GC-12-30 | G3 / 4"X14 | M30x2 | 22 | | 18.5 | 4.5 | 32 | 36 | |
| 2GC-16-36 | G1"X11 | M36x2 | 28 | | 20.5 | 4.5 | 41 | 41 | |
| 2GC-20-45 | G1.1 / 4"X11 | M45x2 | 35 | | 20.5 | 5.5 | 50 | 55 | |
| 2GC-24-52 | G1.1 / 2"X11 | M52x2 | 42 | | 23 | 6.5 | 55 | 60 | |



2GD

公制螺纹24°重系列锥O型圈/
英管螺纹 O型圈密封
METRIC FEMALE 24° H.T.CONE O-RING/
BSP MALEO-RING


| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|--------------|---------|----------------|--|---------------|-----|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| 2GD-04-14 | G1 / 4"X19 | M14x1.5 | 6 | | 12 | 3 | 19 | 19 | |
| 2GD-04-16 | G1 / 4"X19 | M16x1.5 | 8 | | 12 | 3.5 | 19 | 22 | |
| 2GD-06-18 | G3 / 8"X19 | M18x1.5 | 10 | | 13.5 | 3 | 22 | 24 | |
| 2GD-06-20 | G3 / 8"X19 | M20x1.5 | 12 | | 13.5 | 3 | 22 | 27 | |
| 2GD-08-22 | G1 / 2"X14 | M22x1.5 | 14 | | 16 | 2.5 | 27 | 27 | |
| 2GD-08-24 | G1 / 2"X14 | M24x1.5 | 16 | | 16 | 3.5 | 27 | 30 | |
| 2GD-12-30 | G3 / 4"X14 | M30x2 | 20 | | 18.5 | 4.5 | 32 | 36 | |
| 2GD-16-36 | G1"X11 | M36x2 | 25 | | 20.5 | 3.5 | 41 | 41 | |
| 2GD-20-42 | G1.1 / 4"X11 | M42x2 | 30 | | 20.5 | 5.5 | 50 | 50 | |
| 2GD-24-52 | G1.1 / 2"X11 | M52x2 | 38 | | 23 | 7 | 55 | 60 | |



2MC-WD

公制螺纹胶垫密封/ 公制内螺纹24 °
锥面O型圈密封轻系列
METRIC THREAD /METRIC FEMALE
24 ° CONE O-RING SEAL L.T.


| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|----------------|--|--|---------------|-----|----|----|--|
| | E | F | D1 | | | A | C | S1 | S2 | |
| 2MC-12-14WD | M12x1.5 | M14x1.5 | 8 | | | 10 | 3.5 | 17 | 19 | |
| 2MC-14-16WD | M14x1.5 | M16x1.5 | 10 | | | 11 | 3.5 | 19 | 22 | |
| 2MC-16-18WD | M16x1.5 | M18x1.5 | 12 | | | 12 | 3.5 | 22 | 24 | |
| 2MC-18-22WD | M18x1.5 | M22x1.5 | 15 | | | 12 | 3 | 24 | 27 | |
| 2MC-22-26WD | M22x1.5 | M26x1.5 | 18 | | | 14 | 3.5 | 27 | 32 | |



2MD-WD

公制螺纹胶垫密封/ 公制内螺纹24 °
锥面O型圈密封重系列
METRIC THREAD /METRIC FEMALE
24 ° CONE O-RING SEAL H.T.

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|----------------|--|--|---------------|-----|----|----|--|
| | E | F | D1 | | | A | C | S1 | S2 | |
| 2MD-12-14WD | M12x1.5 | M14x1.5 | 6 | | | 10 | 3 | 17 | 19 | |
| 2MD-14-16WD | M14x1.5 | M16x1.5 | 8 | | | 11 | 3.5 | 19 | 22 | |
| 2MD-16-18WD | M16x1.5 | M18x1.5 | 10 | | | 12 | 3 | 22 | 24 | |
| 2MD-18-20WD | M18x1.5 | M20x1.5 | 12 | | | 12 | 3 | 24 | 27 | |
| 2MD-22-24WD | M22x1.5 | M22x1.5 | 16 | | | 14 | 3.5 | 27 | 30 | |




5CB

公制螺纹24°轻系列/ 英管内螺纹
METRIC MALE 24° L.T./BSP FEMALE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | A | 尺寸 DIMENSIONS | | | |
|----------------|------------|------------|----------------|--|------|---------------|----|--|--|
| | E | F | D1 | | | S1 | | | |
| 5CB-12-02 | M12x1.5 | G1/8"X28 | 6 | | 10 | | 14 | | |
| 5CB-12-04 | M12x1.5 | G1/4"X19 | 6 | | 10 | | 19 | | |
| 5CB-14-04 | M14x1.5 | G1/4"X19 | 8 | | 11 | | 19 | | |
| 5CB-14-06 | M14x1.5 | G3/8"X19 | 8 | | 11 | | 24 | | |
| 5CB-14-08 | M14x1.5 | G1/2"X14 | 8 | | 11 | | 27 | | |
| 5CB-16-04 | M16x1.5 | G1/4"X19 | 10 | | 11 | | 19 | | |
| 5CB-16-06 | M16x1.5 | G3/8"X19 | 10 | | 11 | | 24 | | |
| 5CB-16-08 | M16x1.5 | G1/2"X14 | 10 | | 11 | | 27 | | |
| 5CB-18-04 | M18x1.5 | G1/4"X19 | 12 | | 11.5 | | 19 | | |
| 5CB-18-06 | M18x1.5 | G3/8"X19 | 12 | | 11.5 | | 24 | | |
| 5CB-18-08 | M18x1.5 | G1/2"X14 | 12 | | 11.5 | | 27 | | |
| 5CB-22-06 | M22x1.5 | G3/8"X19 | 15 | | 12.5 | | 24 | | |
| 5CB-22-08 | M22x1.5 | G1/2"X14 | 15 | | 12.5 | | 27 | | |
| 5CB-26-08 | M26x1.5 | G1/2"X14 | 18 | | 12 | | 27 | | |
| 5CB-30-12 | M30x2 | G3/4"X14 | 22 | | 14 | | 36 | | |
| 5CB-36-16 | M36x2 | G1"X11 | 28 | | 16 | | 41 | | |
| 5CB-45-20 | M45x2 | G1.1/4"X11 | 35 | | 18 | | 55 | | |
| 5CB-52-24 | M52x2 | G1.1/2"X11 | 42 | | 19 | | 60 | | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"5CB-22-08RN"

Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 5CB-22-08RN.




5DB

公制螺纹24° 重系列/ 英管内螺纹
METRIC MALE 24° H.T./BSP FEMALE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | A | 尺寸 DIMENSIONS | | | |
|----------------|------------|------------|----------------|--|----|---------------|----|--|--|
| | E | F | D1 | | | S1 | | | |
| 5DB-14-04 | M14x1.5 | G1/4"X19 | 6 | | 12 | | 19 | | |
| 5DB-16-04 | M16x1.5 | G1/4"X19 | 8 | | 12 | | 19 | | |
| 5DB-18-06 | M18x1.5 | G3/8"X19 | 10 | | 12 | | 24 | | |
| 5DB-20-06 | M20x1.5 | G3/8"X19 | 12 | | 12 | | 24 | | |
| 5DB-20-08 | M20x1.5 | G1/2"X14 | 12 | | 12 | | 24 | | |
| 5DB-22-08 | M22x1.5 | G1/2"X14 | 14 | | 14 | | 30 | | |
| 5DB-24-08 | M24x1.5 | G1/2"X14 | 16 | | 14 | | 30 | | |
| 5DB-30-12 | M30x2 | G3/4"X14 | 20 | | 16 | | 36 | | |
| 5DB-36-16 | M36x2 | G1"X11 | 25 | | 18 | | 41 | | |
| 5DB-42-20 | M42x2 | G1.1/4"X11 | 30 | | 20 | | 55 | | |
| 5DB-52-24 | M52x2 | G1.1/2"X11 | 38 | | 22 | | 60 | | |


备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"5DB-22-08RN"
 Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix"RN" after our part NO., for example 5DB-22-08RN.



5CM

公制螺纹24°轻系列/ 公制内螺纹
METRIC MALE 24° L.T./METRIC FEMALE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|---------|----------------|--|--|---------------|--|----|--|
| | E | F | D1 | | | A | | S1 | |
| 5CM-12-10 | M12x1.5 | M10x1 | 6 | | | 10 | | 14 | |
| 5CM-14-12 | M14x1.5 | M12x1.5 | 8 | | | 11 | | 17 | |
| 5CM-16-14 | M16x1.5 | M14x1.5 | 10 | | | 11 | | 19 | |
| 5CM-18-16 | M18x1.5 | M16x1.5 | 12 | | | 11.5 | | 22 | |
| 5CM-22-18 | M22x1.5 | M18x1.5 | 15 | | | 12.5 | | 24 | |
| 5CM-26-22 | M26x1.5 | M22x1.5 | 18 | | | 12 | | 30 | |
| 5CM-30-26 | M30x2 | M26x1.5 | 22 | | | 14 | | 32 | |
| 5CM-36-33 | M36x2 | M33x2 | 28 | | | 16 | | 41 | |
| 5CM-45-42 | M45x2 | M42x2 | 35 | | | 18 | | 55 | |
| 5CM-52-48 | M52x2 | M48x2 | 42 | | | 19 | | 60 | |




5DM

公制螺纹24°重系列/ 公制内螺纹
METRIC MALE 24° H.T./METRIC FEMALE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|---------|----------------|--|--|---------------|--|----|--|
| | E | F | D1 | | | A | | S1 | |
| 5DM-14-12 | M14x1.5 | M12x1.5 | 6 | | | 12 | | 17 | |
| 5DM-16-14 | M16x1.5 | M14x1.5 | 8 | | | 12 | | 19 | |
| 5DM-18-16 | M18x1.5 | M16x1.5 | 10 | | | 12 | | 22 | |
| 5DM-20-18 | M20x1.5 | M18x1.5 | 12 | | | 12 | | 24 | |
| 5DM-22-20 | M22x1.5 | M20x1.5 | 14 | | | 14 | | 27 | |
| 5DM-24-22 | M24x1.5 | M22x1.5 | 16 | | | 14 | | 30 | |
| 5DM-30-27 | M30x2 | M27x1.5 | 20 | | | 16 | | 36 | |
| 5DM-36-33 | M36x2 | M33x2 | 25 | | | 18 | | 41 | |
| 5DM-42 | M42x2 | M42x2 | 30 | | | 20 | | 55 | |
| 5DM-52-48 | M52x2 | M48x2 | 38 | | | 22 | | 60 | |


备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"5DM-20-18RN"(同上)
Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 5DM-20-18RN. (the same with above)



AC

公制外螺纹24°轻系列三通
METRIC MALE 24° L.T. TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|----------------|--|---------------|----|--|--|
| | E | | | | A | S1 | | |
| AC-12 | M12x1.5 | | 6 | | 23 | 11 | | |
| AC-14 | M14x1.5 | | 8 | | 27 | 14 | | |
| AC-16 | M16x1.5 | | 10 | | 29 | 17 | | |
| AC-18 | M18x1.5 | | 12 | | 32 | 19 | | |
| AC-22 | M22x1.5 | | 15 | | 33 | 22 | | |
| AC-26 | M26x1.5 | | 18 | | 40 | 27 | | |
| AC-30 | M30x2 | | 22 | | 40 | 27 | | |
| AC-36 | M36x2 | | 28 | | 46 | 33 | | |




AD

公制外螺纹24°重系列三通
METRIC MALE 24° H.T. TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|----------------|--|---------------|----|--|--|
| | E | | | | A | S1 | | |
| AD-14 | M14x1.5 | | 6 | | 27 | 14 | | |
| AD-16 | M16x1.5 | | 8 | | 29 | 17 | | |
| AD-18 | M18x1.5 | | 10 | | 32 | 19 | | |
| AD-20 | M20x1.5 | | 12 | | 33 | 22 | | |
| AD-22 | M22x1.5 | | 14 | | 33 | 22 | | |
| AD-24 | M24x1.5 | | 16 | | 33 | 24 | | |
| AD-30 | M30x2 | | 20 | | 40 | 27 | | |
| AD-33 | M33x2 | | 22 | | 46 | 33 | | |
| AD-42 | M42x2 | | 30 | | 57 | 44 | | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"AD-22RN"(同上)


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example AD-22RN. (the same with above)



BC

公制内螺纹24° / 公制外螺
纹24° 轻系列三通
METRIC FEMALE 24° / METRIC
MALE 24° L.T. TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|----------------|----|--|---------------|-----|----|----|--|
| | E | F | D1 | D2 | | A | C | S1 | S2 | |
| BC-12 | M12x1.5 | M12x1.5 | 6 | 6 | | 23 | 2 | 11 | 17 | |
| BC-14 | M14x1.5 | M14x1.5 | 8 | 8 | | 27 | 3.5 | 14 | 19 | |
| BC-16 | M16x1.5 | M16x1.5 | 10 | 10 | | 29 | 3.5 | 17 | 22 | |
| BC-18 | M18x1.5 | M18x1.5 | 12 | 12 | | 32 | 3.5 | 19 | 24 | |
| BC-22 | M22x1.5 | M22x1.5 | 15 | 15 | | 33 | 3 | 22 | 27 | |
| BC-26 | M26x1.5 | M26x1.5 | 18 | 18 | | 40 | 3.5 | 27 | 32 | |
| BC-30 | M30x2 | M30x2 | 22 | 22 | | 40 | 4.5 | 27 | 36 | |
| BC-36 | M36x2 | M36x2 | 28 | 28 | | 46 | 4.5 | 33 | 41 | |




BD

公制内螺纹24° / 公制外螺
纹24° 重系列三通
METRIC FEMALE 24° / METRIC
MALE 24° H.T. TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|----------------|----|--|---------------|-----|----|----|--|
| | E | F | D1 | D2 | | A | C | S1 | S2 | |
| BD-14 | M14x1.5 | M14x1.5 | 6 | 6 | | 27 | 3 | 14 | 19 | |
| BD-16 | M16x1.5 | M16x1.5 | 8 | 8 | | 29 | 3.5 | 17 | 22 | |
| BD-18 | M18x1.5 | M18x1.5 | 10 | 10 | | 32 | 3 | 19 | 24 | |
| BD-20 | M20x1.5 | M20x1.5 | 12 | 12 | | 33 | 3 | 22 | 27 | |
| BD-22 | M22x1.5 | M22x1.5 | 14 | 14 | | 33 | 2.5 | 22 | 27 | |
| BD-24 | M24x1.5 | M24x1.5 | 16 | 16 | | 33 | 3.5 | 24 | 30 | |
| BD-30 | M30x2 | M30x2 | 20 | 20 | | 40 | 4.5 | 27 | 36 | |
| BD-36 | M36x2 | M36x2 | 25 | 25 | | 46 | 3.5 | 33 | 41 | |
| BD-42 | M42x2 | M42x2 | 30 | 30 | | 57 | 5.5 | 44 | 50 | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"BD-22RN"(同上)


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example BD-22RN. (the same with above)



CC

公制外螺纹24° / 公制内螺
纹24° 轻系列三通METRIC
MALE 24° /METRIC
FEMALE 24° L.T. TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|----------------|----|--|---------------|-----|----|----|--|
| | E | F | D1 | D2 | | A | C | S1 | S2 | |
| CC-12 | M12x1.5 | M12x1.5 | 6 | 6 | | 23 | 2 | 11 | 17 | |
| CC-14 | M14x1.5 | M14x1.5 | 8 | 8 | | 27 | 3.5 | 14 | 19 | |
| CC-16 | M16x1.5 | M16x1.5 | 10 | 10 | | 29 | 3.5 | 17 | 22 | |
| CC-18 | M18x1.5 | M18x1.5 | 12 | 12 | | 32 | 3.5 | 19 | 24 | |
| CC-22 | M22x1.5 | M22x1.5 | 15 | 15 | | 33 | 3 | 22 | 27 | |
| CC-26 | M26x1.5 | M26x1.5 | 18 | 18 | | 40 | 3.5 | 27 | 32 | |
| CC-30 | M30x2 | M30x2 | 22 | 22 | | 40 | 4.5 | 27 | 36 | |
| CC-36 | M36x2 | M36x2 | 28 | 28 | | 46 | 4.5 | 33 | 41 | |




CD

公制外螺纹24° / 公制内螺
纹24° 重系列三通METRIC
MALE 24° /METRIC
FEMALE 24° H.T. TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|----------------|----|--|---------------|-----|----|----|--|
| | E | F | D1 | D2 | | A | C | S1 | S2 | |
| BD-14 | M14x1.5 | M14x1.5 | 6 | 6 | | 27 | 3 | 14 | 19 | |
| BD-16 | M16x1.5 | M16x1.5 | 8 | 8 | | 29 | 3.5 | 17 | 22 | |
| BD-18 | M18x1.5 | M18x1.5 | 10 | 10 | | 32 | 3 | 19 | 24 | |
| BD-20 | M20x1.5 | M20x1.5 | 12 | 12 | | 33 | 3 | 22 | 27 | |
| BD-22 | M22x1.5 | M22x1.5 | 14 | 14 | | 33 | 2.5 | 22 | 27 | |
| BD-24 | M24x1.5 | M24x1.5 | 16 | 16 | | 33 | 3.5 | 24 | 30 | |
| BD-30 | M30x2 | M30x2 | 20 | 20 | | 40 | 4.5 | 27 | 36 | |
| BD-36 | M36x2 | M36x2 | 25 | 25 | | 46 | 3.5 | 33 | 41 | |
| BD-42 | M42x2 | M42x2 | 30 | 30 | | 57 | 5.5 | 44 | 50 | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"BD-22RN" (同上)


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example BD-22RN. (the same with above)



XC

公制外螺纹24°轻系列四通
METRIC MALE 24° L.T. CROSS

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | A | 尺 寸 DIMENSIONS | | |
|----------------|------------|---|----------------|----|----|----------------|----|--|
| | E | D | | S1 | | | | |
| XC-12 | M12x1.5 | | 6 | | 23 | | 11 | |
| XC-14 | M14x1.5 | | 8 | | 27 | | 14 | |
| XC-16 | M16x1.5 | | 10 | | 29 | | 17 | |
| XC-18 | M18x1.5 | | 12 | | 32 | | 19 | |
| XC-22 | M22x1.5 | | 15 | | 33 | | 22 | |
| XC-26 | M26x1.5 | | 18 | | 40 | | 27 | |
| XC-30 | M30x2 | | 22 | | 40 | | 27 | |
| XC-33 | M33x2 | | 25 | | 46 | | 33 | |




XD

公制外螺纹24°重系列四通
METRIC MALE 24° H.T. CROSS

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | A | 尺 寸 DIMENSIONS | | |
|----------------|------------|---|----------------|----|----|----------------|----|--|
| | E | D | | S1 | | | | |
| XD-14 | M14x1.5 | | 6 | | 27 | | 14 | |
| XD-16 | M16x1.5 | | 8 | | 29 | | 17 | |
| XD-18 | M18x1.5 | | 10 | | 32 | | 19 | |
| XD-20 | M20x1.5 | | 12 | | 32 | | 19 | |
| XD-22 | M22x1.5 | | 14 | | 33 | | 22 | |
| XD-24 | M24x1.5 | | 16 | | 33 | | 24 | |
| XD-30 | M30x2 | | 20 | | 40 | | 27 | |
| XD-33 | M33x2 | | 22 | | 46 | | 33 | |
| XD-42 | M42x2 | | 30 | | 57 | | 44 | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"XD-22RN"(同上)


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part No., for example XD-22RN. (the same with above)



ACHC-OG

公制外螺纹24°轻系列可调向柱端分支三通
METRIC MALE 24° L.T.ADJUSTABLE
STUD BRADCH TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | O型圈 0-RING | 尺寸 DIMENSIONS | | | | |
|-----------------|------------|---------|----------------|--|---------------|---------------|------|----|----|--|
| | E | F | D1 | | | A | B | S1 | S2 | |
| ACHC-12-10-120G | M12x1.5 | M10x1 | 6 | | 8.1x1.6 | 23 | 26.5 | 11 | 14 | |
| ACHC-14-12-140G | M14x1.5 | M12x1.5 | 8 | | 9.3x2.4 | 27 | 32 | 14 | 17 | |
| ACHC-16-14-160G | M16x1.5 | M14x1.5 | 10 | | 11.3x2.4 | 29 | 34 | 17 | 19 | |
| ACHC-18-16-180G | M18x1.5 | M16x1.5 | 12 | | 13.3x2.4 | 32 | 36 | 19 | 22 | |
| ACHC-22-18-220G | M22x1.5 | M18x1.5 | 15 | | 15.3x2.4 | 33 | 39.5 | 22 | 24 | |
| ACHC-26-22-260G | M26x1.5 | M22x1.5 | 18 | | 19.3x2.4 | 40 | 43.5 | 37 | 27 | |
| ACHC-30-27-300G | M30x2 | M27x2 | 22 | | 23.5x3 | 40 | 50 | 27 | 32 | |
| ACHC-36-33-360G | M36x2 | M33x2 | 28 | | 29.5x3 | 46 | 54 | 33 | 41 | |




ADHD-OG

公制外螺纹24°重系列可调向柱端分支三通
METRIC MALE 24° H.T.ADJUSTABLE
STUD BRADCH TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | O型圈 0-RING | 尺寸 DIMENSIONS | | | | |
|-----------------|------------|---------|----------------|--|---------------|---------------|------|----|----|--|
| | E | F | D1 | | | A | B | S1 | S2 | |
| ADHD-14-12-140G | M14x1.5 | M12x1.5 | 6 | | 9.3x2.4 | 27 | 32 | 14 | 17 | |
| ADHD-16-14-160G | M16x1.5 | M14x1.5 | 8 | | 11.3x2.4 | 29 | 34 | 17 | 19 | |
| ADHD-18-16-180G | M18x1.5 | M16x1.5 | 10 | | 13.3x2.4 | 32 | 36 | 19 | 22 | |
| ADHD-20-18-200G | M20x1.5 | M18x1.5 | 12 | | 15.3x2.4 | 33 | 37 | 22 | 24 | |
| ADHD-24-22-240G | M24x1.5 | M22x1.5 | 16 | | 19.3x2.4 | 33 | 37.5 | 24 | 27 | |
| ADHD-30-27-300G | M30x2 | M27x2 | 20 | | 23.5x3 | 40 | 50 | 27 | 32 | |
| ADHD-36-33-360G | M36x2 | M33x2 | 25 | | 29.5x3 | 46 | 54 | 33 | 41 | |
| ADHD-42-42-420G | M42x2 | M42x2 | 30 | | 38.5x3 | 57 | 57.2 | 44 | 50 | |


备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"ADHD-20-180G/RN" (同上)
Remark:In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix"RN" after our part NO., for example ADHD-20-180G/RN. (the same with above)



ACCH-OG

公制外螺纹24°轻系列可
调向柱端主支三通METRIC
MALE 24° L.T.
ADJUSTABLE STUD RUN TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | O型圈 0-RING | 尺寸 DIMENSIONS | | | |
|-----------------|------------|---------|----------------|--|---------------|---------------|------|----|----|
| | E | F | D1 | | | A | B | S1 | S2 |
| ACCH-12-12-100G | M12x1.5 | M10x1 | 6 | | 8.1x1.6 | 23 | 26.5 | 11 | 14 |
| ACCH-14-14-120G | M14x1.5 | M12x1.5 | 8 | | 9.3x2.4 | 27 | 32 | 14 | 17 |
| ACCH-16-16-140G | M16x1.5 | M14x1.5 | 10 | | 11.3x2.4 | 29 | 34 | 17 | 19 |
| ACCH-18-18-160G | M18x1.5 | M16x1.5 | 12 | | 13.3x2.4 | 32 | 36 | 19 | 22 |
| ACCH-22-22-180G | M22x1.5 | M18x1.5 | 15 | | 15.3x2.4 | 33 | 39.5 | 22 | 24 |
| ACCH-26-26-220G | M26x1.5 | M22x1.5 | 18 | | 19.3x2.4 | 40 | 43.5 | 27 | 27 |
| ACCH-30-30-270G | M30x2 | M27x2 | 22 | | 23.5x3 | 40 | 50 | 27 | 32 |
| ACCH-36-36-330G | M36x2 | M33x2 | 28 | | 29.5x3 | 46 | 54 | 33 | 41 |




ADDH-OG

公制外螺纹24°重系列可
调向柱端主支三通METRIC
MALE 24° H.T.
ADJUSTABLE STUD RUN TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | O型圈 0-RING | 尺寸 DIMENSIONS | | | |
|-----------------|------------|---------|----------------|--|---------------|---------------|------|----|----|
| | E | F | D1 | | | A | B | S1 | S2 |
| ADDH-14-14-120G | M14x1.5 | M12x1.5 | 6 | | 9.3x2.4 | 27 | 32 | 14 | 17 |
| ADDH-16-16-140G | M16x1.5 | M14x1.5 | 8 | | 11.3x2.4 | 29 | 34 | 17 | 19 |
| ADDH-18-18-160G | M18x1.5 | M16x1.5 | 10 | | 13.3x2.4 | 32 | 36 | 19 | 22 |
| ADDH-20-20-180G | M20x1.5 | M18x1.5 | 12 | | 15.3x2.4 | 33 | 37 | 22 | 24 |
| ADDH-24-24-220G | M24x1.5 | M22x1.5 | 16 | | 19.3x2.4 | 33 | 37.5 | 24 | 27 |
| ADDH-30-30-270G | M30x2 | M27x2 | 20 | | 23.5x3 | 40 | 50 | 27 | 32 |
| ADDH-36-36-330G | M36x2 | M33x2 | 25 | | 29.5x3 | 46 | 54 | 33 | 41 |
| ADDH-42-42-420G | M42x2 | M42x2 | 30 | | 38.5x3 | 57 | 57.2 | 44 | 50 |


备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"ADDH-20-20-180G/RN" (同上)
Remark: In case if you are interested to order the adapter in complete set with cutting ring and
nut, it is necessary to insert suffix "RN" after our part NO., for example ADDH-20-20-180G/RN. (the
same with above)



ACCG-OG

公制外螺纹24°轻系列
/英管可调向柱端主支三通
METRIC MALE 24° L.T.
/BSP MALE ADJUSTABLE STUD RUN TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | |
|-----------------|------------|----------|----------------|--|---------------|------|----|----|
| | E | F | | | A | B | S1 | S2 |
| ACCG-12-12-020G | M12x1.5 | G1/8"X28 | 6 | | 23 | 26.2 | 11 | 14 |
| ACCG-14-14-040G | M14x1.5 | G1/4"X19 | 8 | | 27 | 31.3 | 14 | 17 |
| ACCG-16-16-040G | M16x1.5 | G1/4"X19 | 10 | | 29 | 32.5 | 17 | 19 |
| ACCG-18-18-060G | M18x1.5 | G3/8"X19 | 12 | | 32 | 36.8 | 19 | 22 |
| ACCG-22-22-080G | M22x1.5 | G1/2"X14 | 15 | | 33 | 43.2 | 22 | 24 |
| ACCG-26-26-080G | M26x1.5 | G1/2"X14 | 18 | | 33 | 46.5 | 27 | 27 |
| ACCG-30-30-120G | M30x2 | G3/4"X14 | 22 | | 40 | 52 | 27 | 32 |
| ACCG-36-36-160G | M36x2 | G1"X11 | 28 | | 46 | 56 | 33 | 41 |




ADDG-OG

公制外螺纹24°重系列
/英管可调向柱端主支三通
METRIC MALE 24° H.T.
/BSP MALE ADJUSTABLE STUD RUN TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | |
|-----------------|------------|------------|----------------|--|---------------|------|----|----|
| | E | F | | | A | B | S1 | S2 |
| ADDG-14-14-040G | M14x1.5 | G1/4"X19 | 6 | | 27 | 31.3 | 14 | 19 |
| ADDG-16-16-040G | M16x1.5 | G1/4"X19 | 8 | | 29 | 32.5 | 17 | 19 |
| ADDG-18-18-060G | M18x1.5 | G3/8"X19 | 10 | | 32 | 36.8 | 19 | 22 |
| ADDG-20-20-060G | M20x1.5 | G3/8"X19 | 12 | | 33 | 36.8 | 22 | 22 |
| ADDG-22-22-080G | M22x1.5 | G1/2"X14 | 14 | | 33 | 43.2 | 22 | 27 |
| ADDG-24-24-080G | M24x1.5 | G1/2"X14 | 16 | | 33 | 44 | 24 | 27 |
| ADDG-30-30-120G | M30x2 | G3/4"X14 | 20 | | 40 | 52 | 27 | 32 |
| ADDG-36-36-160G | M36x2 | G1"X11 | 25 | | 46 | 56 | 33 | 41 |
| ADDG-42-42-200G | M42x2 | G1.1/4"X11 | 30 | | 57 | 58 | 44 | 50 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"ADDG-20-20-060G/RN" (同上)
Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example ADDG-20-20-060G/RN. (the same with above)



ACGC-OG


公制外螺纹24°轻系列

/英管可调向柱端分支三通

METRIC MALE 24° L.T.

/BSP MALE ADJUSTABLE STUD BRANCH TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | |
|-----------------|------------|----------|----------------|--|---------------|------|----|----|
| | E | F | | | A | B | S1 | S2 |
| ACGC-12-02-120G | M12x1.5 | G1/8"X28 | 6 | | 23 | 26.2 | 11 | 14 |
| ACGC-14-04-140G | M14x1.5 | G1/4"X19 | 8 | | 27 | 31.3 | 14 | 19 |
| ACGC-16-04-160G | M16x1.5 | G1/4"X19 | 10 | | 29 | 32.5 | 17 | 19 |
| ACGC-18-06-180G | M18x1.5 | G3/8"X19 | 12 | | 32 | 36.8 | 19 | 22 |
| ACGC-22-08-220G | M22x1.5 | G1/2"X14 | 15 | | 33 | 43.2 | 22 | 27 |
| ACGC-26-08-260G | M26x1.5 | G1/2"X14 | 18 | | 33 | 46.5 | 27 | 27 |
| ACGC-30-12-300G | M30x2 | G3/4"X14 | 22 | | 40 | 52 | 27 | 32 |
| ACGC-36-16-360G | M36x2 | G1"X11 | 28 | | 46 | 56 | 33 | 41 |



ADGD-OG

公制外螺纹24°重系列

/英管可调向柱端分支三通


METRIC MALE 24° H.T.

/BSP MALE ADJUSTABLE STUD BRANCH TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | |
|-----------------|------------|------------|----------------|--|---------------|------|----|----|
| | E | F | | | A | B | S1 | S2 |
| ADGD-14-04-140G | M14x1.5 | G1/4"X19 | 6 | | 27 | 31.3 | 14 | 19 |
| ADGD-16-04-160G | M16x1.5 | G1/4"X19 | 8 | | 29 | 32.5 | 17 | 19 |
| ADGD-18-06-180G | M18x1.5 | G3/8"X19 | 10 | | 32 | 36.8 | 19 | 22 |
| ADGD-20-06-200G | M20x1.5 | G3/8"X19 | 12 | | 33 | 36.8 | 22 | 22 |
| ADGD-22-08-220G | M22x1.5 | G1/2"X14 | 14 | | 33 | 43.2 | 22 | 27 |
| ADGD-24-08-240G | M24x1.5 | G1/2"X14 | 16 | | 33 | 44 | 24 | 27 |
| ADGD-30-12-300G | M30x2 | G3/4"X14 | 20 | | 40 | 52 | 27 | 32 |
| ADGD-36-16-360G | M36x2 | G1"X11 | 25 | | 46 | 56 | 33 | 41 |
| ADGD-42-20-420G | M42x2 | G1.1/4"X11 | 30 | | 57 | 58 | 44 | 50 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"ADGD-20-06-200G/RN" (同上)


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example ADGD-20-06-200G/RN. (the same with above)



ACCO-OG

公制24°轻系列
/美制可调向柱端主支三通
METRIC MALE 24° L.T.
/SAE MALE ADJUSTABLE STUD RUN TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|-----------------|------------|---------------|----------------|--|---------------|------|----|----|--|
| | E | F | | | A | B | S1 | S2 | |
| ACCO-12-12-040G | M12x1.5 | U7 / 16"X20 | 6 | | 23 | 27.2 | 11 | 17 | |
| ACCO-14-14-060G | M14x1.5 | U9 / 16"X18 | 8 | | 27 | 31.8 | 14 | 19 | |
| ACCO-16-16-060G | M16x1.5 | U9 / 16"X18 | 10 | | 29 | 33.3 | 17 | 19 | |
| ACCO-18-18-080G | M18x1.5 | U3 / 4"X16 | 12 | | 32 | 37.5 | 19 | 24 | |
| ACCO-22-22-100G | M22x1.5 | U7 / 8"X14 | 15 | | 33 | 44 | 22 | 27 | |
| ACCO-26-26-120G | M26x1.5 | U1.1 / 16"X12 | 18 | | 40 | 51 | 27 | 32 | |
| ACCO-30-30-120G | M30x2 | U1.1 / 16"X12 | 22 | | 40 | 53.5 | 27 | 32 | |
| ACCO-36-36-160G | M36x2 | U1.5 / 16"X12 | 28 | | 46 | 57.5 | 33 | 41 | |




ADDO-OG

公制24°重系列
/美制可调向柱端主支三通
METRIC MALE 24° H.T.
/SAE MALE ADJUSTABLE STUD RUN TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|-----------------|------------|---------------|----------------|--|---------------|------|----|----|--|
| | E | F | | | A | B | S1 | S2 | |
| ADDO-14-14-040G | M14x1.5 | U7/16"X20 | 6 | | 27 | 30 | 14 | 17 | |
| ADDO-16-16-060G | M16x1.5 | U9/16"X18 | 8 | | 29 | 33.3 | 17 | 19 | |
| ADDO-18-18-060G | M18x1.5 | U9/16"X18 | 10 | | 32 | 33.5 | 19 | 19 | |
| ADDO-20-20-080G | M20x1.5 | U3/4"X16 | 12 | | 33 | 37.5 | 22 | 24 | |
| ADDO-22-22-100G | M22x1.5 | U7/8"X14 | 14 | | 33 | 44 | 22 | 27 | |
| ADDO-24-24-100G | M24x1.5 | U7/8"X14 | 16 | | 33 | 46.5 | 24 | 27 | |
| ADDO-30-30-120G | M30x2 | U1.1 / 16"X12 | 20 | | 40 | 53.5 | 27 | 32 | |
| ADDO-36-36-160G | M36x2 | U1.5 / 16"X12 | 25 | | 46 | 57.5 | 33 | 41 | |
| ADDO-42-42-200G | M42x2 | U1.5 / 8"X12 | 30 | | 57 | 59.5 | 44 | 50 | |


备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"ADDO-20-20-080G/RN" (同上)
Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix"RN" after our part NO., for example ADDO-20-20-080G/RN.(the same with above)



ACOC-OG

公制24°轻系列
/美制可调向柱端分支三通
METRIC MALE 24° L.T.
/SAE MALE ADJUSTABLE STUD BRANCH TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|-----------------|------------|---------------|----------------|--|--|---------------|------|----|----|--|
| | E | F | D1 | | | A | B | S1 | S2 | |
| ACOC-12-04-120G | M12x1.5 | U7 / 16"X20 | 6 | | | 23 | 27.2 | 11 | 17 | |
| ACOC-14-06-140G | M14x1.5 | U9 / 16"X18 | 8 | | | 27 | 31.8 | 14 | 19 | |
| ACOC-16-06-160G | M16x1.5 | U9 / 16"X18 | 10 | | | 29 | 33.3 | 17 | 19 | |
| ACOC-18-08-180G | M18x1.5 | U3 / 4"X16 | 12 | | | 32 | 37.5 | 19 | 24 | |
| ACOC-22-10-220G | M22x1.5 | U7 / 8"X14 | 15 | | | 33 | 44 | 22 | 27 | |
| ACOC-26-12-260G | M26x1.5 | U1.1 / 16"X12 | 18 | | | 40 | 51 | 27 | 32 | |
| ACOC-30-12-300G | M30x2 | U1.1 / 16"X12 | 22 | | | 40 | 53.5 | 27 | 32 | |
| ACOC-36-16-360G | M36x2 | U1.5 / 16"X12 | 28 | | | 46 | 57.5 | 33 | 41 | |




ADOD-OG

公制24°重系列
/美制可调向柱端分支三通
METRIC MALE 24° H.T.
/SAE MALE ADJUSTABLE STUD BRANCH TEE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|-----------------|------------|---------------|----------------|--|--|---------------|------|----|----|--|
| | E | F | D1 | | | A | B | S1 | S2 | |
| ADOD-14-04-140G | M14x1.5 | U7/16"X20 | 6 | | | 27 | 30 | 14 | 17 | |
| ADOD-16-06-160G | M16x1.5 | U9/16"X18 | 8 | | | 29 | 33.3 | 17 | 19 | |
| ADOD-18-06-180G | M18x1.5 | U9/16"X18 | 10 | | | 32 | 33.5 | 19 | 19 | |
| ADOD-20-08-200G | M20x1.5 | U3/4"X16 | 12 | | | 33 | 37.5 | 22 | 24 | |
| ADOD-22-10-220G | M22x1.5 | U7/8"X14 | 14 | | | 33 | 44 | 22 | 27 | |
| ADOD-24-10-240G | M24x1.5 | U7/8"X14 | 16 | | | 33 | 46.5 | 24 | 27 | |
| ADOD-30-12-300G | M30x2 | U1.1 / 16"X12 | 20 | | | 40 | 53.5 | 27 | 32 | |
| ADOD-36-16-360G | M36x2 | U1.5 / 16"X12 | 25 | | | 46 | 57.5 | 33 | 41 | |
| ADOD-42-20-420G | M42x2 | U1.5 / 8"X12 | 30 | | | 57 | 59.5 | 44 | 50 | |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"ADOD-20-08-200G/RN" (同上)


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example ADOD-20-08-200G/RN. (the same with above)



1CL-B

公制螺纹24°轻系列/ 英管螺纹铰接接头
METRIC MALE 24° L.T./BSP BANJO

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 配用螺栓 BOLT | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|----------------|--|--------------|---------------|------|----|----|
| | E | | D1 | | | A | d | D | H |
| 1CL-12-B02 | M12x1.5 | | 6 | | 720B-02 | 10 | 9.9 | 22 | 16 |
| 1CL-14-B04 | M14x1.5 | | 8 | | 720B-04 | 11 | 13.3 | 24 | 15 |
| 1CL-16-B04 | M16x1.5 | | 10 | | 720B-04 | 11 | 13.3 | 24 | 15 |
| 1CL-18-B06 | M18x1.5 | | 12 | | 720B-06 | 11.5 | 16.7 | 29 | 20 |
| 1CL-22-B08 | M22x1.5 | | 15 | | 720B-08 | 12.5 | 21 | 38 | 25 |
| 1CL-26-B08 | M26x1.5 | | 18 | | 720B-08 | 12 | 21 | 38 | 25 |
| 1CL-30-B12 | M30x2 | | 22 | | 720B-12 | 14 | 26.5 | 46 | 31 |




1DL-B

公制螺纹24°重系列/ 英管螺纹铰接接头
METRIC MALE 24° H.T./BSP BANJO

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 配用螺栓 BOLT | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|----------------|--|--------------|---------------|------|----|----|
| | E | | D1 | | | A | d | D | H |
| 1DL-14-B04 | M14x1.5 | | 6 | | 720B-04 | 12 | 13.3 | 24 | 15 |
| 1DL-16-B04 | M16x1.5 | | 8 | | 720B-04 | 12 | 13.3 | 24 | 15 |
| 1DL-18-B06 | M18x1.5 | | 10 | | 720B-06 | 12 | 16.7 | 29 | 20 |
| 1DL-20-B06 | M20x1.5 | | 12 | | 720B-06 | 12 | 16.7 | 29 | 20 |
| 1DL-22-B08 | M22x1.5 | | 14 | | 720B-08 | 14 | 21 | 38 | 25 |
| 1DL-24-B08 | M24x1.5 | | 16 | | 720B-08 | 14 | 21 | 38 | 25 |
| 1DL-30-B12 | M30x2 | | 20 | | 720B-12 | 16 | 26.5 | 46 | 31 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1DL-20-B06/RN" (同上)


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1DL-20-B06/RN. (the same with above)



1CL

公制螺纹24°轻系列/ 公制螺纹铰接接头
METRIC MALE 24° L.T./METRIC BANJO

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 配用螺栓 BOLT | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|----------------|--|--------------|---------------|----|----|----|
| | E | | D1 | | | A | d | D | H |
| 1CL-12-10 | M12x1.5 | | 6 | | 700M-10 | 10 | 10 | 22 | 13 |
| 1CL-14-12 | M14x1.5 | | 8 | | 700M-12 | 11 | 12 | 22 | 12 |
| 1CL-16-14 | M16x1.5 | | 10 | | 700M-14 | 11 | 14 | 24 | 14 |
| 1CL-18-16 | M18x1.5 | | 12 | | 700M-16 | 11.5 | 16 | 28 | 18 |
| 1CL-22-18 | M22x1.5 | | 15 | | 700M-18 | 12.5 | 18 | 36 | 22 |
| 1CL-26-22 | M26x1.5 | | 18 | | 700M-22 | 12 | 22 | 46 | 30 |




1DL

公制螺纹24°重系列/ 公制螺纹铰接接头
METRIC MALE 24° H.T./METRIC BANJO

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 配用螺栓 BOLT | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|----------------|--|--------------|---------------|----|----|----|
| | E | | D1 | | | A | d | D | H |
| 1DL-14-12 | M14x1.5 | | 6 | | 700M-12 | 12 | 12 | 22 | 12 |
| 1DL-16-14 | M16x1.5 | | 8 | | 700M-14 | 12 | 14 | 24 | 14 |
| 1DL-18-16 | M18x1.5 | | 10 | | 700M-16 | 12 | 16 | 28 | 18 |
| 1DL-20-18 | M20x1.5 | | 12 | | 700M-18 | 12 | 18 | 36 | 22 |
| 1DL-22-18 | M22x1.5 | | 14 | | 700M-18 | 14 | 20 | 36 | 22 |
| 1DL-24-22 | M24x1.5 | | 16 | | 700M-22 | 14 | 22 | 46 | 30 |

备注:如需带卡套及卡套螺母整套订货,则请在代号后加"RN",如"1DL-22-18RN" (同上)


Remark: In case if you are interested to order the adapter in complete set with cutting ring and nut, it is necessary to insert suffix "RN" after our part NO., for example 1DL-22-18RN. (the same with above)



720B

英制铰接螺栓
BSP BOLT


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--|--|--|---------------|-----|------|----|--|
| | E | | | | A | B | C | S1 | |
| 720B-02 | G1/8"-28 | | | | 29.5 | 4.8 | 5 | 14 | |
| 720B-04 | G1/4"-19 | | | | 28.5 | 6 | 6 | 19 | |
| 720B-06 | G3/8"-19 | | | | 38.5 | 9 | 7 | 22 | |
| 720B-08 | G1/2"-14 | | | | 44 | 13 | 8.5 | 27 | |
| 720B-10 | G5/8"-14 | | | | 48.5 | 15 | 10 | 30 | |
| 720B-12 | G3/4"-14 | | | | 56 | 18 | 10 | 32 | |
| 720B-16 | G1"-11 | | | | 68.5 | 22 | 12.5 | 41 | |



700M

公制铰接螺栓
METRIC BOLT


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--|--|--|---------------|----|-----|----|--|
| | E | | | | A | B | C | S1 | |
| 700M-10 | M10x1 | | | | 19 | 5 | 6 | 14 | |
| 700M-12 | M12x1.5 | | | | 24 | 6 | 6 | 17 | |
| 700M-14 | M14x1.5 | | | | 26 | 8 | 7 | 19 | |
| 700M-16 | M16x1.5 | | | | 28 | 9 | 7.5 | 22 | |
| 700M-18 | M18x1.5 | | | | 32 | 11 | 8 | 24 | |
| 700M-22 | M22x1.5 | | | | 39 | 14 | 9 | 27 | |
| 700M-26 | M26x1.5 | | | | 45 | 18 | 10 | 32 | |
| 700M-30 | M30x2 | | | | 51 | 22 | 11 | 38 | |



NL

卡套螺母轻系列
RETAINING NUTS L.T.


| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|----------------|--|---------------|----|--|--|
| | E | | | | d | S1 | | |
| NL-12 | M12x1.5 | | 6 | | 6 | 14 | | |
| NL-14 | M14x1.5 | | 8 | | 8 | 17 | | |
| NL-16 | M16x1.5 | | 10 | | 10 | 19 | | |
| NL-18 | M18x1.5 | | 12 | | 12 | 22 | | |
| NL-22 | M22x1.5 | | 15 | | 15 | 27 | | |
| NL-26 | M26x1.5 | | 18 | | 18 | 32 | | |
| NL-30 | M30x2 | | 22 | | 22 | 36 | | |
| NL-33 | M33x2 | | 25 | | 25 | 41 | | |
| NL-36 | M36x2 | | 28 | | 28 | 41 | | |
| NL-52 | M52x2 | | 42 | | 42 | 60 | | |



NS

卡套螺母重系列
RETAINING NUTS H.T.


| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|----------------|--|---------------|----|--|--|
| | E | | | | d | S1 | | |
| NS-14 | M14x1.5 | | 6 | | 6 | 17 | | |
| NS-16 | M16x1.5 | | 8 | | 8 | 19 | | |
| NS-18 | M18x1.5 | | 10 | | 10 | 22 | | |
| NS-20 | M20x1.5 | | 12 | | 12 | 24 | | |
| NS-22 | M22x1.5 | | 14 | | 14 | 27 | | |
| NS-24 | M24x1.5 | | 16 | | 16 | 30 | | |
| NS-30 | M30x2 | | 20 | | 20 | 36 | | |
| NS-36 | M36x2 | | 25 | | 25 | 46 | | |
| NS-52 | M52x2 | | 38 | | 38 | 60 | | |



RL

卡套轻系列
CUTTING RING L.T.


| 代号 PART NO. | | | 管子外径 TUBE O.D. D1 | | | | | | |
|----------------|--|--|----------------------|--|--|--|--|--|--|
| | | | | | | | | | |
| RL-06 | | | 6 | | | | | | |
| RL-08 | | | 8 | | | | | | |
| RL-10 | | | 10 | | | | | | |
| RL-12 | | | 12 | | | | | | |
| RL-15 | | | 15 | | | | | | |
| RL-18 | | | 18 | | | | | | |
| RL-22 | | | 22 | | | | | | |
| RL-28 | | | 28 | | | | | | |
| RL-35 | | | 35 | | | | | | |
| RL-42 | | | 42 | | | | | | |



RS

卡套重系列
CUTTING RING H.T.


| 代号 PART NO. | | | 管子外径 TUBE O.D. D1 | | | | | | |
|----------------|--|--|----------------------|--|--|--|--|--|--|
| | | | | | | | | | |
| RS-06 | | | 6 | | | | | | |
| RS-08 | | | 8 | | | | | | |
| RS-10 | | | 10 | | | | | | |
| RS-12 | | | 12 | | | | | | |
| RS-14 | | | 14 | | | | | | |
| RS-16 | | | 16 | | | | | | |
| RS-20 | | | 20 | | | | | | |
| RS-25 | | | 25 | | | | | | |
| RS-30 | | | 30 | | | | | | |
| RS-38 | | | 38 | | | | | | |



1Q

公制外螺纹74°外锥
METRIC MALE 74° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--|--|--|---------------|------|----|--|----|
| | E | | | | A | B | S1 | | L |
| 1Q-10 | M10x1 | | | | 12 | 12 | 12 | | 30 |
| 1Q-12 | M12x1.5 | | | | 16 | 16 | 14 | | 38 |
| 1Q-14 | M14x1.5 | | | | 17 | 17 | 17 | | 40 |
| 1Q-16 | M16x1.5 | | | | 18 | 18 | 17 | | 42 |
| 1Q-18 | M18x1.5 | | | | 18 | 18 | 19 | | 42 |
| 1Q-22 | M22x1.5 | | | | 19.5 | 19.5 | 24 | | 47 |
| 1Q-24 | M24x1.5 | | | | 20 | 20 | 27 | | 49 |
| 1Q-27 | M27x1.5 | | | | 20 | 20 | 30 | | 49 |
| 1Q-30 | M30x1.5 | | | | 23 | 23 | 32 | | 56 |
| 1Q-30X2 | M30x2 | | | | 26 | 26 | 32 | | 62 |
| 1Q-33 | M33x2 | | | | 26 | 26 | 36 | | 63 |
| 1Q-36 | M36x2 | | | | 26 | 26 | 36 | | 63 |
| 1Q-39 | M39x2 | | | | 26 | 26 | 41 | | 64 |
| 1Q-42 | M42x2 | | | | 28.5 | 28.5 | 46 | | 70 |
| 1Q-45 | M45x2 | | | | 28.5 | 28.5 | 46 | | 70 |



4Q

公制外螺纹74°外锥堵头
METRIC MALE 74° CONE PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--|--|--|---------------|--|----|--|------|
| | E | | | | A | | S1 | | L |
| 4Q-10 | M10x1 | | | | 12 | | 12 | | 18 |
| 4Q-12 | M12x1.5 | | | | 16 | | 14 | | 22 |
| 4Q-14 | M14x1.5 | | | | 17 | | 17 | | 23 |
| 4Q-16 | M16x1.5 | | | | 18 | | 17 | | 24 |
| 4Q-18 | M18x1.5 | | | | 18 | | 19 | | 24 |
| 4Q-22 | M22x1.5 | | | | 19.5 | | 24 | | 27 |
| 4Q-24 | M24x1.5 | | | | 20 | | 27 | | 29 |
| 4Q-27 | M27x1.5 | | | | 20 | | 30 | | 29 |
| 4Q-30 | M30x1.5 | | | | 23 | | 32 | | 33 |
| 4Q-30E | M30x2 | | | | 26 | | 32 | | 36 |
| 4Q-33 | M33x2 | | | | 26 | | 36 | | 37 |
| 4Q-36 | M36x2 | | | | 26 | | 36 | | 37 |
| 4Q-39 | M39x2 | | | | 26 | | 41 | | 38 |
| 4Q-42 | M42x2 | | | | 28.5 | | 46 | | 41.5 |
| 4Q-45 | M45x2 | | | | 28.5 | | 46 | | 41.5 |



6Q

公制外螺纹74°外锥过板接头
METRIC MALE 74° CONE BULKHEAD

| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|--|------------|--|--|--|---------------|----|----|--|-------|
| | E | | | | A | B | S1 | | L |
| 6Q-10 | M10x1 | | | | 12 | 34 | 12 | | 52 |
| 6Q-12 | M12x1.5 | | | | 16 | 38 | 14 | | 60 |
| 6Q-14 | M14x1.5 | | | | 17 | 40 | 17 | | 63 |
| 6Q-16 | M16x1.5 | | | | 18 | 41 | 17 | | 65 |
| 6Q-18 | M18x1.5 | | | | 18 | 43 | 19 | | 67 |
| 6Q-22 | M22x1.5 | | | | 19.5 | 44 | 24 | | 71 |
| 6Q-24 | M24x1.5 | | | | 20 | 45 | 27 | | 74 |
| 6Q-27 | M27x1.5 | | | | 20 | 48 | 30 | | 77 |
| 6Q-30 | M30x1.5 | | | | 23 | 53 | 32 | | 86 |
| 6Q-33 | M33x2 | | | | 26 | 55 | 36 | | 92 |
| 6Q-36 | M36x2 | | | | 26 | 56 | 36 | | 93 |
| 6Q-39 | M39x2 | | | | 26 | 58 | 41 | | 96 |
| 6Q-42 | M42x2 | | | | 28.5 | 59 | 46 | | 100.5 |
| 6Q-45 | M45x2 | | | | 28.5 | 60 | 46 | | 101.5 |
| 备注:如需带锁母订货,则请在代号后加"LN",如6Q-18LN; Remark: In case if you are interested to order the adapter with lock nut, please insert suffix "LN" after our part NO., for example 6Q-18LN. | | | | | | | | | |




6Q9

90° 公制外螺纹 74° 外锥过板接头
90° METRIC MALE 74° CONE BULKHEAD

| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|---------------|----|----|--|
| | E | | | | A | B | S1 | |
| 6Q9-12 | M12x1.5 | | | | 25 | 56 | 11 | |
| 6Q9-14 | M14x1.5 | | | | 29 | 56 | 14 | |
| 6Q9-16 | M16x1.5 | | | | 30 | 58 | 17 | |
| 6Q9-18 | M18x1.5 | | | | 33 | 62 | 19 | |
| 6Q9-22 | M22x1.5 | | | | 37 | 64 | 22 | |
| 6Q9-27 | M27x1.5 | | | | 40 | 72 | 27 | |
| 6Q9-30 | M30x1.5 | | | | 40 | 72 | 27 | |
| 6Q9-33 | M33x2 | | | | 49 | 82 | 33 | |
| 6Q9-36 | M36x2 | | | | 46 | 82 | 33 | |
| 6Q9-39 | M39x2 | | | | 57 | 88 | 44 | |
| 6Q9-42 | M42x2 | | | | 57 | 88 | 44 | |
| 6Q9-45 | M45x2 | | | | 55 | 96 | 50 | |


备注:如需带锁母订货,则请在代号后加"LN",如6Q9-18LN;
 Remark: In case if you are interested to order the adapter with lock nut, please insert suffix "LN" after our part NO., for example 6Q9-18LN.



1QN

公制外螺纹74°外锥/ 布锥管外螺纹
METRIC MALE 74° CONE/NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | 尺寸 DIMENSIONS | | | | | |
|----------------|------------|----------------|---------------|---|------|------|----|------|
| | E | F | A | B | S1 | | L | |
| 1QN-12-02 | M12x1.5 | Z1/8"X27 | | | 16 | 10 | 14 | 32 |
| 1QN-12-04 | M12x1.5 | Z1/4"X18 | | | 16 | 14 | 14 | 36 |
| 1QN-14-02 | M14x1.5 | Z1/8"X27 | | | 17 | 10 | 17 | 33 |
| 1QN-14-04 | M14x1.5 | Z1/4"X18 | | | 17 | 14 | 17 | 37 |
| 1QN-16-04 | M16x1.5 | Z1/4"X18 | | | 18 | 14 | 17 | 38 |
| 1QN-16-06 | M16x1.5 | Z3/8"X18 | | | 18 | 14 | 17 | 38 |
| 1QN-18-04 | M18x1.5 | Z1/4"X18 | | | 18 | 14 | 19 | 38 |
| 1QN-18-06 | M18x1.5 | Z3/8"X18 | | | 18 | 14 | 19 | 38 |
| 1QN-18-08 | M18x1.5 | Z1/2"X14 | | | 18 | 19 | 22 | 44 |
| 1QN-22-06 | M22x1.5 | Z3/8"X18 | | | 19.5 | 14 | 24 | 41 |
| 1QN-22-08 | M22x1.5 | Z1/2"X14 | | | 19.5 | 19 | 24 | 46 |
| 1QN-27-06 | M27x1.5 | Z3/8"X18 | | | 20 | 14 | 30 | 43 |
| 1QN-27-08 | M27x1.5 | Z1/2"X14 | | | 20 | 19 | 30 | 48 |
| 1QN-27-12 | M27x1.5 | Z3/4"X14 | | | 20 | 19.5 | 30 | 48.5 |
| 1QN-27-16 | M27x1.5 | Z1"X11.5 | | | 20 | 24 | 36 | 55 |
| 1QN-30-12 | M30x2 | Z3/4"X14 | | | 23 | 19.5 | 32 | 52.5 |
| 1QN-33-12 | M33x2 | Z3/4"X14 | | | 26 | 19.5 | 36 | 56.5 |
| 1QN-36-16 | M36x2 | Z1"X11.5 | | | 25 | 24 | 41 | 61 |
| 1QN-39-16 | M39x2 | Z1"X11.5 | | | 26 | 24 | 41 | 62 |
| 1QN-45-16 | M45x2 | Z1"X11.5 | | | 28.5 | 24 | 46 | 65.5 |
| 1QN-45-20 | M45x2 | Z1.1 / 4"X11.5 | | | 28.5 | 25 | 46 | 66.5 |
| 1QN-45-24 | M45x2 | Z1.1 / 2"X11.5 | | | 28.5 | 25 | 50 | 70.5 |
| 1QN-52-20 | M52x2 | Z1.1 / 4"X11.5 | | | 30 | 25 | 55 | 72 |



1QN4

45° 公制外螺纹 74° 外锥 / 布锥管外螺纹
45° METRIC MALE 74° CONE/NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|----------------|--|--|---------------|----|----|--|--|
| | E | F | | | A | B | S1 | | |
| 1QN4-12-02 | M12x1.5 | Z1/8"X27 | | | 20 | 20 | 11 | | |
| 1QN4-14-02 | M14x1.5 | Z1/8"X27 | | | 22 | 22 | 14 | | |
| 1QN4-14-04 | M14x1.5 | Z1/4"X18 | | | 22 | 22 | 14 | | |
| 1QN4-16-06 | M16x1.5 | Z3/8"X18 | | | 22 | 22 | 17 | | |
| 1QN4-18-06 | M18x1.5 | Z3/8"X18 | | | 24 | 24 | 19 | | |
| 1QN4-22-08 | M22x1.5 | Z1/2"X14 | | | 27 | 27 | 22 | | |
| 1QN4-27-08 | M27x1.5 | Z1/2"X14 | | | 33 | 33 | 27 | | |
| 1QN4-27-12 | M27x1.5 | Z3/4"X14 | | | 33 | 33 | 27 | | |
| 1QN4-30-12 | M30x1.5 | Z3/4"X14 | | | 37 | 37 | 33 | | |
| 1QN4-36-16 | M36x2 | Z1"X11.5 | | | 37 | 37 | 33 | | |
| 1QN4-39-16 | M39x2 | Z1"X11.5 | | | 40 | 40 | 44 | | |
| 1QN4-42-20 | M42x2 | Z1.1 / 4"X11.5 | | | 40 | 40 | 44 | | |



1QN9

90 ° 公制外螺纹 74 ° 外锥 / 布锥管外螺纹
90 ° METRIC MALE 74 ° CONE/NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | 尺寸 DIMENSIONS | |
|----------------|------------|----------------|--|--|----|----|---------------|--|
| | E | F | | | | | S1 | |
| 1QN9-12-02 | M12x1.5 | Z1/8"X27 | | | 25 | 25 | 11 | |
| 1QN9-12-04 | M12x1.5 | Z1/4"X18 | | | 29 | 27 | 14 | |
| 1QN9-14-02 | M14x1.5 | Z1/8"X27 | | | 29 | 27 | 14 | |
| 1QN9-14-04 | M14x1.5 | Z1/4"X18 | | | 29 | 27 | 14 | |
| 1QN9-16-04 | M16x1.5 | Z1/4"X18 | | | 30 | 28 | 17 | |
| 1QN9-16-06 | M16x1.5 | Z3/8"X18 | | | 30 | 28 | 17 | |
| 1QN9-16-08 | M16x1.5 | Z1/2"X14 | | | 37 | 37 | 22 | |
| 1QN9-18-04 | M18x1.5 | Z1/4"X18 | | | 33 | 33 | 19 | |
| 1QN9-18-06 | M18x1.5 | Z3/8"X18 | | | 33 | 33 | 19 | |
| 1QN9-22-06 | M22x1.5 | Z3/8"X18 | | | 37 | 37 | 22 | |
| 1QN9-22-08 | M22x1.5 | Z1/2"X14 | | | 37 | 37 | 22 | |
| 1QN9-27-08 | M27x1.5 | Z1/2"X14 | | | 41 | 41 | 27 | |
| 1QN9-27-12 | M27x1.5 | Z3/4"X14 | | | 41 | 41 | 27 | |
| 1QN9-27-16 | M27x1.5 | Z1"X11.5 | | | 49 | 49 | 33 | |
| 1QN9-30-12 | M30x1.5 | Z3/4"X14 | | | 40 | 40 | 27 | |
| 1QN9-36-16 | M36x2 | Z1"X11.5 | | | 46 | 46 | 33 | |
| 1QN9-39-16 | M39x2 | Z1"X11.5 | | | 57 | 57 | 44 | |
| 1QN9-42-20 | M42x2 | Z1.1 / 4"X11.5 | | | 57 | 57 | 44 | |
| 1QN9-45-16 | M45x2 | Z1"X11.5 | | | 55 | 55 | 44 | |
| 1QN9-45-20 | M45x2 | Z1.1 / 4"X11.5 | | | 55 | 55 | 44 | |
| 1QN9-45-24 | M45x2 | Z1.1 / 2"X11.5 | | | 60 | 57 | 55 | |



1QT

公制外螺纹74°外锥/ 英锥管外螺纹
METRIC MALE 74° CONE/BSPT MALE


| 代号 PART NO. | 螺纹 THREADE | | 尺寸 DIMENSIONS | | | | | |
|----------------|------------|------------|---------------|---|------|------|----|------|
| | E | F | A | B | S1 | | L | |
| 1QT-12-02 | M12x1.5 | R1/8"X28 | | | 16 | 10 | 14 | 32 |
| 1QT-12-04 | M12x1.5 | R1/4"X19 | | | 16 | 14 | 14 | 36 |
| 1QT-14-02 | M14x1.5 | R1/8"X28 | | | 17 | 10 | 17 | 33 |
| 1QT-14-04 | M14x1.5 | R1/4"X19 | | | 17 | 14 | 17 | 37 |
| 1QT-16-04 | M16x1.5 | R1/4"X19 | | | 18 | 14 | 19 | 38 |
| 1QT-16-06 | M16x1.5 | R3/8"X19 | | | 18 | 14 | 19 | 38 |
| 1QT-18-04 | M18x1.5 | R1/4"X19 | | | 18 | 14 | 19 | 38 |
| 1QT-18-06 | M18x1.5 | R3/8"X19 | | | 18 | 14 | 19 | 38 |
| 1QT-18-08 | M18x1.5 | R1/2"X14 | | | 18 | 19 | 22 | 44 |
| 1QT-22-06 | M22x1.5 | R3/8"X19 | | | 19.5 | 14 | 24 | 41 |
| 1QT-22-08 | M22x1.5 | R1/2"X14 | | | 19.5 | 19 | 24 | 46 |
| 1QT-27-06 | M27x1.5 | R3/8"X19 | | | 20 | 14 | 30 | 43 |
| 1QT-27-08 | M27x1.5 | R1/2"X14 | | | 20 | 19 | 30 | 48 |
| 1QT-27-12 | M27x1.5 | R3/4"X14 | | | 20 | 19.5 | 30 | 48.5 |
| 1QT-27-16 | M27x1.5 | R1"X11 | | | 20 | 24 | 36 | 55 |
| 1QT-30-12 | M30x2 | R3/4"X14 | | | 23 | 19.5 | 32 | 52.5 |
| 1QT-33-12 | M33x2 | R3/4"X14 | | | 26 | 19.5 | 36 | 56.5 |
| 1QT-36-16 | M36x2 | R1"X11 | | | 25 | 24 | 41 | 61 |
| 1QT-39-16 | M39x2 | R1"X11 | | | 26 | 24 | 41 | 62 |
| 1QT-45-16 | M45x2 | R1"X11 | | | 28.5 | 24 | 46 | 65.5 |
| 1QT-45-20 | M45x2 | R1.1/4"X11 | | | 28.5 | 25 | 46 | 66.5 |
| 1QT-45-24 | M45x2 | R1.1/2"X11 | | | 28.5 | 25 | 50 | 70.5 |
| 1QT-52-20 | M52x2 | R1.1/4"X11 | | | 30 | 25 | 55 | 72 |



1QT9

90 ° 公制外螺纹 74 ° 外锥 / 英锥管外螺纹
90 ° METRIC MALE 74 ° CONE/BSPT MALE


| 代号 PART NO. | 螺纹 THREADE | | 尺寸 DIMENSIONS | | | |
|----------------|------------|------------|---------------|---|----|----|
| | E | F | A | B | S1 | |
| 1QT9-12-02 | M12x1.5 | R1/8"X28 | | | 25 | 25 |
| 1QT9-12-04 | M12x1.5 | R1/4"X19 | | | 29 | 27 |
| 1QT9-14-02 | M14x1.5 | R1/8"X28 | | | 29 | 27 |
| 1QT9-14-04 | M14x1.5 | R1/4"X19 | | | 29 | 27 |
| 1QT9-16-04 | M16x1.5 | R1/4"X19 | | | 30 | 28 |
| 1QT9-16-06 | M16x1.5 | R3/8"X19 | | | 30 | 28 |
| 1QT9-16-08 | M16x1.5 | R1/2"X14 | | | 37 | 37 |
| 1QT9-18-04 | M18x1.5 | Z1/4"X19 | | | 33 | 33 |
| 1QT9-18-06 | M18x1.5 | R3/8"X19 | | | 33 | 33 |
| 1QT9-22-06 | M22x1.5 | R3/8"X19 | | | 37 | 37 |
| 1QT9-22-08 | M22x1.5 | R1/2"X14 | | | 37 | 37 |
| 1QT9-27-08 | M27x1.5 | R1/2"X14 | | | 41 | 41 |
| 1QT9-27-12 | M27x1.5 | R3/4"X14 | | | 41 | 41 |
| 1QT9-27-16 | M27x1.5 | R1"X11 | | | 49 | 49 |
| 1QT9-30-12 | M30x1.5 | R3/4"X14 | | | 40 | 40 |
| 1QT9-36-16 | M36x2 | R1"X11 | | | 46 | 46 |
| 1QT9-39-16 | M39x2 | R1"X11 | | | 57 | 57 |
| 1QT9-42-20 | M42x2 | R1.1/4"X11 | | | 57 | 57 |
| 1QT9-45-16 | M45x2 | R1"X11 | | | 55 | 55 |
| 1QT9-45-20 | M45x2 | R1.1/4"X11 | | | 55 | 55 |
| 1QT9-45-24 | M45x2 | R1.1/2"X11 | | | 60 | 57 |
| | | | | | 55 | |



1QB

公制外螺纹74 ° 外锥/ 英管外螺纹
60 ° 内锥或六角端面组合垫密封
METRIC MALE 74 ° CONE/BSP MALE
DOUBLE FOR 60 ° SEAT BONDED SEAL


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|--|--|--|---------------|------|----|--|------|
| | E | F | | | | A | B | S1 | | L |
| 1QB-12-02 | M12x1.5 | G1/8"X28 | | | | 16 | 10 | 14 | | 32 |
| 1QB-14-04 | M14x1.5 | G1/4"X19 | | | | 17 | 12 | 19 | | 35 |
| 1QB-16-06 | M16x1.5 | G3/8"X19 | | | | 18 | 13.5 | 22 | | 39 |
| 1QB-18-06 | M18x1.5 | G3/8"X19 | | | | 18 | 13.5 | 22 | | 39 |
| 1QB-22-08 | M22x1.5 | G1/2"X14 | | | | 19.5 | 16 | 27 | | 44 |
| 1QB-24-10 | M24x1.5 | G5/8"X14 | | | | 20 | 17.5 | 30 | | 46.5 |
| 1QB-27-12 | M27x1.5 | G3/4"X14 | | | | 20 | 18.5 | 32 | | 48.5 |
| 1QB-30-12 | M30x1.5 | G3/4"X14 | | | | 23 | 18.5 | 32 | | 51.5 |
| 1QB-30E-12 | M30x2 | G3/4"X14 | | | | 26 | 18.5 | 32 | | 54.5 |
| 1QB-33-16 | M33x2 | G1"X11 | | | | 26 | 20.5 | 41 | | 58.5 |
| 1QB-39-16 | M39x2 | G1"X11 | | | | 26 | 20.5 | 41 | | 58.5 |
| 1QB-45-20 | M45x2 | G1.1/4"X11 | | | | 28.5 | 20.5 | 50 | | 66 |



1QG

公制74°外锥/ 英管外螺纹O型圈
METRIC 74° CONE/BSP MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|--|--|--|---------------|------|----|--|------|
| | E | F | | | | A | B | S1 | | L |
| 1QG-14-04 | M14x1.5 | G1/4"X19 | | | | 17 | 12 | 17 | | 35 |
| 1QG-16-06 | M16x1.5 | G3/8"X19 | | | | 18 | 13.5 | 22 | | 39 |
| 1QG-18-06 | M18x1.5 | G3/8"X19 | | | | 18 | 13.5 | 22 | | 39 |
| 1QG-18-08 | M18x1.5 | G1/2"X14 | | | | 18 | 16 | 27 | | 43 |
| 1QG-22-08 | M22x1.5 | G1/2"X14 | | | | 19.5 | 16 | 27 | | 44 |
| 1QG-27-12 | M27x1.5 | G3/4"X14 | | | | 20 | 18.5 | 32 | | 48.5 |
| 1QG-30-12 | M30x1.5 | G3/4"X14 | | | | 23 | 18.5 | 32 | | 51.5 |
| 1QG-39-16 | M39x2 | G1"X11 | | | | 26 | 20.5 | 41 | | 58.5 |
| 1QG-45-20 | M45x2 | G1.1/4"X11 | | | | 28.5 | 20.5 | 50 | | 66 |



1QG9-OG

90° 公制74°外锥/
英管外螺纹O型圈可调向柱端
90° METRIC 74° CONE/
BSP MALE O-RING ADJUSTABLE STUD


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|--|--|--|---------------|------|----|----|--|
| | E | F | | | | A | B | S1 | S2 | |
| 1QG9-14-04OG | M14x1.5 | G1/4"X19 | | | | 27 | 31.3 | 14 | 19 | |
| 1QG9-16-06OG | M16x1.5 | G3/8"X19 | | | | 29 | 35.8 | 17 | 22 | |
| 1QG9-18-06OG | M18x1.5 | G3/8"X19 | | | | 32 | 36.8 | 19 | 22 | |
| 1QG9-18-08OG | M18x1.5 | G1/2"X14 | | | | 32 | 43.2 | 19 | 27 | |
| 1QG9-22-08OG | M22x1.5 | G1/2"X14 | | | | 37 | 43.2 | 22 | 27 | |
| 1QG9-27-12OG | M27x1.5 | G3/4"X14 | | | | 41 | 49.3 | 27 | 32 | |
| 1QG9-30-12OG | M30x1.5 | G3/4"X14 | | | | 40 | 52 | 27 | 32 | |
| 1QG9-39-16OG | M39x2 | G1"X11 | | | | 57 | 58 | 44 | 41 | |
| 1QG9-45-20OG | M45x2 | G1.1/4"X11 | | | | 55 | 63 | 44 | 50 | |



1QH

公制74°外锥/ 公制外螺纹
METRIC 74° CONE/METRIC MALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | | |
|----------------|------------|---------|--|---------------|---|------|----|----|----|
| | E | F | | A | B | S1 | | L | |
| 1QH-14-12 | M14x1.5 | M12x1.5 | | | | 17 | 11 | 17 | 34 |
| 1QH-16-14 | M16x1.5 | M14x1.5 | | | | 18 | 11 | 19 | 35 |
| 1QH-18-16 | M18x1.5 | M16x1.5 | | | | 18 | 11 | 22 | 36 |
| 1QH-22-18 | M22x1.5 | M18x1.5 | | | | 19.5 | 11 | 24 | 38 |
| 1QH-27-22 | M27x1.5 | M22x1.5 | | | | 20 | 12 | 27 | 41 |
| 1QH-30-27 | M30x1.5 | M27x1.5 | | | | 23 | 13 | 32 | 46 |
| 1QH-33-27 | M33x2 | M27x1.5 | | | | 26 | 13 | 32 | 49 |



1QH9-OG

90°公制74°外锥/
公制外螺纹可调向柱端
90° METRIC 74° CONE/
METRIC MALE ADJUSTABLE STUD


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | | |
|----------------|------------|---------|--|---------------|---|----|------|----|----|
| | E | F | | A | B | S1 | S2 | | |
| 1QH9-14-12OG | M14x1.5 | M12x1.5 | | | | 27 | 32 | 14 | 17 |
| 1QH9-16-14OG | M16x1.5 | M14x1.5 | | | | 29 | 35.5 | 17 | 19 |
| 1QH9-18-16OG | M18x1.5 | M16x1.5 | | | | 32 | 36 | 19 | 22 |
| 1QH9-22-18OG | M22x1.5 | M18x1.5 | | | | 37 | 39.5 | 22 | 24 |
| 1QH9-27-22OG | M27x1.5 | M22x1.5 | | | | 41 | 43.5 | 27 | 27 |
| 1QH9-30-27OG | M30x1.5 | M27x1.5 | | | | 40 | 50 | 27 | 32 |
| 1QH9-33-27OG | M33x2 | M27x1.5 | | | | 49 | 52 | 33 | 32 |
| 1QH9-36-33OG | M36x2 | M33x2 | | | | 49 | 54 | 33 | 41 |
| 1QH9-39-33OG | M39x2 | M33x2 | | | | 57 | 57.2 | 44 | 41 |
| 1QH9-45-42OG | M45x2 | M42x2 | | | | 55 | 61 | 44 | 50 |



1QM

公制外螺纹 74 ° 外锥 / 公制外螺纹
60 ° 内锥或六角端面组合垫密封
METRIC MALE 74 ° CONE/METRIC MALE
DOUBLE FOR 60 ° SEAT BONDED SEAL


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|--|--|--|---------------|----|----|--|------|
| | E | F | | | | A | B | S1 | | L |
| 1QM-12 | M12x1.5 | M12x1.5 | | | | 16 | 10 | 17 | | 34 |
| 1QM-14 | M14x1.5 | M14x1.5 | | | | 17 | 11 | 19 | | 36 |
| 1QM-14-12 | M14x1.5 | M12x1.5 | | | | 17 | 10 | 17 | | 35 |
| 1QM-14-16 | M14x1.5 | M16x1.5 | | | | 17 | 12 | 22 | | 38 |
| 1QM-16 | M16x1.5 | M16x1.5 | | | | 18 | 12 | 22 | | 39 |
| 1QM-16-14 | M16x1.5 | M14x1.5 | | | | 18 | 11 | 19 | | 37 |
| 1QM-18 | M18x1.5 | M18x1.5 | | | | 18 | 12 | 24 | | 40 |
| 1QM-18-16 | M18x1.5 | M16x1.5 | | | | 18 | 12 | 22 | | 39 |
| 1QM-22 | M22x1.5 | M22x1.5 | | | | 19.5 | 14 | 27 | | 44.5 |
| 1QM-22-18 | M22x1.5 | M18x1.5 | | | | 19.5 | 12 | 24 | | 39 |



1QO

公制外螺纹74°外锥/
SAE外螺纹O型圈
METRIC MALE 74° CONE/
SAE MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | 尺寸 DIMENSIONS | | | | | |
|----------------|------------|---------------|---------------|--|------|------|----|------|
| | E | F | | | A | B | S1 | L |
| 1QO-16-06 | M16x1.5 | U9 / 16"X18 | | | 18 | 12 | 17 | 36 |
| 1QO-18-08 | M18x1.5 | U3 / 4"X16 | | | 18 | 12 | 22 | 37 |
| 1QO-22-10 | M22x1.5 | U7 / 8"X14 | | | 19.5 | 13.5 | 27 | 42 |
| 1QO-27-12 | M27x1.5 | U1.1 / 16"X12 | | | 20 | 16 | 32 | 46 |
| 1QO-30-12 | M30x1.5 | U1.1 / 16"X12 | | | 23 | 16 | 32 | 49 |
| 1QO-33-16 | M33x2 | U1.5 / 16"X12 | | | 26 | 17 | 41 | 55 |
| 1QO-39-16 | M39x2 | U1.5 / 16"X12 | | | 26 | 17 | 41 | 55 |
| 1QO-42-20 | M42x2 | U1.5 / 8"X12 | | | 28.5 | 18 | 50 | 63.5 |



1QO9-OG

90° 公制外螺纹74°外锥/
SAE外螺纹O型圈90°
METRIC MALE 74° CONE/
SAE MALE O-RING ADJUSTABLE STUD


| 代号 PART NO. | 螺纹 THREADE | | 尺寸 DIMENSIONS | | | | | |
|----------------|------------|---------------|---------------|--|----|------|----|----|
| | E | F | | | A | B | S1 | S2 |
| 1QO9-16-06OG | M16x1.5 | U9/16"X18 | | | 30 | 31.8 | 17 | 19 |
| 1QO9-18-08OG | M18x1.5 | U3/4"X16 | | | 37 | 36.8 | 22 | 24 |
| 1QO9-22-10OG | M22x1.5 | U7/8"X14 | | | 37 | 44 | 22 | 27 |
| 1QO9-27-12OG | M27x1.5 | U1.1 / 16"X12 | | | 41 | 51 | 27 | 32 |
| 1QO9-30-12OG | M30x1.5 | U1.1 / 16"X12 | | | 40 | 53 | 27 | 32 |
| 1QO9-33-16OG | M33x2 | U1.5 / 16"X12 | | | 49 | 54.5 | 33 | 41 |
| 1QO9-39-16OG | M39x2 | U1.5 / 16"X12 | | | 49 | 59.5 | 44 | 41 |
| 1QO9-42-20OG | M42x2 | U1.5 / 8"X12 | | | 49 | 59 | 44 | 50 |



2Q9

90 ° 公制外螺纹74 ° 外锥/
公制内螺纹74 ° 内锥90 °
METRIC MALE 74 ° CONE/
METRIC FEMALE 74 ° SEAT


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--|--|--|---------------|------|----|----|--|
| | E | | | | A | C | S1 | S2 | |
| 2Q9-14 | M14x1.5 | | | | 29 | 9 | 14 | 19 | |
| 2Q9-16 | M16x1.5 | | | | 30 | 9.5 | 17 | 22 | |
| 2Q9-18 | M18x1.5 | | | | 33 | 9.5 | 19 | 24 | |
| 2Q9-22 | M22x1.5 | | | | 37 | 10 | 22 | 27 | |
| 2Q9-27 | M27x1.5 | | | | 41 | 10.5 | 27 | 32 | |
| 2Q9-30 | M30x1.5 | | | | 40 | 11.5 | 27 | 36 | |
| 2Q9-33 | M33x2 | | | | 49 | 14.5 | 33 | 41 | |
| 2Q9-36 | M36x2 | | | | 46 | 13.5 | 33 | 41 | |
| 2Q9-39 | M39x2 | | | | 57 | 13.5 | 44 | 46 | |
| 2Q9-45 | M52x2 | | | | 55 | 15.5 | 44 | 55 | |



AQ

公制外螺纹74 ° 外锥三通
METRIC MALE 74 ° CONE TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--|--|--|---------------|--|----|--|--|
| | E | | | | A | | S1 | | |
| AQ-14 | M14x1.5 | | | | 27 | | 14 | | |
| AQ-16 | M16x1.5 | | | | 29 | | 17 | | |
| AQ-18 | M18x1.5 | | | | 32 | | 19 | | |
| AQ-22 | M22x1.5 | | | | 33 | | 22 | | |
| AQ-27 | M27x1.5 | | | | 40 | | 27 | | |
| AQ-30 | M30x1.5 | | | | 40 | | 27 | | |
| AQ-33 | M33x2 | | | | 49 | | 33 | | |



AQHQ-OG

公制外螺纹74 ° 外锥/
可调向柱端分支三通
METRIC MALE74 ° CONE/
ADJUSTABLE STUD BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | O型圈 O-RING | 尺寸 DIMENSIONS | | | | |
|--------------------|------------|---------|--|---------------|---------------|------|----|----|--|
| | E | F | | | A | B | S1 | S2 | |
| AQHQ- 14 -12- 140G | M14x1.5 | M12x1.5 | | 9.3x2.4 | 27 | 32 | 14 | 17 | |
| AQHQ- 16 -14- 160G | M16x1.5 | M14x1.5 | | 11.3x2.4 | 29 | 35.5 | 17 | 19 | |
| AQHQ- 18 -16- 180G | M18x1.5 | M16x1.5 | | 13.3x2.4 | 32 | 36 | 19 | 22 | |
| AQHQ- 22 -18- 220G | M22x1.5 | M18x1.5 | | 15.3x2.4 | 33 | 39.5 | 22 | 24 | |
| AQHQ- 27 -22- 270G | M27x1.5 | M22x1.5 | | 19.3x2.4 | 40 | 43.5 | 27 | 27 | |
| AQHQ- 30 -27- 300G | M30x1.5 | M27x1.5 | | 23.5x3 | 40 | 50 | 27 | 32 | |
| AQHQ- 33 -27- 330G | M33x2 | M27x1.5 | | 23.5x3 | 49 | 52 | 33 | 32 | |
| AQHQ- 36 -33- 360G | M36x2 | M33x2 | | 29.5x3 | 46 | 54 | 33 | 41 | |
| AQHQ- 39 -33- 390G | M39x2 | M33x2 | | 29.5x3 | 57 | 57.2 | 44 | 41 | |



AQQH-OG

公制外螺纹74 ° 外锥/
可调向柱端主支三通
METRIC MALE74 ° CONE/
ADJUSTABLE STUD RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | O型圈 O-RING | 尺寸 DIMENSIONS | | | | |
|--------------------|------------|---------|--|---------------|---------------|------|----|----|--|
| | E | F | | | A | B | S1 | S2 | |
| AQQH- 14 -14- 120G | M14x1.5 | M12x1.5 | | 9.3x2.4 | 27 | 32 | 14 | 17 | |
| AQQH- 16 -16- 140G | M16x1.5 | M14x1.5 | | 11.3x2.4 | 29 | 35.5 | 17 | 19 | |
| AQQH- 18 -18- 160G | M18x1.5 | M16x1.5 | | 13.3x2.4 | 32 | 36 | 19 | 22 | |
| AQQH- 22 -22- 180G | M22x1.5 | M18x1.5 | | 15.3x2.4 | 33 | 39.5 | 22 | 24 | |
| AQQH- 27 -27- 220G | M27x1.5 | M22x1.5 | | 19.3x2.4 | 40 | 43.5 | 27 | 27 | |
| AQQH- 30 -30- 270G | M30x1.5 | M27x1.5 | | 23.5x3 | 40 | 50 | 27 | 32 | |
| AQQH- 33 -33- 270G | M33x2 | M27x1.5 | | 23.5x3 | 49 | 52 | 33 | 32 | |
| AQQH- 36 -36- 330G | M36x2 | M33x2 | | 29.5x3 | 36 | 54 | 33 | 41 | |
| AQQH- 39 -39- 330G | M39x2 | M33x2 | | 29.5x3 | 57 | 57.2 | 44 | 41 | |



1K

日本公制外螺纹60°外锥
JIS METRIC MALE60° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--|--|--|---------------|------|----|--|----|
| | E | | | | A | B | S1 | | L |
| 1K-14 | M14x1.5 | | | | 17 | 17 | 17 | | 40 |
| 1K-16 | M16x1.5 | | | | 18 | 18 | 17 | | 42 |
| 1K-18 | M18x1.5 | | | | 18 | 18 | 19 | | 42 |
| 1K-20 | M20x1.5 | | | | 20 | 20 | 22 | | 47 |
| 1K-22 | M22x1.5 | | | | 20 | 20 | 24 | | 48 |
| 1K-24 | M24x1.5 | | | | 21.5 | 21.5 | 27 | | 52 |
| 1K-30 | M30x1.5 | | | | 26 | 26 | 32 | | 62 |
| 1K-33 | M33x1.5 | | | | 30 | 30 | 36 | | 71 |
| 1K-36 | M36x1.5 | | | | 33 | 33 | 41 | | 78 |
| 1K-42 | M42x1.5 | | | | 36 | 36 | 46 | | 85 |



2K9

90° 日本公制螺纹60°外锥
90° JIS METRIC MALE60° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| 2K9-14 | M14x1.5 | M14x1.5 | | | 29 | 12 | 14 | 19 | |
| 2K9-16 | M16x1.5 | M16x1.5 | | | 30 | 9.5 | 17 | 22 | |
| 2K9-18 | M18x1.5 | M18x1.5 | | | 33 | 11 | 19 | 24 | |
| 2K9-22 | M22x1.5 | M22x1.5 | | | 37 | 14 | 22 | 27 | |
| 2K9-24 | M24x1.5 | M24x1.5 | | | 37 | 13.5 | 24 | 32 | |
| 2K9-30-24 | M30x1.5 | M24x1.5 | | | 40 | 13.5 | 27 | 32 | |
| 2K9-30 | M30x1.5 | M30x1.5 | | | 40 | 20 | 27 | 36 | |
| 2K9-33 | M33x1.5 | M33x1.5 | | | 49 | 20.5 | 33 | 41 | |



4K

日本公制外螺纹60°外锥堵头
JIS METRIC MALE 60° CONE PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--|--|--|---------------|--|----|--|----|
| | E | | | | A | | S1 | | L |
| 4K-14 | M14x1.5 | | | | 17 | | 14 | | 23 |
| 4K-16 | M16x1.5 | | | | 18 | | 17 | | 24 |
| 4K-18 | M18x1.5 | | | | 18 | | 19 | | 24 |
| 4K-20 | M20x1.5 | | | | 20 | | 22 | | 27 |
| 4K-22 | M22x1.5 | | | | 20 | | 24 | | 28 |
| 4K-24 | M24x1.5 | | | | 21.5 | | 27 | | 30 |
| 4K-30 | M30x1.5 | | | | 26 | | 32 | | 36 |
| 4K-33 | M33x1.5 | | | | 30 | | 36 | | 41 |



9K

日本公制内螺纹内锥60°
JIS METRIC FEMALE 60° SEAT PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--|--|--|---------------|----|----|--|--|
| | E | | | | C | S1 | S2 | | |
| 9K-14 | M14x1.5 | | | | 12 | 19 | 19 | | |
| 9K-16 | M16x1.5 | | | | 9.5 | 19 | 22 | | |
| 9K-18 | M18x1.5 | | | | 11 | 24 | 24 | | |
| 9K-22 | M22x1.5 | | | | 14 | 27 | 27 | | |
| 9K-24 | M24x1.5 | | | | 13.5 | 32 | 32 | | |
| 9K-30 | M30x1.5 | | | | 20 | 36 | 36 | | |
| 9K-33 | M33x1.5 | | | | 20.5 | 41 | 41 | | |



1KN

日本公制外螺纹60°外锥/ 布锥管外螺纹
JIS METRIC MALE 60° CONE/NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--------------|--|--|--|---------------|------|----|------|--|
| | E | F | | | | A | B | S1 | L | |
| 1KN-14-04 | M14x1.5 | Z1 1/4"X18 | | | | 17 | 14 | 14 | 37 | |
| 1KN-14-06 | M14x1.5 | Z3 3/8"X18 | | | | 17 | 14 | 17 | 37 | |
| 1KN-16-06 | M16x1.5 | Z3 3/8"X18 | | | | 18 | 14 | 17 | 38 | |
| 1KN-18-06 | M18x1.5 | Z3 3/8"X18 | | | | 18 | 14 | 19 | 38 | |
| 1KN-20-06 | M20x1.5 | Z3 3/8"X18 | | | | 20 | 14 | 22 | 41 | |
| 1KN-22-06 | M22x1.5 | Z3 3/8"X18 | | | | 20 | 14 | 24 | 42 | |
| 1KN-22-08 | M22x1.5 | Z1 1/2"X14 | | | | 20 | 19 | 24 | 47 | |
| 1KN-24-12 | M24x1.5 | Z3 3/4"X14 | | | | 21.5 | 19.5 | 27 | 50 | |
| 1KN-30-12 | M30x1.5 | Z3 3/4"X14 | | | | 26 | 19.5 | 32 | 55.5 | |
| 1KN-33-16 | M33x1.5 | Z1 1"X11.5 | | | | 30 | 24 | 36 | 65 | |
| 1KN-36-20 | M36x1.5 | Z1 1/4"X11.5 | | | | 33 | 25 | 46 | 71 | |
| 1KN-42-24 | M42x1.5 | Z1 1/2"X11.5 | | | | 36 | 25 | 50 | 78 | |



1KM

日本公制外螺纹60°外锥/
公制外螺纹60°密封或组合垫圈
JIS METRIC MALE 60° CONE/
METRIC MALE 60° CONE BONDED SEAL


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|--|--|--|---------------|----|----|----|--|
| | E | F | | | | A | B | S1 | L | |
| 1KM-14-12 | M14x1.5 | M12x1.5 | | | | 17 | 10 | 17 | 35 | |
| 1KM-14 | M14x1.5 | M14x1.5 | | | | 17 | 11 | 19 | 36 | |
| 1KM-22-16 | M22x1.5 | M16x1.5 | | | | 20 | 12 | 22 | 41 | |
| 1KM-22-18 | M22x1.5 | M18x1.5 | | | | 20 | 12 | 24 | 42 | |
| 1KM-22 | M22x1.5 | M22x1.5 | | | | 20 | 14 | 27 | 45 | |



1KT

日本公制外螺纹60° / 英锥管外螺纹
JIS METRIC MALE60° CONE/BSPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | S1 | 尺寸 DIMENSIONS | |
|----------------|------------|------------|--|--|----|------|----|---------------|--|
| | E | F | | | | | | L | |
| 1KT-14-04 | M14x1.5 | R1/4"X19 | | | 17 | 14 | 17 | 37 | |
| 1KT-16-06 | M16x1.5 | R3/8"X19 | | | 18 | 14 | 19 | 38 | |
| 1KT-18-06 | M18x1.5 | R3/8"X19 | | | 18 | 14 | 19 | 38 | |
| 1KT-22-06 | M22x1.5 | R3/8"X19 | | | 20 | 14 | 24 | 42 | |
| 1KT-22-08 | M22x1.5 | R1/2"X14 | | | 20 | 19 | 24 | 47 | |
| 1KT-30-12 | M30x1.5 | R3/4"X14 | | | 26 | 19.5 | 32 | 55.5 | |
| 1KT-33-16 | M33x1.5 | R1"X11 | | | 30 | 24 | 36 | 65 | |
| 1KT-36-20 | M36x1.5 | R1.1/4"X11 | | | 33 | 25 | 46 | 71 | |
| 1KT-42-24 | M42x1.5 | R1.1/2"X11 | | | 36 | 25 | 50 | 78 | |



1KH

日本公制外螺纹60° 外锥/
公制外螺纹重系列
JIS METRIC MALE60° CONE/
METRIC MALE S-SERIES


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | S1 | 尺寸 DIMENSIONS | |
|----------------|------------|---------|--|--|------|----|----|---------------|----|
| | E | F | | | | | | L | |
| 1KH-14-12 | M14x1.5 | M12x1.5 | | | 17 | 11 | 17 | | 34 |
| 1KH-14 | M14x1.5 | M14x1.5 | | | 17 | 11 | 19 | | 34 |
| 1KH-16-14 | M16x1.5 | M14x1.5 | | | 18 | 11 | 19 | | 35 |
| 1KH-18-14 | M18x1.5 | M14x1.5 | | | 18 | 11 | 19 | | 35 |
| 1KH-18-16 | M18x1.5 | M16x1.5 | | | 18 | 11 | 22 | | 36 |
| 1KH-18-20 | M18x1.5 | M20x1.5 | | | 18 | 12 | 27 | | 39 |
| 1KH-20-18 | M20x1.5 | M18x1.5 | | | 20 | 11 | 24 | | 39 |
| 1KH-22-20 | M22x1.5 | M20x1.5 | | | 20 | 12 | 27 | | 41 |
| 1KH-24-20 | M24x1.5 | M20x1.5 | | | 21.5 | 12 | 27 | | 42 |
| 1KH-24-22 | M24x1.5 | M22x1.5 | | | 21.5 | 12 | 27 | | 42 |
| 1KH-30-27 | M30x1.5 | M27x1.5 | | | 26 | 13 | 32 | | 49 |



1KH9-OG

90 ° 日本公制外螺纹60 ° 外锥/
公制外螺纹可调向柱端 90 ° JIS
METRIC MALE 60 ° CONE / METRIC
ALE ADJUSTABLE STUD


| 代号 PART NO. | 螺纹 THREADE | | | | O型圈 0-RING | 尺寸 DIMENSIONS | | | |
|----------------|------------|---------|--|--|---------------|---------------|------|----|----|
| | E | F | | | | A | B | S1 | S2 |
| 1KH9-14-12OG | M14x1.5 | M12x1.5 | | | 9.3x2.4 | 27 | 33.5 | 14 | 17 |
| 1KH9-14OG | M14x1.5 | M14x1.5 | | | 11.3x2.4 | 27 | 34.5 | 14 | 19 |
| 1KH9-16-14OG | M16x1.5 | M14x1.5 | | | 11.3x2.4 | 29 | 35.5 | 17 | 19 |
| 1KH9-18-14OG | M18x1.5 | M14x1.5 | | | 11.3x2.4 | 32 | 37.5 | 19 | 19 |
| 1KH9-18-16OG | M18x1.5 | M16x1.5 | | | 13.3x2.4 | 32 | 39.5 | 19 | 22 |
| 1KH9-18-20OG | M18x1.5 | M20x1.5 | | | 17.3x2.4 | 37 | 44 | 22 | 27 |
| 1KH9-20-18OG | M20x1.5 | M18x1.5 | | | 15.3x2.4 | 37 | 42.5 | 22 | 24 |
| 1KH9-22-20OG | M22x1.5 | M20x1.5 | | | 17.3x2.4 | 37 | 45.5 | 22 | 27 |
| 1KH9-24-20OG | M24x1.5 | M20x1.5 | | | 17.3x2.4 | 37 | 47 | 24 | 27 |
| 1KH9-24-22OG | M24x1.5 | M22x1.5 | | | 19.3x2.4 | 37 | 47 | 24 | 27 |
| 1KH9-30-27OG | M30x1.5 | M27x1.5 | | | 23.5x3 | 40 | 57 | 27 | 32 |
| 1KH9-33OG | M33x1.5 | M33x1.5 | | | 29.5x3 | 49 | 59 | 33 | 41 |
| 1KH9-36-33OG | M36x1.5 | M33x1.5 | | | 29.5x3 | 46 | 60.5 | 33 | 41 |



1KG

日本公制外螺纹60°外锥/
英管外螺纹O型圈
JIS METRIC MALE 60° CONE/
BSP MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|----------|--|--|--|---------------|------|----|------|
| | E | F | | | | A | B | S1 | L |
| 1KG-14-04 | M14x1.5 | G1/4"X19 | | | | 17 | 12 | 19 | 35 |
| 1KG-14-06 | M14x1.5 | G3/8"X19 | | | | 17 | 13.5 | 22 | 38 |
| 1KG-16-06 | M16x1.5 | G3/8"X19 | | | | 18 | 13.5 | 22 | 39 |
| 1KG-18-06 | M18x1.5 | G3/8"X19 | | | | 18 | 13.5 | 22 | 39 |
| 1KG-22-08 | M22x1.5 | G1/2"X14 | | | | 20 | 16 | 27 | 45 |
| 1KG-30-12 | M30x1.5 | G3/4"X14 | | | | 26 | 18.5 | 32 | 54.5 |
| 1KG-33-12 | M33x1.5 | G3/4"X14 | | | | 30 | 18.5 | 36 | 59.5 |
| 1KG-33-16 | M33x1.5 | G1"X11 | | | | 30 | 20.5 | 41 | 62.5 |



1KG9-OG

90° 日本公制外螺纹60° /
英管外螺纹O型圈可调向柱端
90° JIS METRIC MALE/
BSP MALE O-RING ADJUSTABLE STUD


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|------------|--|--|--|---------------|------|----|----|
| | E | F | | | | A | B | S1 | S2 |
| 1KG9-14-04OG | M14x1.5 | G1/4"X19 | | | | 29 | 31.3 | 14 | 19 |
| 1KG9-14-06OG | M14x1.5 | G3/8"X19 | | | | 30 | 35.8 | 17 | 22 |
| 1KG9-16-06OG | M16x1.5 | G3/8"X19 | | | | 30 | 35.8 | 17 | 22 |
| 1KG9-18-06OG | M18x1.5 | G3/8"X19 | | | | 33 | 37 | 19 | 22 |
| 1KG9-22-08OG | M22x1.5 | G1/2"X14 | | | | 37 | 43.2 | 22 | 27 |
| 1KG9-24-08OG | M24x1.5 | G1/2"X14 | | | | 37 | 46 | 24 | 27 |
| 1KG9-24-12OG | M24x1.5 | G3/4"X14 | | | | 41 | 49.3 | 27 | 32 |
| 1KG9-30-12OG | M30x1.5 | G3/4"X14 | | | | 40 | 53 | 27 | 32 |
| 1KG9-33-16OG | M33x1.5 | G1"X11 | | | | 49 | 53 | 33 | 41 |
| 1KG9-42-20OG | M42x1.5 | G1.1/4"X11 | | | | 57 | 59 | 44 | 50 |



AK

日本公制外螺纹60°外锥三通
JIS METRIC MALE60° CONE TEE


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|--|---------------|--|----|--|
| | E | | | | | A | | S1 | |
| AK-14 | M14x1.5 | | | | | 27 | | 14 | |
| AK-16 | M16x1.5 | | | | | 29 | | 17 | |
| AK-18 | M18x1.5 | | | | | 32 | | 19 | |
| AK-22 | M22x1.5 | | | | | 33 | | 22 | |
| AK-24 | M24x1.5 | | | | | 33 | | 24 | |
| AK-30 | M30x1.5 | | | | | 40 | | 27 | |
| AK-33 | M33x1.5 | | | | | 49 | | 33 | |



BK

日本公制外螺纹60°外锥/
日本公制内螺纹60°内锥分支三通
JIS METRIC MALE60° CONE/
JIS METRIC FEMALE 60° SEAT BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|---------|--|--|--|---------------|------|----|----|
| | E | F | | | | A | C | S1 | S2 |
| BK-14 | M14x1.5 | M14x1.5 | | | | 27 | 12 | 14 | 19 |
| BK-16 | M16x1.5 | M16x1.5 | | | | 29 | 9.5 | 17 | 22 |
| BK-18 | M18x1.5 | M18x1.5 | | | | 32 | 11 | 19 | 24 |
| BK-22 | M22x1.5 | M22x1.5 | | | | 33 | 14 | 22 | 27 |
| BK-24 | M24x1.5 | M24x1.5 | | | | 33 | 13.5 | 24 | 32 |
| BK-30 | M30x1.5 | M30x1.5 | | | | 40 | 20 | 27 | 36 |
| BK-33 | M33x1.5 | M33x1.5 | | | | 49 | 20.5 | 33 | 41 |



AKKG-OG

日本公制外螺纹/ 英管外螺纹
O型圈可调向柱端主支三通
JIS METRIC MALE/BSP MALE O-RING
RUN TEE ADJUSTABLE STUD


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | | |
|--------------------|------------|----------|--|--|----|---------------|----|----|--|
| | E | F | | | | B | S1 | S2 | |
| AKKG- 14 -14- 040G | M14x1.5 | G1/4"X19 | | | 27 | 31.3 | 14 | 19 | |
| AKKG- 14 -14- 060G | M14x1.5 | G3/8"X19 | | | 29 | 35.8 | 17 | 22 | |
| AKKG- 16 -16- 060G | M16x1.5 | G3/8"X19 | | | 29 | 35.8 | 17 | 22 | |
| AKKG- 18 -18- 060G | M18x1.5 | G3/8"X19 | | | 32 | 37 | 19 | 22 | |
| AKKG- 22 -22- 080G | M22x1.5 | G1/2"X14 | | | 33 | 43.2 | 22 | 27 | |
| AKKG- 24 -24- 080G | M24x1.5 | G1/2"X14 | | | 33 | 46 | 24 | 27 | |
| AKKG- 24 -24- 120G | M24x1.5 | G3/4"X14 | | | 40 | 49.3 | 27 | 32 | |
| AKKG- 30 -30- 120G | M30x1.5 | G3/4"X14 | | | 40 | 53 | 27 | 32 | |
| AKKG- 33 -33- 160G | M33x1.5 | G1"X11 | | | 49 | 53 | 33 | 41 | |



AKKH-OG

日本公制外螺纹60°外锥/公制外
螺纹可调向柱端主支三通
JIS METRIC MALE 60° CONE/
ADJUSTABLE STUD RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | O型圈 O-RING | 尺寸 DIMENSIONS | | | | |
|-----------------|------------|---------|--|---------------|---------------|------|----|----|--|
| | E | F | | | A | B | S1 | S2 | |
| AKKH-14-14-120G | M14x1.5 | M12x1.5 | | 9.3x2.4 | 27 | 33.5 | 14 | 17 | |
| AKKH-14OG | M14x1.5 | M14x1.5 | | 11.3x2.4 | 27 | 34.5 | 14 | 19 | |
| AKKH-16-16-140G | M16x1.5 | M14x1.5 | | 11.3x2.4 | 29 | 35.5 | 17 | 19 | |
| AKKH-18-18-160G | M18x1.5 | M16x1.5 | | 13.3x2.4 | 32 | 39.5 | 19 | 22 | |
| AKKH-18-18-200G | M18x1.5 | M20x1.5 | | 17.3x2.4 | 33 | 44 | 22 | 27 | |
| AKKH-20-20-180G | M20x1.5 | M18x1.5 | | 15.3x2.4 | 33 | 42.5 | 22 | 24 | |
| AKKH-22-22-200G | M22x1.5 | M20x1.5 | | 17.3x2.4 | 33 | 45.5 | 22 | 27 | |
| AKKH-24-24-200G | M24x1.5 | M20x1.5 | | 17.3x2.4 | 33 | 47 | 24 | 27 | |
| AKKH-24-24-220G | M24x1.5 | M22x1.5 | | 19.3x2.4 | 33 | 47 | 24 | 27 | |
| AKKH-30-30-270G | M30x1.5 | M27x1.5 | | 23.5x3 | 40 | 57 | 27 | 32 | |
| AKKH-33OG | M33x1.5 | M33x1.5 | | 29.5x3 | 49 | 59 | 33 | 41 | |
| AKKH-36-36-330G | M36x1.5 | M33x1.5 | | 29.5x3 | 46 | 60.5 | 33 | 41 | |



AKGK-OG

日本公制外螺纹/英管外螺
纹O型圈可调向柱端分支三通
JIS METRIC MALE/BSP MALE O-RING
ADJUSTABLE STUD BRANCH TEE

| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|-----------------|------------|----------|--|--|---------------|------|----|----|--|
| | E | F | | | A | B | S1 | S2 | |
| AKGK-14-04-140G | M14x1.5 | G1/4"X19 | | | 27 | 31.3 | 14 | 19 | |
| AKGK-14-06-140G | M14x1.5 | G3/8"X19 | | | 29 | 35.8 | 17 | 22 | |
| AKGK-16-06-160G | M16x1.5 | G3/8"X19 | | | 29 | 35.8 | 17 | 22 | |
| AKGK-18-06-180G | M18x1.5 | G3/8"X19 | | | 32 | 37 | 19 | 22 | |
| AKGK-22-08-220G | M22x1.5 | G1/2"X14 | | | 33 | 43.2 | 22 | 27 | |
| AKGK-24-08-240G | M24x1.5 | G1/2"X14 | | | 33 | 46 | 24 | 27 | |
| AKGK-24-12-240G | M24x1.5 | G3/4"X14 | | | 40 | 49.3 | 27 | 32 | |
| AKGK-30-12-300G | M30x1.5 | G3/4"X14 | | | 40 | 53 | 27 | 32 | |
| AKGK-33-16-330G | M33x1.5 | G1"X11 | | | 49 | 53 | 33 | 41 | |



AKHK-OG


日本公制外螺纹60°外锥/公制外

螺纹可调向柱端分支三通

JIS METRIC MALE 60° CONE/

ADJUSTABLE STUD BRANCHTEE


| 代号 PART NO. | 螺纹 THREADE | | | | O型圈 0-RING | 尺寸 DIMENSIONS | | | |
|-----------------|------------|---------|--|--|---------------|---------------|------|----|----|
| | E | F | | | | A | B | S1 | S2 |
| AKHK-14-12-140G | M14x1.5 | M12x1.5 | | | 9.3x2.4 | 27 | 33.5 | 14 | 17 |
| AKHK-14OG | M14x1.5 | M14x1.5 | | | 11.3x2.4 | 27 | 34.5 | 14 | 19 |
| AKHK-16-14-160G | M16x1.5 | M14x1.5 | | | 11.3x2.4 | 29 | 35.5 | 17 | 19 |
| AKHK-18-14-180G | M18x1.5 | M14x1.5 | | | 11.3x2.4 | 32 | 37.5 | 19 | 19 |
| AKHK-18-16-180G | M18x1.5 | M16x1.5 | | | 13.3x2.4 | 32 | 39.5 | 19 | 22 |
| AKHK-18-20-180G | M18x1.5 | M20x1.5 | | | 17.3x2.4 | 33 | 44 | 22 | 27 |
| AKHK-20-18-200G | M20x1.5 | M18x1.5 | | | 15.3x2.4 | 33 | 42.5 | 22 | 24 |
| AKHK-22-20-220G | M22x1.5 | M20x1.5 | | | 17.3x2.4 | 33 | 45.5 | 22 | 27 |
| AKHK-24-20-240G | M24x1.5 | M20x1.5 | | | 17.3x2.4 | 33 | 47 | 24 | 27 |
| AKHK-24-22-240G | M24x1.5 | M22x1.5 | | | 19.3x2.4 | 33 | 47 | 24 | 27 |
| AKHK-30-27-300G | M30x1.5 | M27x1.5 | | | 23.5x3 | 40 | 57 | 27 | 32 |
| AKHK-33OG | M33x1.5 | M33x1.5 | | | 29.5x3 | 49 | 59 | 33 | 41 |



1V

公制外螺纹74°内锥面
METRIC FEMALE 74° CONE SEAT


| 代号 PART NO. | 螺纹E THREADE | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|---------------|--|-----|----|----|
| | | E | | A | S | L |
| 1V-14 | M14X1.5 | | | 8 | 14 | 22 |
| 1V-16 | M16X1.5 | | | 8.5 | 17 | 23 |
| 1V-18 | M18X1.5 | | | 8.5 | 19 | 23 |
| 1V-22 | M22X1.5 | | | 9 | 24 | 26 |
| 1V-27 | M27X1.5 | | | 8.5 | 30 | 26 |
| 1V-30 | M30X1.5 | | | 8 | 32 | 26 |
| 1V-36 | M36X2 | | | 9 | 41 | 30 |
| 1V-39 | M39X2 | | | 9 | 41 | 30 |
| 1V-45 | M45X2 | | | 9 | 46 | 31 |
| 1V-52 | M52X2 | | | 9 | 55 | 35 |
| 1V-64 | M64X2 | | | 12 | 65 | 41 |



1VT

公制外螺纹74°内锥面/ 英锥管外螺纹
METRIC FEMALE 74° CONE SEAT/BSPT MALE


| 代号 PART NO. | 螺纹E THREADE | | A | 尺寸 DIMENSIONS | | | |
|----------------|-------------|-------------|-----|---------------|----|------|--|
| | E | F | | B | S | L | |
| 1VT-14-04 | M14X1.5 | ZG1 1/4"-19 | 8 | 14 | 14 | 28 | |
| 1VT-18-06 | M18X1.5 | ZG3 1/8"-19 | 8.5 | 14 | 19 | 28.5 | |
| 1VT-22-08 | M22X1.5 | ZG1 1/2"-14 | 9 | 19 | 24 | 36 | |
| 1VT-30-12 | M30X1.5 | ZG3 1/4"-14 | 8 | 19.5 | 32 | 37.5 | |
| 1VT-39-16 | M39X2 | ZG1 1/2"-11 | 9 | 24 | 41 | 45 | |
| 1VT-45-20 | M45X2 | ZG1 1/4"-11 | 9 | 25 | 46 | 47 | |
| 1VT-52-24 | M52X2 | ZG1 1/2"-11 | 9 | 25 | 55 | 51 | |
| 1VT-64-32 | M64X2 | ZG2"-11 | 12 | 29 | 65 | 58 | |



1S

日本英管外螺纹60°外锥
JIS GAS MALE 60° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|---------------|--|----|----|
| | E | | | | A | | S1 | L |
| 1S-04 | G1/4"X19 | | | | 15 | | 14 | 36 |
| 1S-06 | G3/8"X19 | | | | 16 | | 17 | 38 |
| 1S-08 | G1/2"X14 | | | | 19 | | 22 | 45 |
| 1S-12 | G3/4"X14 | | | | 23 | | 30 | 55 |
| 1S-16 | G1"X11 | | | | 25 | | 36 | 61 |
| 1S-20 | G1.1/4"X11 | | | | 29 | | 46 | 71 |
| 1S-24 | G1.1/2"X11 | | | | 30 | | 50 | 77 |
| 1S-32 | G2"X11 | | | | 35 | | 70 | 88 |



4S

日本英管外螺纹60°外锥堵头
JIS GAS MALE 60° CONE PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|---------------|--|----|----|
| | E | | | | A | | S1 | L |
| 4S-04 | G1/4"X19 | | | | 15 | | 14 | 21 |
| 4S-06 | G3/8"X19 | | | | 16 | | 17 | 22 |
| 4S-08 | G1/2"X14 | | | | 19 | | 22 | 26 |
| 4S-12 | G3/4"X14 | | | | 23 | | 30 | 32 |
| 4S-16 | G1"X11 | | | | 25 | | 36 | 36 |
| 4S-20 | G1.1/4"X11 | | | | 29 | | 46 | 42 |
| 4S-24 | G1.1/2"X11 | | | | 30 | | 50 | 47 |
| 4S-32 | G2"X11 | | | | 35 | | 70 | 53 |



9S

日本英管内螺纹60°内锥堵头
JIS GAS FEMALE 60° SEAT PLUG

| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|--|---------------|----|----|--|
| | E | | | | | C | S1 | S2 | |
| 9S-04 | G1/4"X19 | | | | | 8 | 17 | 19 | |
| 9S-06 | G3/8"X19 | | | | | 8.5 | 19 | 22 | |
| 9S-08 | G1/2"X14 | | | | | 10.5 | 22 | 27 | |
| 9S-12 | G3/4"X14 | | | | | 14 | 32 | 32 | |
| 9S-16 | G1"X11 | | | | | 14.5 | 36 | 41 | |
| 9S-20 | G1.1/4"X11 | | | | | 16 | 50 | 50 | |
| 9S-24 | G1.1/2"X11 | | | | | 18 | 55 | 55 | |
| 9S-32 | G2"X11 | | | | | 24 | 70 | 70 | |




6S

日本英管外螺纹60°外锥过板接头
JIS GAS MALE 60° CONE BULKHEAD

| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|--|---------------|----|----|----|
| | E | | | | | A | B | S1 | |
| 6S-04 | G1/4"X19 | | | | | 15 | 32 | 19 | 53 |
| 6S-06 | G3/8"X19 | | | | | 16 | 36 | 22 | 59 |
| 6S-08 | G1/2"X14 | | | | | 19 | 40 | 27 | 68 |
| 6S-12 | G3/4"X14 | | | | | 23 | 41 | 32 | 74 |
| 6S-16 | G1"X11 | | | | | 25 | 45 | 41 | 82 |

备注:如需带锁母订货,则请在代号后加"LN",如6S-04LN;


Remark: In case if you are interested to order the adapter with lock nut, please insert suffix "LN" after our part NO., for example 6S-04LN.



1ST

日本英管外螺纹60°外锥/ 英锥管外螺纹
JIS GAS MALE 60° CONE/BSPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|--|--|---------------|------|----|--|------|
| | E | F | | | A | B | S1 | | L |
| 1ST-04 | G1/4"X19 | R1/4"X19 | | | 15 | 14 | 17 | | 35 |
| 1ST-04-02 | G1/4"X19 | R1/8"X28 | | | 15 | 10 | 17 | | 31 |
| 1ST-04-06 | G1/4"X19 | R3/8"X19 | | | 15 | 14 | 19 | | 35 |
| 1ST-04-08 | G1/4"X19 | R1/2"X14 | | | 15 | 19 | 22 | | 41 |
| 1ST-06 | G3/8"X19 | R3/8"X19 | | | 16 | 14 | 19 | | 36 |
| 1ST-06-04 | G3/8"X19 | R1/4"X19 | | | 16 | 14 | 19 | | 36 |
| 1ST-06-08 | G3/8"X19 | R1/2"X14 | | | 16 | 19 | 22 | | 42 |
| 1ST-08 | G1/2"X14 | R1/2"X14 | | | 19 | 19 | 22 | | 45 |
| 1ST-08-04 | G1/2"X14 | R1/4"X19 | | | 19 | 14 | 22 | | 40 |
| 1ST-08-06 | G1/2"X14 | R3/8"X19 | | | 19 | 14 | 22 | | 40 |
| 1ST-08-12 | G1/2"X14 | R3/4"X14 | | | 19 | 19.5 | 27 | | 47.5 |
| 1ST-12 | G3/4"X14 | R3/4"X14 | | | 23 | 19.5 | 30 | | 51.5 |
| 1ST-12-08 | G3/4"X14 | R1/2"X14 | | | 23 | 19 | 30 | | 51 |
| 1ST-12-16 | G3/4"X14 | R1"X11 | | | 23 | 24 | 36 | | 58 |
| 1ST-16 | G1"X11 | R1"X11 | | | 25 | 24 | 36 | | 60 |
| 1ST-16-12 | G1"X11 | R3/4"X14 | | | 25 | 19.5 | 36 | | 55.5 |
| 1ST-20 | G1.1/4"X11 | R1.1/4"X11 | | | 29 | 25 | 46 | | 67 |
| 1ST-24 | G1.1/2"X11 | R1.1/2"X11 | | | 30 | 25 | 50 | | 68 |
| 1ST-32 | G2"X11 | R2"X11 | | | 35 | 29 | 70 | | 81 |



1ST4

45 ° 日本英管外螺纹60 °
外锥/英锥管外螺纹45 °
JIS GAS MALE 60 ° CONE/
BSPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|------------|--|--|---------------|----|----|--|
| | E | F | | | A | B | S1 | |
| 1ST4-04 | G1/4"X19 | R1/4"X19 | | | 22 | 22 | 14 | |
| 1ST4-04-02 | G1/4"X19 | R1/8"X28 | | | 22 | 22 | 14 | |
| 1ST4-04-06 | G1/4"X19 | R3/8"X19 | | | 22 | 22 | 17 | |
| 1ST4-04-08 | G1/4"X19 | R1/2"X14 | | | 27 | 27 | 22 | |
| 1ST4-06 | G3/8"X19 | R3/8"X19 | | | 22 | 22 | 17 | |
| 1ST4-06-04 | G3/8"X19 | R1/4"X19 | | | 22 | 22 | 17 | |
| 1ST4-06-08 | G3/8"X19 | R1/2"X14 | | | 27 | 27 | 22 | |
| 1ST4-08 | G1/2"X14 | R1/2"X14 | | | 27 | 27 | 22 | |
| 1ST4-08-06 | G1/2"X14 | R3/8"X19 | | | 27 | 27 | 22 | |
| 1ST4-12 | G3/4"X14 | R3/4"X14 | | | 33 | 33 | 27 | |
| 1ST4-12-08 | G3/4"X14 | R1/2"X14 | | | 33 | 33 | 27 | |
| 1ST4-16 | G1"X11 | R1"X11 | | | 37 | 37 | 33 | |
| 1ST4-16-12 | G1"X11 | R3/4"X14 | | | 37 | 37 | 33 | |
| 1ST4-20 | G1.1/4"X11 | R1.1/4"X11 | | | 40 | 40 | 44 | |
| 1ST4-24 | G1.1/2"X11 | R1.1/2"X11 | | | 47 | 47 | 53 | |
| 1ST4-32 | G2"X11 | R2"X11 | | | 55 | 55 | 65 | |



1ST9

90 ° 日本英管外螺纹60 °
外锥/英锥管外螺纹90 °
JIS GAS MALE 60 ° CONE/
BSPT MALE

| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | |
|----------------|------------|------------|--|--|----|---------------|----|--|
| | E | F | | | | B | S1 | |
| 1ST9-04 | G1/4"X19 | R1/4"X19 | | | 29 | 27 | 14 | |
| 1ST9-04-02 | G1/4"X19 | R1/8"X28 | | | 29 | 27 | 14 | |
| 1ST9-04-06 | G1/4"X19 | R3/8"X19 | | | 29 | 30 | 17 | |
| 1ST9-06 | G3/8"X19 | R3/8"X19 | | | 30 | 28 | 17 | |
| 1ST9-06-04 | G3/8"X19 | R1/4"X19 | | | 30 | 28 | 17 | |
| 1ST9-06-08 | G3/8"X19 | R1/2"X14 | | | 37 | 37 | 22 | |
| 1ST9-08 | G1/2"X14 | R1/2"X14 | | | 37 | 37 | 22 | |
| 1ST9-08-06 | G1/2"X14 | R3/8"X19 | | | 37 | 37 | 22 | |
| 1ST9-08-12 | G1/2"X14 | R3/4"X14 | | | 41 | 41 | 27 | |
| 1ST9-12 | G3/4"X14 | R3/4"X14 | | | 41 | 41 | 27 | |
| 1ST9-12-08 | G3/4"X14 | R1/2"X14 | | | 41 | 41 | 27 | |
| 1ST9-12-16 | G3/4"X14 | R1"X11 | | | 49 | 49 | 33 | |
| 1ST9-16 | G1"X11 | R1"X11 | | | 49 | 49 | 33 | |
| 1ST9-20 | G1.1/4"X11 | R1.1/4"X11 | | | 57 | 57 | 44 | |
| 1ST9-24 | G1.1/2"X11 | R1.1/2"X11 | | | 57 | 57 | 48 | |
| 1ST9-32 | G2"X11 | R2"X11 | | | 66 | 63 | 65 | |




1SN

日本英管外螺纹60° 外锥/ 布锥管外螺纹
JIS GAS MALE 60° CONE/NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--------------|--|--|---------------|------|----|--|------|
| | E | F | | | A | B | S1 | | L |
| 1SN-04 | G1/4"X19 | Z1/4"X18 | | | 15 | 14 | 17 | | 35 |
| 1SN-04-02 | G1/4"X19 | Z1/8"X27 | | | 15 | 10 | 17 | | 31 |
| 1SN-04-06 | G1/4"X19 | Z3/8"X18 | | | 15 | 14 | 19 | | 35 |
| 1SN-04-08 | G1/4"X19 | Z1/2"X14 | | | 15 | 19 | 22 | | 41 |
| 1SN-06 | G3/8"X19 | Z3/8"X18 | | | 16 | 14 | 19 | | 36 |
| 1SN-06-04 | G3/8"X19 | Z1/4"X18 | | | 16 | 14 | 19 | | 36 |
| 1SN-06-08 | G3/8"X19 | Z1/2"X14 | | | 16 | 19 | 22 | | 42 |
| 1ST-08 | G1/2"X14 | Z1/2"X14 | | | 19 | 19 | 22 | | 45 |
| 1SN-08-04 | G1/2"X14 | Z1/4"X18 | | | 19 | 14 | 22 | | 40 |
| 1SN-08-06 | G1/2"X14 | Z3/8"X18 | | | 19 | 14 | 22 | | 40 |
| 1SN-08-12 | G1/2"X14 | Z3/4"X14 | | | 19 | 19.5 | 27 | | 47.5 |
| 1SN-12 | G3/4"X14 | Z3/4"X14 | | | 23 | 19.5 | 30 | | 51.5 |
| 1SN-12-08 | G3/4"X14 | Z1/2"X14 | | | 23 | 19 | 30 | | 51 |
| 1SN-12-16 | G3/4"X14 | Z1"X11.5 | | | 23 | 24 | 36 | | 58 |
| 1SN-16 | G1"X11 | Z1"X11.5 | | | 25 | 24 | 36 | | 60 |
| 1SN-16-12 | G1"X11 | Z3/4"X14 | | | 25 | 19.5 | 36 | | 55.5 |
| 1SN-20 | G1.1/4"X11 | Z1.1/4"X11.5 | | | 29 | 25 | 46 | | 67 |
| 1SN-24 | G1.1/2"X11 | Z1.1/2"X11.5 | | | 30 | 25 | 50 | | 68 |
| 1SN-32 | G2"X11 | Z2"X11.5 | | | 35 | 29 | 70 | | 81 |

1SN4



45° 日本英管外螺纹60°
外锥/布锥管外螺纹45°
JIS GAS MALE 60°
CONE/NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|----------------|--|--|---------------|----|----|--|
| | E | F | | | A | B | S1 | |
| 1SN4-04 | G1/4"X19 | Z1/4"X19 | | | 22 | 22 | 14 | |
| 1SN4-04-02 | G1/4"X19 | Z1/8"X27 | | | 22 | 22 | 14 | |
| 1SN4-04-06 | G1/4"X19 | Z3/8"X18 | | | 22 | 22 | 17 | |
| 1SN4-04-08 | G1/4"X19 | Z1/2"X14 | | | 27 | 27 | 22 | |
| 1SN4-06 | G3/8"X19 | Z3/8"X18 | | | 22 | 22 | 17 | |
| 1SN4-06-04 | G3/8"X19 | Z1/4"X19 | | | 22 | 22 | 17 | |
| 1SN4-06-08 | G3/8"X19 | Z1/2"X14 | | | 27 | 27 | 22 | |
| 1SN4-08 | G1/2"X14 | Z1/2"X14 | | | 27 | 27 | 22 | |
| 1SN4-08-06 | G1/2"X14 | Z3/8"X18 | | | 27 | 27 | 22 | |
| 1SN4-12 | G3/4"X14 | Z3/4"X14 | | | 33 | 33 | 27 | |
| 1SN4-12-08 | G3/4"X14 | Z1/2"X14 | | | 33 | 33 | 27 | |
| 1SN4-16 | G1"X11 | Z1"X11.5 | | | 37 | 37 | 33 | |
| 1SN4-16-12 | G1"X11 | Z3/4"X14 | | | 37 | 37 | 33 | |
| 1SN4-20 | G1.1/4"X11 | Z1.1 / 4"X11.5 | | | 40 | 40 | 44 | |
| 1SN4-24 | G1.1/2"X11 | Z1.1 / 2"X11.5 | | | 47 | 47 | 53 | |
| 1SN4-32 | G2"X11 | Z2"X11.5 | | | 55 | 55 | 65 | |



1SN9

90° 日本英管外螺纹60°
外锥/布锥管外螺纹90°
JIS GAS MALE 60°
CONE/NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|----------------|--|--|---------------|----|----|--|
| | E | F | | | A | B | S1 | |
| 1SN9-04 | G1/4"X19 | Z1/4"X18 | | | 29 | 27 | 14 | |
| 1SN9-04-02 | G1/4"X19 | Z1/8"X27 | | | 29 | 27 | 14 | |
| 1SN9-04-06 | G1/4"X19 | Z3/8"X18 | | | 29 | 30 | 17 | |
| 1SN9-06 | G3/8"X19 | Z3/8"X18 | | | 30 | 28 | 17 | |
| 1SN9-06-04 | G3/8"X19 | Z1/4"X18 | | | 30 | 28 | 17 | |
| 1SN9-06-08 | G3/8"X19 | Z1/2"X14 | | | 37 | 37 | 22 | |
| 1SN9-08 | G1/2"X14 | Z1/2"X14 | | | 37 | 37 | 22 | |
| 1SN9-08-06 | G1/2"X14 | Z3/8"X18 | | | 37 | 37 | 22 | |
| 1SN9-08-12 | G1/2"X14 | Z3/4"X14 | | | 41 | 41 | 27 | |
| 1SN9-12 | G3/4"X14 | Z3/4"X14 | | | 41 | 41 | 27 | |
| 1SN9-12-08 | G3/4"X14 | Z1/2"X14 | | | 41 | 41 | 27 | |
| 1SN9-12-16 | G3/4"X14 | Z1"X11.5 | | | 49 | 49 | 33 | |
| 1SN9-16 | G1"X11 | Z1"X11.5 | | | 49 | 49 | 33 | |
| 1SN9-20 | G1.1/4"X11 | Z1.1 / 4"X11.5 | | | 57 | 57 | 44 | |
| 1SN9-24 | G1.1/2"X11 | Z1.1 / 2"X11.5 | | | 57 | 57 | 48 | |
| 1SN9-32 | G2"X11 | Z2"X11.5 | | | 66 | 63 | 65 | |



1SG

日本英管外螺纹60°外锥/
英管外螺纹O型圈
JIS GAS MALE 60° CONE/
BSP MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | | |
|----------------|------------|------------|--|---------------|----|------|----|---|------|
| | E | F | | A | B | S1 | | L | |
| 1SG-04 | G1/4"X19 | G1/4"X19 | | | 15 | 12 | 19 | | 33 |
| 1SG-06 | G3/8"X19 | G3/8"X19 | | | 16 | 13.5 | 22 | | 37 |
| 1SG-08 | G1/2"X14 | G1/2"X14 | | | 19 | 16 | 27 | | 44 |
| 1SG-12 | G3/4"X14 | G3/4"X14 | | | 23 | 18.5 | 32 | | 51.5 |
| 1SG-16 | G1"X11 | G1"X11 | | | 25 | 20.5 | 41 | | 57.5 |
| 1SG-20 | G1.1/4"X11 | G1.1/4"X11 | | | 29 | 20.5 | 50 | | 66.5 |
| 1SG-24 | G1.1/2"X11 | G1.1/2"X11 | | | 30 | 23 | 55 | | 70 |
| 1SG-32 | G2"X11 | G2"X11 | | | 35 | 25.5 | 70 | | 78.5 |



1SG9-OG

90° 日本英管外螺纹60°外锥/
英管外螺纹60° O型圈可调向柱端
90° JIS GAS MALE 60° CONE/
BSP MALE O-RING ADJUSTABLE STUD


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | | |
|----------------|------------|------------|--|---------------|----|------|----|----|--|
| | E | F | | A | B | S1 | S2 | | |
| 1SG9-04OG | G1/4"X19 | G1/4"X19 | | | 29 | 31.3 | 14 | 19 | |
| 1SG9-06OG | G3/8"X19 | G3/8"X19 | | | 30 | 35.8 | 17 | 22 | |
| 1SG9-08OG | G1/2"X14 | G1/2"X14 | | | 37 | 43.2 | 22 | 27 | |
| 1SG9-12OG | G3/4"X14 | G3/4"X14 | | | 41 | 49.3 | 27 | 32 | |
| 1SG9-16OG | G1"X11 | G1"X11 | | | 49 | 53 | 33 | 41 | |
| 1SG9-20OG | G1.1/4"X11 | G1.1/4"X11 | | | 57 | 59 | 44 | 50 | |
| 1SG9-24OG | G1.1/2"X11 | G1.1/2"X11 | | | 57 | 65 | 48 | 55 | |



AS

日本英管外螺纹60°外锥三通
JIS GAS FEMALE 60° SEAT TEE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|----------|--|---------------|--|----|--|--|
| | E | F | | A | | S1 | | |
| AS-04 | G1/4"X19 | G1/4"X19 | | 27 | | 14 | | |
| AS-06 | G3/8"X19 | G3/8"X19 | | 29 | | 17 | | |
| AS-08 | G1/2"X14 | G1/2"X14 | | 33 | | 22 | | |
| AS-12 | G3/4"X14 | G3/4"X14 | | 40 | | 27 | | |
| AS-16 | G1"X11 | G1"X11 | | 49 | | 33 | | |



BS

日本英管外螺纹60°外锥/
日本英管内螺纹60°内锥分支三通
JIS GAS MALE 60° CONE/
JIS GAS FEMALE 60° SEAT BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|----------|--|---------------|------|----|----|--|
| | E | F | | A | C | S1 | S2 | |
| BS-04 | G1/4"X19 | G1/4"X19 | | 27 | 8 | 14 | 19 | |
| BS-06 | G3/8"X19 | G3/8"X19 | | 29 | 8.5 | 17 | 22 | |
| BS-08 | G1/2"X14 | G1/2"X14 | | 33 | 10.5 | 22 | 27 | |
| BS-12 | G3/4"X14 | G3/4"X14 | | 40 | 14 | 27 | 32 | |
| BS-16 | G1"X11 | G1"X11 | | 49 | 14.5 | 33 | 41 | |



CS

日本英管外螺纹60°外锥/
日本英管内螺纹60°内锥主支三通
JIS GAS MALE 60° CONE/
JIS GAS FEMALE 60° SEAT RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | 尺 寸 DIMENSIONS | | | | |
|----------------|------------|----------|--|----------------|------|----|----|--|
| | E | F | | A | C | S1 | S2 | |
| CS-04 | G1/4"X19 | G1/4"X19 | | 27 | 8 | 14 | 19 | |
| CS-06 | G3/8"X19 | G3/8"X19 | | 29 | 8.5 | 17 | 22 | |
| CS-08 | G1/2"X14 | G1/2"X14 | | 33 | 10.5 | 22 | 27 | |
| CS-12 | G3/4"X14 | G3/4"X14 | | 40 | 14 | 27 | 32 | |
| CS-16 | G1"X11 | G1"X11 | | 49 | 14.5 | 33 | 41 | |



DS

日本英管内螺纹60°内锥三通
JIS GAS FEMALE 60° SEAT TEE


| 代号 PART NO. | 螺纹 THREADE | | | 尺 寸 DIMENSIONS | | | | |
|----------------|------------|----------|--|----------------|----|----|--|--|
| | E | F | | C | S1 | S2 | | |
| DS-04 | G1/4"X19 | G1/4"X19 | | 8 | 14 | 19 | | |
| DS-06 | G3/8"X19 | G3/8"X19 | | 8.5 | 17 | 22 | | |
| DS-08 | G1/2"X14 | G1/2"X14 | | 10.5 | 22 | 27 | | |
| DS-12 | G3/4"X14 | G3/4"X14 | | 14 | 27 | 32 | | |
| DS-16 | G1"X11 | G1"X11 | | 14.5 | 33 | 41 | | |



ASGS-OG

日本英管外螺纹60°外锥/英管外
螺纹O型圈可调向柱端分支三通 JIS
GAS MALE 60° CONE/BSP MALE
O-RING ADJUSTABLE STUD BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|--|---------------|------|----|----|--|
| | E | F | | A | B | S1 | S2 | |
| ASGS-04OG | G1/4"X19 | G1/4"X19 | | 27 | 31.3 | 14 | 19 | |
| ASGS-06OG | G3/8"X19 | G3/8"X19 | | 29 | 35.8 | 17 | 22 | |
| ASGS-08OG | G1/2"X14 | G1/2"X14 | | 33 | 43.2 | 22 | 27 | |
| ASGS-12OG | G3/4"X14 | G3/4"X14 | | 40 | 49.3 | 27 | 32 | |
| ASGS-16OG | G1"X11 | G1"X11 | | 49 | 54.5 | 33 | 41 | |
| ASGS-20OG | G1.1/4"X11 | G1.1/4"X11 | | 57 | 59 | 44 | 50 | |



ASSG-OG

日本英管外螺纹60°外锥/英管外
螺纹O型圈可调向柱端主支三通 JIS
GAS MALE 60° CONE/BSP MALE
O-RING ADJUSTABLE STUD END RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|--|---------------|------|----|----|--|
| | E | F | | A | B | S1 | S2 | |
| ASSG-04OG | G1/4"X19 | G1/4"X19 | | 27 | 31 | 14 | 19 | |
| ASSG-06OG | G3/8"X19 | G3/8"X19 | | 29 | 35.5 | 17 | 22 | |
| ASSG-08OG | G1/2"X14 | G1/2"X14 | | 33 | 43.5 | 22 | 27 | |
| ASSG-12OG | G3/4"X14 | G3/4"X14 | | 40 | 49.5 | 27 | 32 | |
| ASSG-16OG | G1"X11 | G1"X11 | | 49 | 54.5 | 33 | 41 | |
| ASSG-20OG | G1.1/4"X11 | G1.1/4"X11 | | 57 | 59 | 44 | 50 | |



1B

英管外螺纹60°内锥或
六角端面组合垫密封
BSP MALE DOUBLE FOR
60° SEAT BONDED SEAL


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|--|--|---------------|------|----|--|------|
| | E | F | | | A | B | S1 | | L |
| 1B-02 | G1/8"X28 | G1/8"X28 | | | 10 | 10 | 14 | | 26 |
| 1B-02-04 | G1/8"X28 | G1/4"X19 | | | 10 | 12 | 19 | | 28 |
| 1B-02-06 | G1/8"X28 | G3/8"X19 | | | 10 | 13.5 | 22 | | 31.5 |
| 1B-02-08 | G1/8"X28 | G1/2"X14 | | | 10 | 16 | 27 | | 34 |
| 1B-04 | G1/4"X19 | G1/4"X19 | | | 12 | 12 | 19 | | 30 |
| 1B-04-06 | G1/4"X19 | G3/8"X19 | | | 12 | 13.5 | 22 | | 33 |
| 1B-04-08 | G1/4"X19 | G1/2"X14 | | | 12 | 16 | 27 | | 36 |
| 1B-04-10 | G1/4"X19 | G5/8"X14 | | | 12 | 17.5 | 30 | | 38.5 |
| 1B-06 | G3/8"X19 | G3/8"X19 | | | 13.5 | 13.5 | 22 | | 35 |
| 1B-06-08 | G3/8"X19 | G1/2"X14 | | | 13.5 | 16 | 27 | | 37.5 |
| 1B-06-10 | G3/8"X19 | G5/8"X14 | | | 13.5 | 17.5 | 30 | | 40 |
| 1B-06-12 | G3/8"X19 | G3/4"X14 | | | 13.5 | 18.5 | 32 | | 42 |
| 1B-08 | G1/2"X14 | G1/2"X14 | | | 16 | 16 | 27 | | 40 |
| 1B-08-10 | G1/2"X14 | G5/8"X14 | | | 16 | 17.5 | 30 | | 42.5 |
| 1B-08-12 | G1/2"X14 | G3/4"X14 | | | 16 | 18.5 | 32 | | 44 |
| 1B-10 | G5/8"X14 | G5/8"X14 | | | 17.5 | 17.5 | 30 | | 44 |
| 1B-10-12 | G5/8"X14 | G3/4"X14 | | | 17.5 | 18.5 | 32 | | 46 |
| 1B-10-16 | G5/8"X14 | G1"X11 | | | 17.5 | 20.5 | 41 | | 50 |
| 1B-12 | G3/4"X14 | G3/4"X14 | | | 18.5 | 18.5 | 32 | | 47 |
| 1B-12-16 | G3/4"X14 | G1"X11 | | | 18.5 | 20.5 | 41 | | 49 |
| 1B-12-20 | G3/4"X14 | G1.1/4"X11 | | | 18.5 | 20.5 | 50 | | 56 |
| 1B-16 | G1"X11 | G1"X11 | | | 20.5 | 20.5 | 41 | | 53 |
| 1B-16-20 | G1"X11 | G1.1/4"X11 | | | 20.5 | 20.5 | 50 | | 57 |
| 1B-16-24 | G1"X11 | G1.1/2"X11 | | | 20.5 | 23 | 55 | | 60 |
| 1B-20 | G1.1/4"X11 | G1.1/4"X11 | | | 20.5 | 20.5 | 50 | | 58 |
| 1B-20-24 | G1.1/4"X11 | G1.1/2"X11 | | | 20.5 | 23 | 55 | | 61 |
| 1B-24 | G1.1/2"X11 | G1.1/2"X11 | | | 23 | 23 | 55 | | 63 |
| 1B-24-32 | G1.1/2"X11 | G2"X11 | | | 23 | 25.5 | 70 | | 66 |
| 1B-32 | G2"X11 | G2"X11 | | | 25.5 | 25.5 | 70 | | 69 |



1B4

45 ° 英管外螺纹 60 ° 内锥
45 ° BSP MALE 60 ° SEAT

| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|------------|--|--|--|---------------|----|----|--|
| | E | F | | | | A | B | S1 | |
| 1B4-02-04 | G1/8"X28 | G1/4"X19 | | | | 22 | 22 | 14 | |
| 1B4-04 | G1/4"X19 | G1/4"X19 | | | | 22 | 22 | 14 | |
| 1B4-04-06 | G1/4"X19 | G3/8"X19 | | | | 22 | 22 | 17 | |
| 1B4-06 | G3/8"X19 | G3/8"X19 | | | | 22 | 22 | 17 | |
| 1B4-06-08 | G3/8"X19 | G1/2"X14 | | | | 27 | 27 | 22 | |
| 1B4-08 | G1/2"X14 | G1/2"X14 | | | | 27 | 27 | 22 | |
| 1B4-08-12 | G1/2"X14 | G3/4"X14 | | | | 33 | 33 | 27 | |
| 1B4-10 | G5/8"X14 | G5/8"X14 | | | | 27 | 27 | 22 | |
| 1B4-10-12 | G5/8"X14 | G3/4"X14 | | | | 33 | 33 | 27 | |
| 1B4-12 | G3/4"X14 | G3/4"X14 | | | | 33 | 33 | 27 | |
| 1B4-12-16 | G3/4"X14 | G1"X11 | | | | 37 | 37 | 33 | |
| 1B4-16 | G1"X11 | G1"X11 | | | | 37 | 37 | 33 | |
| 1B4-16-20 | G1"X11 | G1.1/4"X11 | | | | 40 | 40 | 44 | |
| 1B4-20 | G1.1/4"X11 | G1.1/4"X11 | | | | 40 | 40 | 44 | |
| 1B4-20-24 | G1.1/4"X11 | G1.1/2"X11 | | | | 47 | 47 | 53 | |
| 1B4-24 | G1.1/2"X11 | G1.1/2"X11 | | | | 47 | 47 | 53 | |
| 1B4-32 | G2"X11 | G2"X11 | | | | 55 | 55 | 65 | |




1B9

90 ° 英管外螺纹 60 ° 内锥
90 ° BSP MALE 60 ° SEAT


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|------------|--|--|--|---------------|----|----|--|
| | E | F | | | | A | B | S1 | |
| 1B9-02-04 | G1/8"X28 | G1/4"X19 | | | | 27 | 29 | 14 | |
| 1B9-04 | G1/4"X19 | G1/4"X19 | | | | 29 | 27 | 14 | |
| 1B9-04-06 | G1/4"X19 | G3/8"X19 | | | | 28 | 30 | 17 | |
| 1B9-06 | G3/8"X19 | G3/8"X19 | | | | 30 | 28 | 17 | |
| 1B9-06-08 | G3/8"X19 | G1/2"X14 | | | | 37 | 37 | 22 | |
| 1B9-08 | G1/2"X14 | G1/2"X14 | | | | 37 | 37 | 22 | |
| 1B9-08-12 | G1/2"X14 | G3/4"X14 | | | | 41 | 41 | 27 | |
| 1B9-10 | G5/8"X14 | G5/8"X14 | | | | 37 | 37 | 22 | |
| 1B9-10-12 | G5/8"X14 | G3/4"X14 | | | | 41 | 41 | 27 | |
| 1B9-12 | G3/4"X14 | G3/4"X14 | | | | 41 | 41 | 27 | |
| 1B9-12-16 | G3/4"X14 | G1"X11 | | | | 49 | 49 | 33 | |
| 1B9-16 | G1"X11 | G1"X11 | | | | 49 | 49 | 33 | |
| 1B9-16-20 | G1"X11 | G1.1/4"X11 | | | | 57 | 57 | 44 | |
| 1B9-20 | G1.1/4"X11 | G1.1/4"X11 | | | | 57 | 57 | 44 | |
| 1B9-20-24 | G1.1/4"X11 | G1.1/2"X11 | | | | 57 | 57 | 48 | |
| 1B9-24 | G1.1/2"X11 | G1.1/2"X11 | | | | 57 | 57 | 48 | |
| 1B9-32 | G2"X11 | G2"X11 | | | | 66 | 63 | 65 | |

2B



英管外螺纹60°内锥或六角端面组合
垫密封/英管内螺纹60°外锥
BSP MALE DOUBLE FOR 60° SEAT
BONDED SEAL /BSP FEMALE 60° CONE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|--|---------------|------|----|----|--|
| | E | F | | A | C | S1 | S2 | |
| 2B-02 | G1/8"X28 | G1/8"X28 | | 10 | 5.5 | 14 | 14 | |
| 2B-02-04 | G1/8"X28 | G1/4"X19 | | 10 | 5.5 | 14 | 19 | |
| 2B-04 | G1/4"X19 | G1/4"X19 | | 12 | 5.5 | 19 | 19 | |
| 2B-04-06 | G1/4"X19 | G3/8"X19 | | 12 | 6.5 | 19 | 22 | |
| 2B-04-08 | G1/4"X19 | G1/2"X14 | | 12 | 8 | 19 | 27 | |
| 2B-06 | G3/8"X19 | G3/8"X19 | | 13.5 | 6.5 | 22 | 22 | |
| 2B-06-08 | G3/8"X19 | G1/2"X14 | | 13.5 | 8 | 22 | 27 | |
| 2B-06-10 | G3/8"X19 | G5/8"X14 | | 13.5 | 10.5 | 22 | 30 | |
| 2B-08 | G1/2"X14 | G1/2"X14 | | 16 | 8 | 27 | 27 | |
| 2B-08-06 | G1/2"X14 | G3/8"X10 | | 16 | 6.5 | 27 | 27 | |
| 2B-10 | G5/8"X14 | G5/8"X14 | | 17.5 | 10.5 | 30 | 30 | |
| 2B-10-08 | G5/8"X14 | G1/2"X14 | | 17.5 | 8 | 30 | 27 | |
| 2B-10-12 | G5/8"X14 | G3/4"X14 | | 17.5 | 11.5 | 30 | 32 | |
| 2B-12 | G3/4"X14 | G3/4"X14 | | 18.5 | 11.5 | 32 | 32 | |
| 2B-12-10 | G3/4"X14 | G5/8"X14 | | 18.5 | 10.5 | 32 | 30 | |
| 2B-12-16 | G3/4"X14 | G1"X11 | | 18.5 | 11.5 | 32 | 41 | |
| 2B-16 | G1"X11 | G1"X11 | | 20.5 | 11.5 | 41 | 41 | |
| 2B-16-12 | G1"X11 | G3/4"X14 | | 20.5 | 11.5 | 41 | 32 | |
| 2B-16-20 | G1"X11 | G1.1/4"X11 | | 20.5 | 12 | 41 | 50 | |
| 2B-20 | G1.1/4"X11 | G1.1/4"X11 | | 20.5 | 12 | 50 | 50 | |
| 2B-20-16 | G1.1/4"X11 | G1"X11 | | 20.5 | 11.5 | 50 | 41 | |
| 2B-20-24 | G1.1/4"X11 | G1.1/2"X11 | | 20.5 | 13 | 50 | 55 | |
| 2B-24 | G1.1/2"X11 | G1.1/2"X11 | | 23 | 13 | 55 | 55 | |
| 2B-32 | G2"X11 | G2"X11 | | 25.5 | 16 | 70 | 70 | |



2B4

45 ° 英管外螺纹60 ° 内锥/
英管内螺纹60 ° 外锥45 °
BSP MALE 60 ° SEAT/ BSP
FEMALE 60 ° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|--|--|--|---------------|------|----|----|--|
| | E | F | | | | A | C | S1 | S2 | |
| 2B4-04 | G1/4"X19 | G1/4"X19 | | | | 22 | 5.5 | 14 | 19 | |
| 2B4-04-06 | G1/4"X19 | G3/8"X19 | | | | 22 | 6.5 | 17 | 22 | |
| 2B4-06 | G3/8"X19 | G3/8"X19 | | | | 22 | 6.5 | 17 | 22 | |
| 2B4-06-04 | G3/8"X19 | G1/4"X19 | | | | 22 | 5.5 | 17 | 19 | |
| 2B4-08 | G1/2"X14 | G1/2"X14 | | | | 27 | 8 | 22 | 27 | |
| 2B4-08-06 | G1/2"X14 | G3/8"X19 | | | | 27 | 6.5 | 22 | 22 | |
| 2B4-10 | G5/8"X14 | G5/8"X14 | | | | 27 | 10.5 | 22 | 30 | |
| 2B4-10-08 | G5/8"X14 | G1/2"X14 | | | | 27 | 8 | 22 | 27 | |
| 2B4-12 | G3/4"X14 | G3/4"X14 | | | | 33 | 11.5 | 27 | 32 | |
| 2B4-16 | G1"X11 | G1"X11 | | | | 37 | 11.5 | 33 | 41 | |
| 2B4-20 | G1.1/4"X11 | G1.1/4"X11 | | | | 40 | 12 | 44 | 50 | |
| 2B4-24 | G1.1/2"X11 | G1.1/2"X11 | | | | 47 | 13 | 53 | 55 | |
| 2B4-32 | G2"X11 | G2"X11 | | | | 55 | 16 | 65 | 70 | |



2B9

90 ° 英管外螺纹 60 ° 内锥/
英管内螺纹 60 ° 外锥 90 °
BSP MALE 60 ° SEAT/ BSP
FEMALE 60 ° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | | |
|----------------|------------|------------|--|--|----|---------------|----|----|--|
| | E | F | | | | C | S1 | S2 | |
| 2B9-02 | G1/8"X28 | G1/8"X28 | | | 23 | 5.5 | 11 | 14 | |
| 2B9-04 | G1/4"X19 | G1/4"X19 | | | 29 | 5.5 | 14 | 19 | |
| 2B9-04-06 | G1/4"X19 | G3/8"X19 | | | 30 | 6.5 | 17 | 22 | |
| 2B9-06 | G3/8"X19 | G3/8"X19 | | | 30 | 6.5 | 17 | 22 | |
| 2B9-06-04 | G3/8"X19 | G1/4"X19 | | | 30 | 5.5 | 17 | 19 | |
| 2B9-08 | G1/2"X14 | G1/2"X14 | | | 37 | 8 | 22 | 27 | |
| 2B9-08-06 | G1/2"X14 | G3/8"X19 | | | 37 | 6.5 | 22 | 22 | |
| 2B9-10 | G5/8"X14 | G5/8"X14 | | | 37 | 10.5 | 22 | 30 | |
| 2B9-10-08 | G5/8"X14 | G1/2"X14 | | | 37 | 8 | 22 | 27 | |
| 2B9-12 | G3/4"X14 | G3/4"X14 | | | 41 | 11.5 | 27 | 32 | |
| 2B9-16 | G1"X11 | G1"X11 | | | 49 | 11.5 | 33 | 41 | |
| 2B9-20 | G1.1/4"X11 | G1.1/4"X11 | | | 57 | 12 | 44 | 50 | |
| 2B9-24 | G1.1/2"X11 | G1.1/2"X11 | | | 57 | 13 | 48 | 55 | |
| 2B9-32 | G2"X11 | G2"X11 | | | 66 | 16 | 65 | 70 | |



3B

英管内螺纹60°外锥
BSP FEMALE 60° CONE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|------------|--|---------------|------|----|----|
| | E | F | | A | C | S1 | S2 |
| 3B-02 | G1/8"X28 | G1/8"X28 | | 5.5 | 5.5 | 14 | 14 |
| 3B-02-04 | G1/8"X28 | G1/4"X19 | | 5.5 | 5.5 | 14 | 19 |
| 3B-04 | G1/4"X19 | G1/4"X19 | | 5.5 | 5.5 | 19 | 19 |
| 3B-04-06 | G1/4"X19 | G3/8"X19 | | 5.5 | 6.5 | 19 | 22 |
| 3B-04-08 | G1/4"X19 | G1/2"X14 | | 5.5 | 8 | 19 | 27 |
| 3B-06 | G3/8"X19 | G3/8"X19 | | 6.5 | 6.5 | 22 | 22 |
| 3B-06-08 | G3/8"X19 | G1/2"X14 | | 6.5 | 8 | 22 | 27 |
| 3B-08 | G1/2"X14 | G1/2"X14 | | 8 | 8 | 27 | 27 |
| 3B-08-10 | G1/2"X14 | G5/8"X14 | | 8 | 10.5 | 27 | 30 |
| 3B-08-12 | G1/2"X14 | G3/4"X14 | | 8 | 11.5 | 27 | 32 |
| 3B-10 | G5/8"X14 | G5/8"X14 | | 10.5 | 10.5 | 30 | 30 |
| 3B-10-12 | G5/8"X14 | G3/4"X14 | | 10.5 | 11.5 | 30 | 32 |
| 3B-12 | G3/4"X14 | G3/4"X14 | | 11.5 | 11.5 | 32 | 32 |
| 3B-12-16 | G3/4"X14 | G1"X11 | | 11.5 | 11.5 | 32 | 41 |
| 3B-16 | G1"X11 | G1"X11 | | 11.5 | 11.5 | 41 | 41 |
| 3B-16-20 | G1"X11 | G1.1/4"X11 | | 11.5 | 12 | 41 | 50 |
| 3B-20 | G1.1/4"X11 | G1.1/4"X11 | | 12 | 12 | 50 | 50 |
| 3B-24 | G1.1/2"X11 | G1.1/2"X11 | | 13 | 13 | 55 | 55 |
| 3B-32 | G2"X11 | G2"X11 | | 16 | 16 | 70 | 70 |



3B4

45° 英管内螺纹 60° 外锥
45° BSP FEMALE 60° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|---------------|----|----|--|
| | E | | | | C | S1 | S2 | |
| 3B4-02 | G1/8"X28 | | | | 5.5 | 11 | 14 | |
| 3B4-04 | G1/4"X19 | | | | 5.5 | 11 | 19 | |
| 3B4-06 | G3/8"X19 | | | | 6.5 | 17 | 22 | |
| 3B4-08 | G1/2"X14 | | | | 8 | 19 | 27 | |
| 3B4-10 | G5/8"X14 | | | | 10.5 | 22 | 30 | |
| 3B4-12 | G3/4"X14 | | | | 11.5 | 27 | 32 | |
| 3B4-16 | G1"X11 | | | | 11.5 | 33 | 41 | |
| 3B4-20 | G1.1/4"X11 | | | | 12 | 44 | 50 | |
| 3B4-24 | G1.1/2"X11 | | | | 13 | 50 | 55 | |
| 3B4-32 | G2"X11 | | | | 16 | 65 | 70 | |



3B9

90° 英管内螺纹 60° 外锥
90° BSP FEMALE 60° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|---------------|----|----|--|
| | E | | | | C | S1 | S2 | |
| 3B9-02 | G1/8"X28 | | | | 5.5 | 11 | 14 | |
| 3B9-04 | G1/4"X19 | | | | 5.5 | 11 | 19 | |
| 3B9-06 | G3/8"X19 | | | | 6.5 | 17 | 22 | |
| 3B9-08 | G1/2"X14 | | | | 8 | 19 | 27 | |
| 3B9-10 | G5/8"X14 | | | | 10.5 | 22 | 30 | |
| 3B9-12 | G3/4"X14 | | | | 11.5 | 27 | 32 | |
| 3B9-16 | G1"X11 | | | | 11.5 | 33 | 41 | |
| 3B9-20 | G1.1/4"X11 | | | | 12 | 44 | 50 | |
| 3B9-24 | G1.1/2"X11 | | | | 13 | 50 | 55 | |
| 3B9-32 | G2"X11 | | | | 16 | 65 | 70 | |



4B

英管外螺纹60°内锥或六角
端面用组合垫密封堵头
BSP MALE DOUBLE FOR 60°
SEAT OR BONDED SEAL PLUG


| 代号 PART NO. | 螺纹 THREADE | | | A | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|------|---------------|----|--|--|
| | E | | | | S1 | L | | |
| 4B-02 | G1/8"X28 | | | 10 | 14 | 16 | | |
| 4B-04 | G1/4"X19 | | | 12 | 19 | 18 | | |
| 4B-06 | G3/8"X19 | | | 13.5 | 22 | 21 | | |
| 4B-08 | G1/2"X14 | | | 16 | 27 | 24 | | |
| 4B-10 | G5/8"X14 | | | 17.5 | 30 | 27 | | |
| 4B-12 | G3/4"X14 | | | 18.5 | 32 | 28 | | |
| 4B-16 | G1"X11 | | | 20.5 | 41 | 32 | | |
| 4B-20 | G1.1/4"X11 | | | 20.5 | 50 | 37 | | |
| 4B-24 | G1.1/2"X11 | | | 23 | 55 | 40 | | |
| 4B-32 | G2"X11 | | | 25.5 | 70 | 43 | | |



9B

英管内螺纹60°外锥堵头
BSP FEMALE 60° CONE PLUG

| 代号 PART NO. | 螺纹 THREADE | | | C | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|-----|---------------|--|--|--|
| | E | | | | S1 | | | |
| 9B-04 | G1/4"X19 | | | 5.5 | 17 | | | |
| 9B-06 | G3/8"X19 | | | 6 | 22 | | | |
| 9B-08 | G1/2"X14 | | | 7 | 27 | | | |
| 9B-10 | G5/8"X14 | | | 8.5 | 27 | | | |
| 9B-12 | G3/4"X14 | | | 9 | 32 | | | |
| 9B-16 | G1"X11 | | | 11 | 38 | | | |
| 9B-20 | G1.1/4"X11 | | | 11 | 50 | | | |
| 9B-24 | G1.1/2"X11 | | | 12 | 55 | | | |
| 9B-32 | G2"X11 | | | 15 | 70 | | | |




6B

英管外螺纹60°内锥过板接头
BSP MALE 60° SEAT BULKHEAD

| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|---------------|----|----|------|
| | E | | | | A | B | S1 | L |
| 6B-02 | G1/8"X28 | | | | 10 | 33 | 14 | 49 |
| 6B-04 | G1/4"X19 | | | | 12 | 35 | 19 | 53 |
| 6B-06 | G3/8"X19 | | | | 13.5 | 35 | 22 | 56 |
| 6B-08 | G1/2"X14 | | | | 16 | 39 | 27 | 63 |
| 6B-10 | G5/8"X14 | | | | 17.5 | 40 | 30 | 67.5 |
| 6B-12 | G3/4"X14 | | | | 18.5 | 42 | 32 | 70 |
| 6B-16 | G1"X11 | | | | 20.5 | 50 | 41 | 83 |
| 6B-20 | G1.1/4"X11 | | | | 20.5 | 52 | 50 | 89.5 |
| 6B-24 | G1.1/2"X11 | | | | 23 | 55 | 55 | 95 |
| 6B-32 | G2"X11 | | | | 25.5 | 55 | 70 | 98.5 |

备注:如需带锁母订货,则请在代号后加"LN",如6B-12LN;
Remark:In case if you are interested to order the adapter with lock nut,please insert suffix"LN"after our part NO.,for example 6B-12LN.




6B9

90° 英管外螺纹60°内锥过板接头
90° BSP MALE 60° SEAT BULKHEAD

| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|---------------|------|----|--|
| | E | | | | A | B | S1 | |
| 6B9-04 | G1/4"X19 | | | | 29 | 51 | 14 | |
| 6B9-06 | G3/8"X19 | | | | 30 | 53.5 | 17 | |
| 6B9-08 | G1/2"X14 | | | | 37 | 58.5 | 22 | |
| 6B9-12 | G3/4"X14 | | | | 41 | 64 | 27 | |
| 6B9-16 | G1"X11 | | | | 49 | 71 | 33 | |


备注:如需带锁母订货,则请在代号后加"LN",如6B9-12LN;
Remark:In case if you are interested to order the adapter with lock nut,please insert suffix"LN"after our part NO.,for example 6B9-12LN.



8B

英管螺纹锁母
BSP LOCK NUT


| 代号 PART NO. | 螺纹 THREADE | | | A | 尺寸 DIMENSIONS | | |
|----------------|------------|--|--|------|---------------|--|--|
| | E | | | | S1 | | |
| 8B-02 | G1/8"X28 | | | 5.5 | 14 | | |
| 8B-04 | G1/4"X19 | | | 6.5 | 19 | | |
| 8B-06 | G3/8"X19 | | | 7 | 22 | | |
| 8B-08 | G1/2"X14 | | | 9 | 27 | | |
| 8B-10 | G5/8"X14 | | | 9 | 30 | | |
| 8B-12 | G3/4"X14 | | | 10.5 | 32 | | |
| 8B-16 | G1"X11 | | | 10.5 | 41 | | |
| 8B-20 | G1.1/4"X11 | | | 10.5 | 50 | | |
| 8B-24 | G1.1/2"X11 | | | 10.5 | 55 | | |
| 8B-32 | G2"X11 | | | 10.5 | 70 | | |



1BT

英管外螺纹60°内锥或六角端面
组合垫密封/英锥管外螺纹
BSP MALE DOUBLE FOR 60° SEAT
BONDED SEAL / BSPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|--|--|---------------|------|----|--|----|
| | E | F | | | A | B | S1 | | L |
| 1BT-02 | G1/8"X28 | R1/8"X28 | | | 10 | 10 | 14 | | 26 |
| 1BT-02-04 | G1/8"X28 | R1/4"X19 | | | 10 | 14 | 14 | | 30 |
| 1BT-04 | G1/4"X19 | R1/4"X19 | | | 12 | 14 | 19 | | 32 |
| 1BT-04-02 | G1/4"X19 | R1/8"X28 | | | 12 | 10 | 19 | | 28 |
| 1BT-04-06 | G1/4"X19 | R3/8"X19 | | | 12 | 14 | 19 | | 32 |
| 1BT-06 | G3/8"X19 | R3/8"X19 | | | 13.5 | 14 | 22 | | 35 |
| 1BT-06-04 | G3/8"X19 | R1/4"X19 | | | 13.5 | 14 | 22 | | 35 |
| 1BT-06-08 | G3/8"X19 | R1/2"X14 | | | 13.5 | 19 | 22 | | 41 |
| 1BT-08 | G1/2"X14 | R1/2"X14 | | | 16 | 19 | 27 | | 45 |
| 1BT-08-06 | G1/2"X14 | R3/8"X19 | | | 16 | 14 | 27 | | 40 |
| 1BT-08-12 | G1/2"X14 | R3/4"X14 | | | 16 | 19.5 | 27 | | 45 |
| 1BT-10-08 | G5/8"X14 | R1/2"X14 | | | 17.5 | 19 | 30 | | 45 |
| 1BT-10-12 | G5/8"X14 | R3/4"X14 | | | 17.5 | 19.5 | 30 | | 47 |
| 1BT-12 | G3/4"X14 | R3/4"X14 | | | 18.5 | 19.5 | 32 | | 48 |
| 1BT-12-08 | G3/4"X14 | R1/2"X14 | | | 18.5 | 19 | 32 | | 47 |
| 1BT-12-16 | G3/4"X14 | R1"X11 | | | 18.5 | 24 | 36 | | 53 |
| 1BT-16 | G1"X11 | R1"X11 | | | 20.5 | 24 | 41 | | 58 |
| 1BT-16-12 | G1"X11 | R3/4"X14 | | | 20.5 | 19.5 | 41 | | 53 |
| 1BT-16-20 | G1"X11 | R1.1/4"X11 | | | 20.5 | 25 | 46 | | 59 |
| 1BT-20 | G1.1/4"X11 | R1.1/4"X11 | | | 20.5 | 25 | 50 | | 62 |
| 1BT-20-16 | G1.1/4"X11 | R1"X11 | | | 20.5 | 24 | 50 | | 61 |
| 1BT-20-24 | G1.1/4"X11 | R1.1/2"X11 | | | 20.5 | 25 | 50 | | 62 |
| 1BT-24 | G1.1/2"X11 | R1.1/2"X11 | | | 23 | 25 | 55 | | 65 |
| 1BT-24-16 | G1.1/2"X11 | R1"X11 | | | 23 | 24 | 55 | | 61 |
| 1BT-24-20 | G1.1/2"X11 | R1.1/4"X11 | | | 23 | 25 | 55 | | 65 |
| 1BT-24-32 | G1.1/2"X11 | R2"X11 | | | 23 | 29 | 65 | | 69 |
| 1BT-32 | G2"X11 | R2"X11 | | | 25.5 | 29 | 70 | | 72 |
| 1BT-32-24 | G2"X11 | R1.1/2"X11 | | | 25.5 | 25 | 70 | | 68 |



1BT4

45 ° 英管外螺纹 60 ° 内锥 / 英锥管外螺纹
45 ° BSP MALE 60 ° SEAT / BSPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|------------|--|---------------|----|----|--|
| | E | F | | A | B | S1 | |
| 1BT4-02 | G1/8"X28 | R1/8"X28 | | 17 | 17 | 11 | |
| 1BT4-04 | G1/4"X19 | R1/4"X19 | | 22 | 22 | 14 | |
| 1BT4-04-06 | G1/4"X19 | R3/8"X19 | | 22 | 22 | 17 | |
| 1BT4-06 | G3/8"X19 | R3/8"X19 | | 22 | 22 | 17 | |
| 1BT4-06-04 | G3/8"X19 | R1/4"X19 | | 22 | 22 | 17 | |
| 1BT4-06-08 | G3/8"X19 | R1/2"X14 | | 27 | 27 | 22 | |
| 1BT4-06-12 | G3/8"X19 | R3/4"X14 | | 33 | 33 | 27 | |
| 1BT4-08 | G1/2"X14 | R1/2"X14 | | 27 | 27 | 22 | |
| 1BT4-08-06 | G1/2"X14 | R3/8"X19 | | 27 | 27 | 22 | |
| 1BT4-08-12 | G1/2"X14 | R3/4"X14 | | 33 | 33 | 27 | |
| 1BT4-10-08 | G5/8"X14 | R1/2"X14 | | 27 | 27 | 22 | |
| 1BT4-10-12 | G5/8"X14 | R3/4"X14 | | 33 | 33 | 27 | |
| 1BT4-12 | G3/4"X14 | R3/4"X14 | | 33 | 33 | 27 | |
| 1BT4-12-08 | G3/4"X14 | R1/2"X14 | | 33 | 33 | 27 | |
| 1BT4-12-16 | G3/4"X14 | R1"X11 | | 37 | 37 | 33 | |
| 1BT4-16 | G1"X11 | R1"X11 | | 37 | 37 | 33 | |
| 1BT4-16-12 | G1"X11 | R3/4"X14 | | 37 | 37 | 33 | |
| 1BT4-16-20 | G1"X11 | R1.1/4"X11 | | 40 | 40 | 44 | |
| 1BT4-20 | G1.1/4"X11 | R1.1/4"X11 | | 40 | 40 | 44 | |
| 1BT4-20-16 | G1.1/4"X11 | R1"X11 | | 40 | 40 | 44 | |
| 1BT4-20-24 | G1.1/4"X11 | R1.1/2"X11 | | 47 | 47 | 52 | |
| 1BT4-24 | G1.1/2"X11 | R1.1/2"X11 | | 47 | 47 | 52 | |
| 1BT4-24-20 | G1.1/2"X11 | R1.1/4"X11 | | 47 | 47 | 52 | |
| 1BT4-24-32 | G1.1/2"X11 | R2"X11 | | 55 | 55 | 65 | |
| 1BT4-32 | G2"X11 | R2"X11 | | 55 | 55 | 65 | |
| 1BT4-32-24 | G2"X11 | R1.1/2"X11 | | 55 | 55 | 65 | |



1BT9

90 ° 英管外螺纹 60 ° 内锥 / 英锥管外螺纹
90 ° BSP MALE 60 ° SEAT / BSPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|------------|--|---------------|----|----|--|
| | E | F | | A | B | S1 | |
| 1BT9-02 | G1/8"X28 | R1/8"X28 | | 25 | 25 | 11 | |
| 1BT9-02-04 | G1/8"X28 | R1/4"X19 | | 27 | 29 | 14 | |
| 1BT9-04 | G1/4"X19 | R1/4"X19 | | 29 | 27 | 14 | |
| 1BT9-04-02 | G1/4"X19 | R1/8"X28 | | 29 | 27 | 14 | |
| 1BT9-04-06 | G1/4"X19 | R3/8"X19 | | 29 | 30 | 17 | |
| 1BT9-06 | G3/8"X19 | R3/8"X19 | | 30 | 29 | 17 | |
| 1BT9-06-04 | G3/8"X19 | R1/4"X19 | | 30 | 29 | 17 | |
| 1BT9-06-08 | G3/8"X19 | R1/2"X14 | | 37 | 37 | 22 | |
| 1BT9-08 | G1/2"X14 | R1/2"X14 | | 37 | 37 | 22 | |
| 1BT9-08-06 | G1/2"X14 | R3/8"X19 | | 37 | 37 | 22 | |
| 1BT9-08-12 | G1/2"X14 | R3/4"X14 | | 41 | 41 | 27 | |
| 1BT9-10-08 | G5/8"X14 | R1/2"X14 | | 41 | 41 | 27 | |
| 1BT9-10-12 | G5/8"X14 | R3/4"X14 | | 41 | 41 | 27 | |
| 1BT9-12 | G3/4"X14 | R3/4"X14 | | 41 | 41 | 27 | |
| 1BT9-12-08 | G3/4"X14 | R1/2"X14 | | 41 | 41 | 27 | |
| 1BT9-12-16 | G3/4"X14 | R1"X11 | | 49 | 49 | 33 | |
| 1BT9-16 | G1"X11 | R1"X11 | | 49 | 49 | 33 | |
| 1BT9-16-12 | G1"X11 | R3/4"X14 | | 49 | 49 | 33 | |
| 1BT9-16-20 | G1"X11 | R1.1/4"X11 | | 57 | 57 | 44 | |
| 1BT9-20 | G1.1/4"X11 | R1.1/4"X11 | | 57 | 57 | 44 | |
| 1BT9-20-16 | G1.1/4"X11 | R1"X11 | | 57 | 57 | 44 | |
| 1BT9-20-24 | G1.1/4"X11 | R1.1/2"X11 | | 57 | 57 | 48 | |
| 1BT9-24 | G1.1/2"X11 | R1.1/2"X11 | | 57 | 57 | 48 | |
| 1BT9-24-20 | G1.1/2"X11 | R1.1/4"X11 | | 57 | 57 | 48 | |
| 1BT9-24-32 | G1.1/2"X11 | R2"X11 | | 66 | 66 | 65 | |
| 1BT9-32 | G2"X11 | R2"X11 | | 66 | 66 | 65 | |
| 1BT9-32-24 | G2"X11 | R1.1/2"X11 | | 66 | 66 | 65 | |



1BN

英管外螺纹60°内锥六角或端面
组合垫密封/布锥管外螺纹
BSP MALE DOUBLE FOR 60° SEAT
BONDED SEAL/NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | 尺寸 DIMENSIONS | | L |
|----------------|------------|----------------|--|--|------|------|---------------|--|----|
| | E | F | | | | | S1 | | |
| 1BN-02 | G1/8"X28 | Z1/8"X27 | | | 10 | 10 | 14 | | 26 |
| 1BN-02-04 | G1/8"X28 | Z1/4"X18 | | | 10 | 14 | 14 | | 30 |
| 1BN-04 | G1/4"X19 | Z1/4"X18 | | | 12 | 14 | 19 | | 32 |
| 1BN-04-02 | G1/4"X19 | Z1/8"X27 | | | 12 | 10 | 19 | | 28 |
| 1BN-04-06 | G1/4"X19 | Z3/8"X18 | | | 12 | 14 | 19 | | 32 |
| 1BN-06 | G3/8"X19 | Z3/8"X18 | | | 13.5 | 14 | 22 | | 35 |
| 1BN-06-04 | G3/8"X19 | Z1/4"X18 | | | 13.5 | 14 | 22 | | 35 |
| 1BN-06-08 | G3/8"X19 | Z1/2"X14 | | | 13.5 | 19 | 22 | | 41 |
| 1BN-08 | G1/2"X14 | Z1/2"X14 | | | 16 | 19 | 27 | | 45 |
| 1BN-08-06 | G1/2"X14 | Z3/8"X18 | | | 16 | 14 | 27 | | 40 |
| 1BN-08-12 | G1/2"X14 | Z3/4"X14 | | | 16 | 19.5 | 27 | | 45 |
| 1BN-10-08 | G5/8"X14 | Z1/2"X14 | | | 17.5 | 19 | 30 | | 45 |
| 1BN-10-12 | G5/8"X14 | Z3/4"X14 | | | 17.5 | 19.5 | 30 | | 47 |
| 1BN-12 | G3/4"X14 | Z3/4"X14 | | | 18.5 | 19.5 | 32 | | 48 |
| 1BN-12-08 | G3/4"X14 | Z1/2"X14 | | | 18.5 | 19 | 32 | | 47 |
| 1BN-12-16 | G3/4"X14 | Z1"X11.5 | | | 18.5 | 24 | 36 | | 53 |
| 1BN-16 | G1"X11 | Z1"X11.5 | | | 20.5 | 24 | 41 | | 58 |
| 1BN-16-12 | G1"X11 | Z3/4"X14 | | | 20.5 | 19.5 | 41 | | 53 |
| 1BN-16-20 | G1"X11 | Z1.1 / 4"X11.5 | | | 20.5 | 25 | 46 | | 59 |
| 1BN-20 | G1.1/4"X11 | Z1.1 / 4"X11.5 | | | 20.5 | 25 | 50 | | 62 |
| 1BN-20-16 | G1.1/4"X11 | Z1"X11.5 | | | 20.5 | 24 | 50 | | 61 |
| 1BN-20-24 | G1.1/4"X11 | Z1.1 / 2"X11.5 | | | 20.5 | 25 | 50 | | 62 |
| 1BN-24 | G1.1/2"X11 | Z1.1 / 2"X11.5 | | | 23 | 25 | 55 | | 65 |
| 1BN-24-20 | G1.1/2"X11 | Z1.1 / 4"X11.5 | | | 23 | 25 | 55 | | 65 |
| 1BN-24-32 | G1.1/2"X11 | Z2"X11.5 | | | 23 | 29 | 65 | | 69 |
| 1BN-32 | G2"X11 | Z2"X11.5 | | | 25.5 | 29 | 70 | | 72 |
| 1BN-32-24 | G2"X11 | Z1.1 / 2"X11.5 | | | 25.5 | 25 | 70 | | 68 |



1BN4

45 ° 英管外螺纹60 ° 内锥/ 布锥管外螺纹
45 ° BSP MALE 60 ° SEAT /NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|----------------|--|--|---------------|----|----|--|
| | E | F | | | A | B | S1 | |
| 1BN4-04 | G1/4"X19 | Z1/4"X18 | | | 22 | 22 | 14 | |
| 1BN4-04-02 | G1/4"X19 | Z1/8"X27 | | | 22 | 22 | 14 | |
| 1BN4-06 | G3/8"X19 | Z3/8"X18 | | | 22 | 22 | 17 | |
| 1BN4-06-04 | G3/8"X19 | Z1/4"X18 | | | 22 | 22 | 17 | |
| 1BN4-06-08 | G3/8"X19 | Z1/2"X14 | | | 27 | 27 | 22 | |
| 1BN4-06-12 | G3/8"X19 | Z3/4"X14 | | | 33 | 33 | 27 | |
| 1BN4-08 | G1/2"X14 | Z1/2"X14 | | | 27 | 27 | 22 | |
| 1BN4-08-06 | G1/2"X14 | Z3/8"X18 | | | 27 | 27 | 22 | |
| 1BN4-12 | G3/4"X14 | Z3/4"X14 | | | 33 | 33 | 27 | |
| 1BN4-12-08 | G3/4"X14 | Z1/2"X14 | | | 33 | 33 | 27 | |
| 1BN4-12-16 | G3/4"X14 | Z1"X11.5 | | | 37 | 37 | 33 | |
| 1BN4-16 | G1"X11 | Z1"X11.5 | | | 37 | 37 | 33 | |
| 1BN4-16-12 | G1"X11 | Z3/4"X14 | | | 37 | 37 | 33 | |
| 1BN4-20 | G1.1/4"X11 | Z1.1 / 4"X11.5 | | | 40 | 40 | 44 | |
| 1BN4-24 | G1.1/2"X11 | Z1.1 / 2"X11.5 | | | 47 | 47 | 52 | |
| 1BN4-32 | G2"X11 | Z2"X11.5 | | | 55 | 55 | 65 | |



1BN9

90 ° 英管外螺纹60 ° 内锥/ 布锥管外螺纹
90 ° BSP MALE 60 ° SEAT /NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|----------------|--|--|---------------|----|----|--|
| | E | F | | | A | B | S1 | |
| 1BN9-04 | G1/4"X19 | Z1/4"X18 | | | 29 | 27 | 14 | |
| 1BN9-04-02 | G1/4"X19 | Z1/8"X27 | | | 29 | 27 | 14 | |
| 1BN9-06 | G3/8"X19 | Z3/8"X18 | | | 30 | 29 | 17 | |
| 1BN9-06-04 | G3/8"X19 | Z1/4"X18 | | | 30 | 29 | 17 | |
| 1BN9-06-08 | G3/8"X19 | Z1/2"X14 | | | 37 | 37 | 22 | |
| 1BN9-06-12 | G3/8"X19 | Z3/4"X14 | | | 41 | 41 | 27 | |
| 1BN9-08 | G1/2"X14 | Z1/2"X14 | | | 37 | 37 | 22 | |
| 1BN9-08-06 | G1/2"X14 | Z3/8"X18 | | | 37 | 37 | 22 | |
| 1BN9-12 | G3/4"X14 | Z3/4"X14 | | | 41 | 41 | 27 | |
| 1BN9-12-08 | G3/4"X14 | Z1/2"X14 | | | 41 | 41 | 27 | |
| 1BN9-12-16 | G3/4"X14 | Z1"X11.5 | | | 49 | 49 | 33 | |
| 1BN9-16 | G1"X11 | Z1"X11.5 | | | 49 | 49 | 33 | |
| 1BN9-16-12 | G1"X11 | Z3/4"X14 | | | 49 | 49 | 33 | |
| 1BN9-20 | G1.1/4"X11 | Z1.1 / 4"X11.5 | | | 57 | 57 | 44 | |
| 1BN9-24 | G1.1/2"X11 | Z1.1 / 2"X11.5 | | | 57 | 57 | 48 | |
| 1BN9-32 | G2"X11 | Z2"X11.5 | | | 66 | 66 | 65 | |



1BG

英管外螺纹60°内锥或六角端面
组合垫密封/ 英锥管外螺纹O型圈
BSP MALE DOUBLE FOR 60° SEAT
BONDED SEAL/BSPT MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | S1 | 尺寸 DIMENSIONS | |
|----------------|------------|------------|--|--|------|------|----|---------------|------|
| | E | F | | | | | | | L |
| 1BG-02 | G1/8"X28 | G1/8"X28 | | | 10 | 9 | 14 | | 25 |
| 1BG-04 | G1/4"X19 | G1/4"X19 | | | 12 | 12 | 19 | | 30 |
| 1BG-04-06 | G1/4"X19 | G3/8"X19 | | | 12 | 13.5 | 19 | | 31.5 |
| 1BG-06 | G3/8"X19 | G3/8"X19 | | | 13.5 | 13.5 | 22 | | 35 |
| 1BG-06-04 | G3/8"X19 | G1/4"X19 | | | 13.5 | 12 | 22 | | 33.5 |
| 1BG-06-08 | G3/8"X19 | G1/2"X14 | | | 13.5 | 16 | 27 | | 39.5 |
| 1BG-08 | G1/2"X14 | G1/2"X14 | | | 16 | 16 | 27 | | 42 |
| 1BG-08-06 | G1/2"X14 | G3/8"X19 | | | 16 | 13.5 | 27 | | 39.5 |
| 1BG-08-12 | G1/2"X14 | G3/4"X14 | | | 16 | 18.5 | 27 | | 44.5 |
| 1BG-10-08 | G5/8"X14 | G1/2"X14 | | | 17.5 | 16 | 30 | | 43.5 |
| 1BG-12 | G3/4"X14 | G3/4"X14 | | | 18.5 | 18.5 | 32 | | 47 |
| 1BG-12-08 | G3/4"X14 | G1/2"X14 | | | 18.5 | 16 | 32 | | 44.5 |
| 1BG-16-08 | G1"X11 | G1/2"X14 | | | 20.5 | 16 | 41 | | 48.5 |
| 1BG-16 | G1"X11 | G1"X11 | | | 20.5 | 20.5 | 41 | | 53 |
| 1BG-16-12 | G1"X11 | G3/4"X14 | | | 20.5 | 18.5 | 41 | | 51 |
| 1BG-20 | G1.1/4"X11 | G1.1/4"X11 | | | 20.5 | 20.5 | 50 | | 58 |
| 1BG-24 | G1.1/2"X11 | G1.1/2"X11 | | | 23 | 23 | 55 | | 63 |



1BG4-OG

45° 英管外螺纹 60° 内锥
英管外螺纹 O型圈可调向柱端
45° BSP MALE 60° SEAT/BSP
MALE O-RING ADJUSTABLE STUD END


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | S1 | S2 | | 尺寸 DIMENSIONS | |
|----------------|------------|------------|--|--|----|------|----|----|--|---------------|--|
| | E | F | | | | | | | | | |
| 1BG4-04OG | G1/4"X19 | G1/4"X19 | | | 22 | 28 | 14 | 19 | | | |
| 1BG4-04-06OG | G1/4"X19 | G3/8"X19 | | | 22 | 30 | 17 | 22 | | | |
| 1BG4-04-08OG | G1/4"X19 | G1/2"X14 | | | 27 | 36 | 22 | 27 | | | |
| 1BG4-06OG | G3/8"X19 | G3/8"X19 | | | 22 | 30 | 17 | 22 | | | |
| 1BG4-06-08OG | G3/8"X19 | G1/2"X14 | | | 27 | 36 | 22 | 27 | | | |
| 1BG4-08OG | G1/2"X14 | G1/2"X14 | | | 27 | 36 | 22 | 27 | | | |
| 1BG4-12OG | G3/4"X14 | G3/4"X14 | | | 33 | 42 | 27 | 32 | | | |
| 1BG4-12-16OG | G3/4"X14 | G1"X11 | | | 37 | 44 | 33 | 41 | | | |
| 1BG4-16OG | G1"X11 | G1"X11 | | | 37 | 44 | 33 | 41 | | | |
| 1BG4-20OG | G1.1/4"X11 | G1.1/4"X11 | | | 40 | 47.5 | 44 | 50 | | | |
| 1BG4-24OG | G1.1/2"X11 | G1.1/2"X11 | | | 47 | 51.5 | 52 | 55 | | | |



1BG9-OG

90° 英管外螺纹60° 内锥/
英管外螺纹O型圈可调向柱端
90° BSP MALE 60° SEAT/BSP
MALE O-RING ADJUSTABLE STUD END


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | 尺寸 DIMENSIONS | | |
|----------------|------------|------------|--|--|----|------|---------------|----|--|
| | E | F | | | | | S1 | S2 | |
| 1BG9-04OG | G1/4"X19 | G1/4"X19 | | | 29 | 31.5 | 14 | 19 | |
| 1BG9-04-06OG | G1/4"X19 | G3/8"X19 | | | 30 | 36.8 | 17 | 22 | |
| 1BG9-06OG | G3/8"X19 | G3/8"X19 | | | 30 | 36.8 | 17 | 22 | |
| 1BG9-06-08OG | G3/8"X19 | G1/2"X14 | | | 37 | 43.2 | 22 | 27 | |
| 1BG9-08OG | G1/2"X14 | G1/2"X14 | | | 37 | 43.2 | 22 | 27 | |
| 1BG9-08-12OG | G1/2"X14 | G3/4"X14 | | | 41 | 49.3 | 27 | 32 | |
| 1BG9-12OG | G3/4"X14 | G3/4"X14 | | | 41 | 49.3 | 27 | 32 | |
| 1BG9-12-16OG | G3/4"X14 | G1"X11 | | | 49 | 53 | 33 | 41 | |
| 1BG9-16OG | G1"X11 | G1"X11 | | | 49 | 53 | 33 | 41 | |
| 1BG9-20-16OG | G1.1/4"X11 | G1"X11 | | | 57 | 58 | 44 | 41 | |
| 1BG9-20OG | G1.1/4"X11 | G1.1/4"X11 | | | 57 | 58 | 44 | 50 | |
| 1BG9-24OG | G1.1/2"X11 | G1.1/2"X11 | | | 57 | 63 | 48 | 55 | |



1BH

英管外螺纹60°内锥或六角端面
组合垫密封/公制外螺纹轻系列
BSP MALE DOUBLE FOR 60° SEAT
BONDED SEAL/METRIC MALE L-SERIES


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | S1 | 尺寸 DIMENSIONS | |
|----------------|------------|---------|--|--|------|----|----|---------------|------|
| | E | F | | | | | | | L |
| 1BH-02-10 | G1/8"X28 | M10x1 | | | 10 | 11 | 14 | | 27 |
| 1BH-02-12 | G1/8"X28 | M12x1.5 | | | 10 | 11 | 14 | | 27 |
| 1BH-04-12 | G1/4"X19 | M12x1.5 | | | 12 | 11 | 19 | | 29 |
| 1BH-04-14 | G1/4"X19 | M14x1.5 | | | 12 | 11 | 19 | | 29 |
| 1BH-04-16 | G1/4"X19 | M16x1.5 | | | 12 | 11 | 19 | | 29 |
| 1BH-06-14 | G3/8"X19 | M14x1.5 | | | 13.5 | 11 | 22 | | 32.5 |
| 1BH-06-16 | G3/8"X19 | M16x1.5 | | | 13.5 | 11 | 22 | | 32.5 |
| 1BH-06-18 | G3/8"X19 | M18x1.5 | | | 13.5 | 11 | 22 | | 32.5 |
| 1BH-08-18 | G1/2"X14 | M18x1.5 | | | 16 | 11 | 27 | | 37 |
| 1BH-08-22 | G1/2"X14 | M22x1.5 | | | 16 | 12 | 27 | | 38 |
| 1BH-10-22 | G5/8"X14 | M22x1.5 | | | 17.5 | 12 | 30 | | 39.5 |
| 1BH-12-16 | G3/4"X14 | M16x1.5 | | | 18.5 | 11 | 32 | | 39.5 |
| 1BH-12-22 | G3/4"X14 | M22x1.5 | | | 18.5 | 12 | 32 | | 40.5 |
| 1BH-12-27 | G3/4"X14 | M27x1.5 | | | 18.5 | 13 | 32 | | 41.5 |
| 1BH-16-27 | G1"X11 | M27x1.5 | | | 20.5 | 13 | 41 | | 45.5 |



1BH4-OG

45° 英管外螺纹 60° 内锥 /
公制外螺纹轻系列 45°
BSP MALE 60° SEAT/
METRIC MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | S1 | S2 | | 尺寸 DIMENSIONS | |
|----------------|------------|---------|--|--|----|------|----|----|--|---------------|--|
| | E | F | | | | | | | | A | |
| 1BH4-02-10OG | G1/8"X28 | M10x1 | | | 20 | 23.5 | 11 | 14 | | | |
| 1BH4-02-12OG | G1/8"X28 | M12x1.5 | | | 20 | 27.5 | 11 | 17 | | | |
| 1BH4-04-12OG | G1/4"X19 | M12x1.5 | | | 22 | 28.3 | 14 | 17 | | | |
| 1BH4-04-14OG | G1/4"X19 | M14x1.5 | | | 22 | 28.3 | 14 | 19 | | | |
| 1BH4-04-16OG | G1/4"X19 | M16x1.5 | | | 22 | 29.3 | 17 | 22 | | | |
| 1BH4-06-14OG | G3/8"X19 | M14x1.5 | | | 22 | 28.8 | 17 | 19 | | | |
| 1BH4-06-16OG | G3/8"X19 | M16x1.5 | | | 22 | 29.3 | 17 | 22 | | | |
| 1BH4-06-18OG | G3/8"X19 | M18x1.5 | | | 25 | 31 | 19 | 24 | | | |
| 1BH4-08-18OG | G1/2"X14 | M18x1.5 | | | 27 | 33.3 | 22 | 24 | | | |
| 1BH4-08-22OG | G1/2"X14 | M22x1.5 | | | 33 | 33.3 | 27 | 27 | | | |
| 1BH4-10-22OG | G5/8"X14 | M22x1.5 | | | 33 | 33.3 | 27 | 27 | | | |
| 1BH4-12-22OG | G3/4"X14 | M22x1.5 | | | 33 | 34.5 | 27 | 27 | | | |
| 1BH4-12-27OG | G3/4"X14 | M27x1.5 | | | 33 | 39.5 | 27 | 32 | | | |
| 1BH4-16-27OG | G1"X11 | M27x1.5 | | | 37 | 40.5 | 33 | 32 | | | |



1BH9-OG

90 ° 英管外螺纹60 ° 内锥/
公制外螺纹轻系列 90 °
BSP MALE 60 ° SEAT/
METRIC MALE O-RING

| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|--|--|---------------|------|----|----|--|
| | E | F | | | A | B | S1 | S2 | |
| 1BH9-02-10OG | G1/8"X28 | M10x1 | | | 25 | 26.5 | 11 | 14 | |
| 1BH9-02-12OG | G1/8"X28 | M12x1.5 | | | 25 | 30.5 | 11 | 17 | |
| 1BH9-04-12OG | G1/4"X19 | M12x1.5 | | | 29 | 32 | 14 | 17 | |
| 1BH9-04-14OG | G1/4"X19 | M14x1.5 | | | 29 | 32.5 | 14 | 19 | |
| 1BH9-04-16OG | G1/4"X19 | M16x1.5 | | | 30 | 34.8 | 17 | 22 | |
| 1BH9-06-14OG | G3/8"X19 | M14x1.5 | | | 30 | 34 | 17 | 19 | |
| 1BH9-06-16OG | G3/8"X19 | M16x1.5 | | | 30 | 34.8 | 17 | 22 | |
| 1BH9-06-18OG | G3/8"X19 | M18x1.5 | | | 33 | 37 | 19 | 24 | |
| 1BH9-08-18OG | G1/2"X14 | M18x1.5 | | | 37 | 39.5 | 22 | 24 | |
| 1BH9-08-22OG | G1/2"X14 | M22x1.5 | | | 40 | 40.2 | 27 | 27 | |
| 1BH9-10-22OG | G5/8"X14 | M22x1.5 | | | 40 | 40.2 | 27 | 27 | |
| 1BH9-12-22OG | G3/4"X14 | M22x1.5 | | | 40 | 43.5 | 27 | 27 | |
| 1BH9-12-27OG | G3/4"X14 | M27x1.5 | | | 40 | 48.5 | 27 | 32 | |
| 1BH9-16-27OG | G1"X11 | M27x1.5 | | | 49 | 52 | 33 | 32 | |



1BJ


英管外螺纹60°内锥或六角端面组合垫密封/美制JIC外螺纹74°外锥
BSP MALE DOUBLE FOR 60° SEAT
BONDED SEAL/JIC MALE 74° CONE

| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | | |
|----------------|------------|-------------|--|---------------|------|----|------|--|--|
| | E | F | | A | B | S1 | L | | |
| 1BJ-02-04 | G1/8"X28 | U7/16"X20 | | 10 | 14 | 14 | 30 | | |
| 1BJ-02-05 | G1/8"X28 | U1/2"X20 | | 10 | 14 | 14 | 30 | | |
| 1BJ-02-06 | G1/8"X28 | U9/16"X18 | | 10 | 14 | 14 | 30 | | |
| 1BJ-04 | G1/4"X19 | U7/16"X20 | | 12 | 14 | 19 | 32 | | |
| 1BJ-04-05 | G1/4"X19 | U1/2"X20 | | 12 | 14 | 19 | 32 | | |
| 1BJ-04-06 | G1/4"X19 | U9/16"X18 | | 12 | 14 | 19 | 32 | | |
| 1BJ-04-08 | G1/4"X19 | U3/4"X16 | | 12 | 16.7 | 19 | 37 | | |
| 1BJ-04-10 | G1/4"X19 | U7/8"X14 | | 12 | 19.5 | 22 | 39.5 | | |
| 1BJ-06 | G3/8"X19 | U9/16"X18 | | 13.5 | 14 | 22 | 35 | | |
| 1BJ-06-04 | G3/8"X19 | U7/16"X20 | | 13.5 | 14 | 22 | 35 | | |
| 1BJ-06-05 | G3/8"X19 | U1/2"X20 | | 13.5 | 14 | 22 | 35 | | |
| 1BJ-06-08 | G3/8"X19 | U3/4"X16 | | 13.5 | 16.7 | 22 | 38 | | |
| 1BJ-06-10 | G3/8"X19 | U7/8"X14 | | 13.5 | 19.5 | 22 | 41 | | |
| 1BJ-06-12 | G3/8"X19 | U1.1/16"X12 | | 13.5 | 22 | 30 | 44.5 | | |
| 1BJ-08 | G1/2"X14 | U3/4"X16 | | 16 | 16.7 | 27 | 42 | | |
| 1BJ-08-04 | G1/2"X14 | U7/16"X20 | | 16 | 14 | 27 | 40 | | |
| 1BJ-08-05 | G1/2"X14 | U1/2"X20 | | 16 | 14 | 27 | 40 | | |
| 1BJ-08-06 | G1/2"X14 | U9/16"X18 | | 16 | 14 | 27 | 40 | | |
| 1BJ-08-10 | G1/2"X14 | U7/8"X14 | | 16 | 19.5 | 27 | 45.5 | | |
| 1BJ-08-12 | G1/2"X14 | U1.1/16"X12 | | 16 | 22 | 30 | 47 | | |
| 1BJ-08-16 | G1/2"X14 | U1.5/16"X12 | | 16 | 23 | 36 | 50 | | |
| 1BJ-10 | G5/8"X14 | U7/8"X14 | | 17.5 | 19.5 | 30 | 46 | | |
| 1BJ-10-08 | G5/8"X14 | U3/4"X16 | | 17.5 | 16.7 | 30 | 43 | | |
| 1BJ-10-12 | G5/8"X14 | U1.1/16"X12 | | 17.5 | 22 | 30 | 48.5 | | |
| 1BJ-10-16 | G5/8"X14 | U1.5/16"X12 | | 17.5 | 23 | 36 | 51.5 | | |
| 1BJ-12 | G3/4"X14 | U1.1/16"X12 | | 18.5 | 22 | 32 | 50 | | |
| 1BJ-12-06 | G3/4"X14 | U9/16"X18 | | 18.5 | 14 | 32 | 42 | | |
| 1BJ-12-08 | G3/4"X14 | U3/4"X16 | | 18.5 | 16.7 | 32 | 46 | | |
| 1BJ-12-10 | G3/4"X14 | U7/8"X14 | | 18.5 | 19.5 | 32 | 49 | | |

接上页


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|-------------|--|--|---------------|------|----|------|--|
| | E | F | | | A | B | S1 | L | |
| 1BJ-12-16 | G3/4"X14 | U1.5/16"X12 | | | 18.5 | 23 | 36 | 52 | |
| 1BJ-12-20 | G3/4"X14 | U1.5/8"X12 | | | 18.5 | 24.5 | 46 | 56 | |
| 1BJ-16 | G1"X11 | U1.5/16"X12 | | | 20.5 | 23 | 41 | 56 | |
| 1BJ-16-08 | G1"X11 | U3/4"X16 | | | 20.5 | 16.7 | 41 | 49 | |
| 1BJ-16-10 | G1"X11 | U7/8"X14 | | | 20.5 | 19.5 | 41 | 52 | |
| 1BJ-16-12 | G1"X11 | U1.1/16"X12 | | | 20.5 | 22 | 41 | 54 | |
| 1BJ-16-20 | G1"X11 | U1.5/8"X12 | | | 20.5 | 24.5 | 46 | 59.5 | |
| 1BJ-20 | G1.1/4"X11 | U1.5/8"X12 | | | 20.5 | 24.5 | 50 | 62 | |
| 1BJ-20-12 | G1.1/4"X11 | U1.1/16"X12 | | | 20.5 | 22 | 50 | 59 | |
| 1BJ-20-16 | G1.1/4"X11 | U1.5/16"X12 | | | 20.5 | 23 | 50 | 60 | |
| 1BJ-20-24 | G1.1/4"X11 | U1.7/8"X12 | | | 20.5 | 27.5 | 50 | 65 | |
| 1BJ-24-16 | G1.1/2"X11 | U1.5/16"X12 | | | 23 | 23 | 55 | 63 | |
| 1BJ-24-20 | G1.1/2"X11 | U1.5/8"X12 | | | 23 | 24.5 | 55 | 64 | |
| 1BJ-24 | G1.1/2"X11 | U1.7/8"X12 | | | 23 | 27.5 | 55 | 67 | |
| 1BJ-24-32 | G1.1/2"X11 | U2.1/2"X12 | | | 23 | 34 | 65 | 74 | |
| 1BJ-32 | G2"X11 | U2.1/2"X12 | | | 25.5 | 34 | 70 | 77 | |
| 1BJ-32-24 | G2"X11 | U1.7/8"X12 | | | 25.5 | 27.5 | 70 | 71 | |

1BJ4



45 ° 英管外螺纹 60 ° 内锥 /
美制JIC外螺纹 74 ° 外锥
45 ° BSP MALE 60 ° SEAT/
JIC MALE 74 ° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | | |
|----------------|------------|-------------|--|--|----|---------------|----|--|--|
| | E | F | | | | B | S1 | | |
| 1BJ4-04 | G1/4"X19 | U7/16"X20 | | | 22 | 22 | 14 | | |
| 1BJ4-04-05 | G1/4"X19 | U1/2"X20 | | | 22 | 22 | 14 | | |
| 1BJ4-04-06 | G1/4"X19 | U9/16"X18 | | | 22 | 22 | 14 | | |
| 1BJ4-06 | G3/8"X19 | U9/16"X18 | | | 22 | 22 | 17 | | |
| 1BJ4-06-08 | G3/8"X19 | U3/4"X16 | | | 25 | 25 | 19 | | |
| 1BJ4-08 | G1/2"X14 | U3/4"X16 | | | 27 | 27 | 22 | | |
| 1BJ4-08-10 | G1/2"X14 | U7/8"X14 | | | 27 | 27 | 22 | | |
| 1BJ4-10 | G5/8"X14 | U7/8"X14 | | | 33 | 33 | 27 | | |
| 1BJ4-12 | G3/4"X14 | U1.1/16"X12 | | | 33 | 33 | 27 | | |
| 1BJ4-16 | G1"X11 | U1.5/16"X12 | | | 37 | 37 | 33 | | |
| 1BJ4-16-20 | G1"X11 | U1.5/8"X12 | | | 40 | 40 | 44 | | |
| 1BJ4-20 | G1.1/4"X11 | U1.5/8"X12 | | | 40 | 40 | 44 | | |
| 1BJ4-24 | G1.1/2"X11 | U1.7/8"X12 | | | 47 | 47 | 53 | | |
| 1BJ4-32 | G2"X11 | U2.1/2"X12 | | | 55 | 55 | 65 | | |



1BJ9

90° 英管外螺纹 60° 内锥 /
美制JIC外螺纹 74° 外锥
90° BSP MALE 60° SEAT/
JIC MALE 74° CONE


| 代号 PART NO. | 螺纹 THREADE | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|-------------|---------------|----|----|----|--|
| | E | F | A | B | S1 | | |
| 1BJ9-04 | G1/4"X19 | U7/16"X20 | | 27 | 29 | 14 | |
| 1BJ9-04-05 | G1/4"X19 | U1/2"X20 | | 27 | 29 | 14 | |
| 1BJ9-04-06 | G1/4"X19 | U9/16"X18 | | 27 | 29 | 14 | |
| 1BJ9-06 | G3/8"X19 | U9/16"X18 | | 29 | 30 | 17 | |
| 1BJ9-06-08 | G3/8"X19 | U3/4"X16 | | 33 | 33 | 19 | |
| 1BJ9-08 | G1/2"X14 | U3/4"X16 | | 37 | 37 | 22 | |
| 1BJ9-08-10 | G1/2"X14 | U7/8"X14 | | 37 | 37 | 22 | |
| 1BJ9-10 | G5/8"X14 | U7/8"X14 | | 40 | 40 | 27 | |
| 1BJ9-12 | G3/4"X14 | U1.1/16"X12 | | 40 | 40 | 27 | |
| 1BJ9-16 | G1"X11 | U1.5/16"X12 | | 49 | 49 | 33 | |
| 1BJ9-16-20 | G1"X11 | U1.5/8"X12 | | 57 | 57 | 44 | |
| 1BJ9-20 | G1.1/4"X11 | U1.5/8"X12 | | 57 | 57 | 44 | |
| 1BJ9-24 | G1.1/2"X11 | U1.7/8"X12 | | 57 | 57 | 48 | |
| 1BJ9-32 | G2"X11 | U2.1/2"X12 | | 66 | 66 | 65 | |



1BM

英管外螺纹60°内锥或六角端面组合垫密封/
公制外螺纹60°内锥或六角端面组合垫密封
BSP MALE 60° SEAT DOUBLE 60° SEAT
BONDED SEAL / METRIC MALE
DOUBLE 60° SEAT BONDED SEAL


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | | |
|----------------|------------|---------|--|---------------|------|----|----|------|--|
| | E | F | | A | B | S1 | L | | |
| 1BM-02-12 | G1/8"X28 | M12x1.5 | | | 10 | 10 | 17 | 28 | |
| 1BM-04-12 | G1/4"X19 | M12x1.5 | | | 12 | 10 | 19 | 30 | |
| 1BM-04-14 | G1/4"X19 | M14x1.5 | | | 12 | 11 | 19 | 31 | |
| 1BM-04-16 | G1/4"X19 | M16x1.5 | | | 12 | 12 | 22 | 34 | |
| 1BM-04-18 | G1/4"X19 | M18x1.5 | | | 12 | 12 | 24 | 34 | |
| 1BM-06-12 | G3/8"X19 | M12x1.5 | | | 13.5 | 10 | 22 | 32.5 | |
| 1BM-06-14 | G3/8"X19 | M14x1.5 | | | 13.5 | 11 | 22 | 33.5 | |
| 1BM-06-16 | G3/8"X19 | M16x1.5 | | | 13.5 | 12 | 22 | 34.5 | |
| 1BM-06-18 | G3/8"X19 | M18x1.5 | | | 13.5 | 12 | 24 | 34.5 | |
| 1BM-06-22 | G3/8"X19 | M22x1.5 | | | 13.5 | 14 | 27 | 39.5 | |
| 1BM-08-14 | G1/2"X14 | M14x1.5 | | | 16 | 11 | 27 | 39 | |
| 1BM-08-16 | G1/2"X14 | M16x1.5 | | | 16 | 12 | 27 | 40 | |
| 1BM-08-18 | G1/2"X14 | M18x1.5 | | | 16 | 12 | 27 | 40 | |
| 1BM-08-22 | G1/2"X14 | M22x1.5 | | | 16 | 14 | 27 | 42 | |
| 1BM-10-22 | G5/8"X14 | M22x1.5 | | | 17.5 | 14 | 30 | 43.5 | |
| 1BM-12-18 | G3/4"X14 | M18x1.5 | | | 18.5 | 12 | 32 | 42.5 | |
| 1BM-12-22 | G3/4"X14 | M22x1.5 | | | 18.5 | 14 | 32 | 44.5 | |
| 1BM-16-14 | G1"X11 | M14x1.5 | | | 20.5 | 11 | 41 | 46 | |
| 1BM-16-22 | G1"X11 | M22x1.5 | | | 20.5 | 14 | 41 | 49 | |



1BO

英管外螺纹60°内锥或六角端面组合垫密封
/美制SAE外螺纹带O型圈轻系列
BSP MALE 60° SEAT BONDED SEAL
/SAE O-RING BOSS L-SERIES


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | S1 | 尺寸 DIMENSIONS | |
|----------------|------------|-------------|--|--|------|------|----|---------------|--|
| | E | F | | | | | | L | |
| 1BO-04 | G1/4"X19 | U7/16"X20 | | | 12 | 10 | 19 | 28 | |
| 1BO-04-05 | G1/4"X19 | U1/2"X20 | | | 12 | 10 | 19 | 28 | |
| 1BO-04-06 | G1/4"X19 | U9/16"X18 | | | 12 | 12 | 19 | 30 | |
| 1BO-04-08 | G1/4"X19 | U3/4"X16 | | | 12 | 12 | 22 | 32 | |
| 1BO-06 | G3/8"X19 | U9/16"X18 | | | 13.5 | 12 | 22 | 33.5 | |
| 1BO-06-04 | G3/8"X19 | U7/16"X20 | | | 13.5 | 10 | 22 | 31.5 | |
| 1BO-06-08 | G3/8"X19 | U3/4"X16 | | | 13.5 | 12 | 24 | 33.5 | |
| 1BO-06-10 | G3/8"X19 | U7/8"X14 | | | 13.5 | 13.5 | 27 | 37 | |
| 1BO-08 | G1/2"X14 | U3/4"X16 | | | 16 | 12 | 27 | 38 | |
| 1BO-08-06 | G1/2"X14 | U9/16"X18 | | | 16 | 12 | 27 | 38 | |
| 1BO-08-10 | G1/2"X14 | U7/8"X14 | | | 16 | 13.5 | 27 | 39.5 | |
| 1BO-08-12 | G1/2"X14 | U1.1/16"X12 | | | 16 | 16 | 32 | 42 | |
| 1BO-10 | G5/8"X14 | U7/8"X14 | | | 17.5 | 13.5 | 30 | 41 | |
| 1BO-10-08 | G5/8"X14 | U7/8"X14 | | | 17.5 | 12 | 30 | 39.5 | |
| 1BO-10-12 | G5/8"X14 | U1.1/16"X12 | | | 17.5 | 16 | 32 | 43.5 | |
| 1BO-12 | G3/4"X14 | U1.1/16"X12 | | | 18.5 | 16 | 32 | 44.5 | |
| 1BO-12-08 | G3/4"X14 | U3/4"X16 | | | 18.5 | 12 | 32 | 40.5 | |
| 1BO-12-10 | G3/4"X14 | U7/8"X14 | | | 18.5 | 13.5 | 32 | 42 | |
| 1BO-12-16 | G3/4"X14 | U1.5/16"X12 | | | 18.5 | 17 | 41 | 47.5 | |
| 1BO-16 | G1"X11 | U1.5/16"X12 | | | 20.5 | 17 | 41 | 49.5 | |
| 1BO-16-10 | G1"X11 | U7/8"X14 | | | 20.5 | 13.5 | 41 | 46 | |
| 1BO-16-12 | G1"X11 | U1.1/16"X12 | | | 20.5 | 16 | 41 | 48.5 | |
| 1BO-16-20 | G1"X11 | U1.5/8"X12 | | | 20.5 | 18 | 50 | 55.5 | |
| 1BO-20 | G1.1/4"X11 | U1.5/8"X12 | | | 20.5 | 18 | 50 | 55.5 | |
| 1BO-20-16 | G1.1/4"X11 | U1.5/16"X12 | | | 20.5 | 17 | 50 | 54.5 | |
| 1BO-24 | G1.1/2"X11 | U1.7/8"X12 | | | 23 | 18.5 | 55 | 58.5 | |



1BW

英管外螺纹60°内锥或六角
端面组合垫密封/焊接管BSP
MALE 60° SEAT BONDEDSEAL
/BUTT-WELD TUBE


| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--|----------------|--|--|---------------|----|----|------|--|
| | E | | D | | | A | B | S1 | L | |
| 1BW-04-10 | G1/4"X19 | | 10 | | | 12 | 7 | 19 | 25 | |
| 1BW-06-14 | G3/8"X19 | | 14 | | | 13.5 | 8 | 22 | 29.5 | |
| 1BW-08-18 | G1/2"X14 | | 18 | | | 16 | 10 | 27 | 36 | |
| 1BW-12-22 | G3/4"X14 | | 22 | | | 18.5 | 10 | 32 | 38.5 | |
| 1BW-12-28 | G3/4"X14 | | 28 | | | 18.5 | 12 | 32 | 40.5 | |
| 1BW-16-28 | G1"X11 | | 28 | | | 20.5 | 12 | 41 | 44.5 | |
| 1BW-16-30 | G1"X11 | | 30 | | | 20.5 | 12 | 41 | 44.5 | |
| 1BW-20-34 | G1.1/4"X11 | | 34 | | | 20.5 | 14 | 50 | 51.5 | |
| 1BW-20-36 | G1.1/4"X11 | | 36 | | | 20.5 | 14 | 50 | 51.5 | |
| 1BW-20-42 | G1.1/4"X11 | | 42 | | | 20.5 | 16 | 50 | 53.5 | |
| 1BW-24-36 | G1.1/2"X11 | | 36 | | | 23 | 14 | 55 | 54 | |
| 1BW-24-42 | G1.1/4"X11 | | 42 | | | 23 | 16 | 55 | 56 | |
| 1BW-24-50 | G1.1/2"X11 | | 50 | | | 23 | 16 | 55 | 56 | |



2WB

焊接管/ 英管内螺纹60°外锥
BUTT-WELD TUBE/BSP FEMALE 60° CONE

| 代号 PART NO. | 螺纹 THREADE | | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--|----------------|--|--|---------------|--|----|--|--|
| | E | | D | | | C | | S1 | | |
| 2WB-10-04 | G1/4"X19 | | 10 | | | 5.5 | | 19 | | |
| 2WB-14-06 | G3/8"X19 | | 14 | | | 6.5 | | 22 | | |
| 2WB-18-08 | G1/2"X14 | | 18 | | | 8 | | 27 | | |
| 2WB-22-08 | G1/2"X14 | | 22 | | | 8 | | 27 | | |
| 2WB-22-12 | G3/4"X14 | | 22 | | | 11.5 | | 32 | | |
| 2WB-28-16 | G1"X11 | | 28 | | | 11.5 | | 41 | | |
| 2WB-34-20 | G1.1/4"X11 | | 34 | | | 12 | | 50 | | |
| 2WB-42-20 | G1.1/4"X11 | | 42 | | | 12 | | 50 | | |
| 2WB-50-24 | G1.1/2"X11 | | 50 | | | 13 | | 55 | | |



1B-WD


英管外螺纹60°内锥或六角端面组合垫密封

/英管外螺纹胶垫密封

BSP MALE 60° SEAT BONDED SEAL

/BSP MALE CAPTIVE SEAL


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|--|---------------|------|----|------|--|
| | E | F | | A | B | S1 | L | |
| 1B-04WD | G1/4"X19 | G1/4"X19 | | 12 | 12 | 19 | 32 | |
| 1B-04-06WD | G1/4"X19 | G3/8"X19 | | 12 | 13.5 | 22 | 36 | |
| 1B-04-08WD | G1/4"X19 | G1/2"X14 | | 12 | 16 | 27 | 41 | |
| 1B-06WD | G3/8"X19 | G3/8"X19 | | 13.5 | 13.5 | 22 | 35.5 | |
| 1B-06-08WD | G3/8"X19 | G1/2"X14 | | 13.5 | 16 | 27 | 42.5 | |
| 1B-08WD | G1/2"X14 | G1/2"X14 | | 16 | 16 | 27 | 45 | |
| 1B-08-12WD | G1/2"X14 | G3/4"X14 | | 16 | 18.5 | 32 | 48.5 | |
| 1B-12WD | G3/4"X14 | G3/4"X14 | | 18.5 | 18.5 | 32 | 49 | |
| 1B-12-16WD | G3/4"X14 | G1"X11 | | 18.5 | 20.5 | 41 | 55 | |
| 1B-16WD | G1"X11 | G1"X11 | | 20.5 | 20.5 | 41 | 57 | |
| 1B-16-20WD | G1"X11 | G1.1/4"X11 | | 20.5 | 20.5 | 50 | 59 | |
| 1B-20WD | G1.1/4"X11 | G1.1/4"X11 | | 20.5 | 20.5 | 50 | 59 | |



2BJ

英管外螺纹60°内锥或六角端面组合垫密封/美制JIC内螺纹74°内锥
BSP MALE DOUBLE FOR 60° SEAT
BONDED SEAL/JIC FEMALE 74° SEAT


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | | |
|----------------|------------|-------------|--|--|------|---------------|----|----|--|
| | E | F | | | | C | S1 | S2 | |
| 2BJ-02-04 | G1/8"X28 | U7/16"X20 | | | 10 | 8.5 | 14 | 17 | |
| 2BJ-02-06 | G1/8"X28 | U9/16"X18 | | | 10 | 10 | 14 | 19 | |
| 2BJ-04 | G1/4"X19 | U7/16"X20 | | | 12 | 8.5 | 19 | 17 | |
| 2BJ-04-05 | G1/4"X19 | U1/2"X20 | | | 12 | 9.5 | 19 | 19 | |
| 2BJ-04-06 | G1/4"X19 | U9/16"X18 | | | 12 | 10 | 19 | 19 | |
| 2BJ-04-08 | G1/4"X19 | U3/4"X16 | | | 12 | 11 | 19 | 24 | |
| 2BJ-06 | G3/8"X19 | U9/16"X18 | | | 13.5 | 10 | 22 | 19 | |
| 2BJ-06-08 | G3/8"X19 | U3/4"X16 | | | 13.5 | 11 | 22 | 24 | |
| 2BJ-06-10 | G3/8"X19 | U7/8"X14 | | | 13.5 | 11 | 22 | 27 | |
| 2BJ-08 | G1/2"X14 | U3/4"X16 | | | 16 | 11 | 27 | 24 | |
| 2BJ-08-06 | G1/2"X14 | U9/16"X18 | | | 16 | 10 | 27 | 19 | |
| 2BJ-08-10 | G1/2"X14 | U7/8"X14 | | | 16 | 11 | 27 | 27 | |
| 2BJ-10 | G5/8"X14 | U7/8"X14 | | | 17.5 | 11 | 30 | 27 | |
| 2BJ-12 | G3/4"X14 | U1.1/16"X12 | | | 18.5 | 13.5 | 32 | 32 | |
| 2BJ-12-08 | G3/4"X14 | U3/4"X16 | | | 18.5 | 11 | 32 | 24 | |
| 2BJ-12-10 | G3/4"X14 | U7/8"X14 | | | 18.5 | 11 | 32 | 27 | |
| 2BJ-12-16 | G3/4"X14 | U1.5/16"X12 | | | 18.5 | 14.5 | 32 | 41 | |
| 2BJ-16 | G1"X11 | U1.5/16"X12 | | | 20.5 | 14.5 | 41 | 41 | |
| 2BJ-16-20 | G1"X11 | U1.5/8"X12 | | | 20.5 | 15.5 | 41 | 50 | |
| 2BJ-20 | G1.1/4"X11 | U1.5/8"X12 | | | 20.5 | 15.5 | 50 | 50 | |
| 2BJ-20-24 | G1.1/4"X11 | U1.7/8"X12 | | | 20.5 | 18.5 | 50 | 55 | |
| 2BJ-24 | G1.1/2"X11 | U1.7/8"X12 | | | 23 | 18.5 | 55 | 55 | |
| 2BJ-32 | G2"X11 | U2.1/2"X12 | | | 25.5 | 24.5 | 70 | 75 | |



2BJ-WD

英管外螺纹胶垫密封/
美制JIC内螺纹74 ° 内锥
BSP MALE CAPTIVE SEAL/
JIC FEMALE 74 ° SEAT


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|-------------|--|---------------|------|----|----|--|
| | E | F | | A | C | S1 | S2 | |
| 2BJ-02-04WD | G1/8"X28 | U7/16"X20 | | 10 | 8.5 | 14 | 17 | |
| 2BJ-04-05WD | G1/4"X19 | U1/2"X20 | | 12 | 9.5 | 19 | 19 | |
| 2BJ-04-06WD | G1/4"X19 | U9/16"X18 | | 12 | 10 | 19 | 19 | |
| 2BJ-04-08WD | G1/4"X19 | U3/4"X16 | | 12 | 11 | 19 | 24 | |
| 2BJ-04WD | G1/4"X19 | U7/16"X20 | | 12 | 8.5 | 19 | 17 | |
| 2BJ-06-08WD | G3/8"X19 | U3/4"X16 | | 13.5 | 11 | 22 | 24 | |
| 2BJ-06WD | G3/8"X19 | U9/16"X18 | | 13.5 | 10 | 22 | 19 | |
| 2BJ-08-06WD | G1/2"X14 | U9/16"X18 | | 16 | 10 | 27 | 19 | |
| 2BJ-08-10WD | G1/2"X14 | U7/8"X14 | | 16 | 11 | 27 | 27 | |
| 2BJ-08WD | G1/2"X14 | U3/4"X16 | | 16 | 11 | 27 | 24 | |
| 2BJ-12-16WD | G3/4"X14 | U1.5/16"X12 | | 18.5 | 14.5 | 32 | 41 | |
| 2BJ-12WD | G3/4"X14 | U1.1/16"X12 | | 18.5 | 13.5 | 32 | 32 | |
| 2BJ-16WD | G1"X11 | U1.5/16"X12 | | 20.5 | 14.5 | 41 | 41 | |
| 2BJ-20-16WD | G1.1/4"X11 | U1.5/16"X12 | | 20.5 | 14.5 | 50 | 41 | |
| 2BJ-20WD | G1.1/4"X11 | U1.5/8"X12 | | 20.5 | 15.5 | 50 | 50 | |
| 2BJ-24WD | G1.1/2"X11 | U1.7/8"X12 | | 23 | 18.5 | 55 | 55 | |



2TB

英锥管外螺纹/ 英管内螺纹60° 外锥
BSPT MALE/BSP FEMALE 60° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| 2TB-02 | ZG1/8"X28 | G1/8"X28 | | | 10 | 5.5 | 12 | 14 | |
| 2TB-02-04 | ZG1/8"X28 | G1/4"X19 | | | 10 | 5.5 | 14 | 19 | |
| 2TB-04 | ZG1/4"X19 | G1/4"X19 | | | 14 | 5.5 | 17 | 19 | |
| 2TB-04-06 | ZG1/4"X19 | G3/8"X19 | | | 14 | 6.5 | 17 | 22 | |
| 2TB-04-08 | ZG1/4"X19 | G1/2"X14 | | | 14 | 8 | 19 | 27 | |
| 2TB-06 | ZG3/8"X19 | G3/8"X19 | | | 14 | 6.5 | 19 | 22 | |
| 2TB-06-08 | ZG3/8"X19 | G1/2"X14 | | | 14 | 8 | 22 | 27 | |
| 2TB-08 | ZG1/2"X14 | G1/2"X14 | | | 19 | 8 | 22 | 27 | |
| 2TB-08-06 | ZG1/2"X14 | G3/8"X19 | | | 19 | 6.5 | 22 | 24 | |
| 2TB-08-12 | ZG1/2"X14 | G3/4"X14 | | | 19 | 11.5 | 27 | 32 | |
| 2TB-12 | ZG3/4"X14 | G3/4"X14 | | | 19.5 | 11.5 | 30 | 32 | |
| 2TB-12-16 | ZG3/4"X14 | G1"X11 | | | 19.5 | 11.5 | 32 | 41 | |
| 2TB-16 | ZG1"X11 | G1"X11 | | | 24 | 11.5 | 36 | 41 | |
| 2TB-16-20 | ZG1"X11 | G1.1/4"X11 | | | 24 | 12 | 41 | 50 | |
| 2TB-20 | ZG1.1/4"X11 | G1.1/4"X11 | | | 25 | 12 | 46 | 50 | |
| 2TB-24 | ZG1.1/2"X11 | G1.1/2"X11 | | | 25 | 13 | 50 | 55 | |
| 2TB-32 | ZG2"X11 | G2"X11 | | | 29 | 16 | 70 | 70 | |



2TB4

45° 英锥管外螺纹/ 英管内螺纹 60° 外锥
45° BSPT MALE/BSP FEMALE 60° CONE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|------------|--|---------------|------|----|----|--|
| | E | F | | A | C | S1 | S2 | |
| 2TB4-02 | ZG1/8"X28 | G1/8"X28 | | 20 | 5.5 | 11 | 14 | |
| 2TB4-04 | ZG1/4"X19 | G1/4"X19 | | 22 | 5.5 | 14 | 19 | |
| 2TB4-06 | ZG3/8"X19 | G3/8"X19 | | 22 | 6.5 | 17 | 22 | |
| 2TB4-08 | ZG1/2"X14 | G1/2"X14 | | 27 | 8 | 22 | 27 | |
| 2TB4-12 | ZG3/4"X14 | G3/4"X14 | | 33 | 11.5 | 27 | 32 | |
| 2TB4-16 | ZG1"X11 | G1"X11 | | 37 | 11.5 | 33 | 41 | |
| 2NB4-20 | ZG1.1/4"X11 | G1.1/4"X11 | | 40 | 12 | 44 | 50 | |
| 2NB4-24 | ZG1.1/2"X11 | G1.1/2"X11 | | 47 | 13 | 53 | 55 | |



2TB9

90° 英锥管外螺纹/ 英管内螺纹 60° 外锥
90° BSPT MALE/BSP FEMALE 60° CONE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|------------|--|---------------|------|----|----|--|
| | E | F | | A | C | S1 | S2 | |
| 2TB9-02 | ZG1/8"X28 | G1/8"X28 | | 23 | 5.5 | 11 | 14 | |
| 2TB9-04 | ZG1/4"X19 | G1/4"X19 | | 29 | 5.5 | 14 | 19 | |
| 2TB9-06 | ZG3/8"X19 | G3/8"X19 | | 30 | 6.5 | 17 | 22 | |
| 2TB9-08 | ZG1/2"X14 | G1/2"X14 | | 37 | 8 | 22 | 27 | |
| 2TB9-12 | ZG3/4"X14 | G3/4"X14 | | 40 | 11.5 | 27 | 32 | |
| 2TB9-16 | ZG1"X11 | G1"X11 | | 49 | 11.5 | 33 | 41 | |
| 2NB9-20 | ZG1.1/4"X11 | G1.1/4"X11 | | 57 | 12 | 44 | 50 | |
| 2NB9-24 | ZG1.1/2"X11 | G1.1/2"X11 | | 57 | 13 | 48 | 55 | |



2NB

布锥管外螺纹 / 英管内螺纹 60° 外锥
NPT MALE/BSP FEMALE 60° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|--------------|------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| 2NB-02 | Z1/8"X27 | G1/8"X28 | | | 10 | 5.5 | 12 | 14 | |
| 2NB-02-04 | Z1/8"X27 | G1/4"X19 | | | 10 | 5.5 | 14 | 19 | |
| 2NB-04 | Z1/4"X18 | G1/4"X19 | | | 14 | 5.5 | 17 | 19 | |
| 2NB-04-06 | Z1/4"X18 | G3/8"X19 | | | 14 | 6.5 | 17 | 22 | |
| 2NB-04-08 | Z1/4"X18 | G1/2"X14 | | | 14 | 8 | 19 | 27 | |
| 2NB-06 | Z3/8"X18 | G3/8"X19 | | | 14 | 6.5 | 19 | 22 | |
| 2NB-06-08 | Z3/8"X18 | G1/2"X14 | | | 14 | 8 | 22 | 27 | |
| 2NB-08 | Z1/2"X14 | G1/2"X14 | | | 19 | 8 | 22 | 27 | |
| 2NB-08-06 | Z1/2"X14 | G3/8"X19 | | | 19 | 6.5 | 22 | 24 | |
| 2NB-08-12 | Z1/2"X14 | G3/4"X14 | | | 19 | 11.5 | 27 | 32 | |
| 2NB-12 | Z3/4"X14 | G3/4"X14 | | | 19.5 | 11.5 | 30 | 32 | |
| 2NB-12-16 | Z3/4"X14 | G1"X11 | | | 19.5 | 11.5 | 32 | 41 | |
| 2NB-16 | Z1"X11.5 | G1"X11 | | | 24 | 11.5 | 36 | 41 | |
| 2NB-16-20 | Z1"X11.5 | G1.1/4"X11 | | | 24 | 12 | 41 | 50 | |
| 2NB-20 | Z1.1/4"X11.5 | G1.1/4"X11 | | | 25 | 12 | 46 | 50 | |
| 2NB-24 | Z1.1/2"X11.5 | G1.1/2"X11 | | | 25 | 13 | 50 | 55 | |
| 2NB-32 | Z2"X11.5 | G2"X11 | | | 29 | 16 | 70 | 70 | |



2NB4

45 ° 布锥管外螺纹 / 英管内螺纹 60 ° 外锥
45 ° NPT MALE/BSP FEMALE 60 ° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|--------------|------------|--|--|---------------|------|----|----|
| | E | F | | | A | C | S1 | S2 |
| 2NB4-02 | Z1/8"X27 | G1/8"X28 | | | 20 | 5.5 | 11 | 14 |
| 2NB4-04 | Z1/4"X18 | G1/4"X19 | | | 22 | 5.5 | 14 | 19 |
| 2NB4-04-06 | Z1/4"X18 | G3/8"X19 | | | 22 | 6.5 | 17 | 22 |
| 2NB4-06 | Z3/8"X18 | G3/8"X19 | | | 22 | 6.5 | 17 | 22 |
| 2NB4-06-04 | Z3/8"X18 | G1/4"X19 | | | 22 | 5.5 | 17 | 19 |
| 2NB4-06-08 | Z3/8"X18 | G1/2"X14 | | | 25 | 8 | 19 | 27 |
| 2NB4-08 | Z1/2"X14 | G1/2"X14 | | | 27 | 8 | 22 | 27 |
| 2NB4-08-06 | Z1/2"X14 | G3/8"X19 | | | 27 | 6.5 | 22 | 22 |
| 2NB4-12 | Z3/4"X14 | G3/4"X14 | | | 33 | 11.5 | 27 | 32 |
| 2NB4-12-08 | Z3/4"X14 | G1/2"X14 | | | 33 | 8 | 27 | 27 |
| 2NB4-12-16 | Z3/4"X14 | G1"X11 | | | 37 | 11.5 | 33 | 41 |
| 2NB4-16 | Z1"X11.5 | G1"X11 | | | 37 | 11.5 | 33 | 41 |
| 2NB4-16-12 | Z1"X11.5 | G3/4"X14 | | | 37 | 11.5 | 33 | 32 |
| 2NB4-20 | Z1.1/4"X11.5 | G1.1/4"X11 | | | 40 | 12 | 44 | 50 |
| 2NB4-24 | Z1.1/2"X11.5 | G1.1/2"X11 | | | 47 | 13 | 53 | 55 |
| 2NB4-32 | Z2"X11.5 | G2"X11 | | | 55 | 16 | 65 | 70 |



2NB9

90° 布锥管外螺纹/ 英管内螺纹 60° 外锥
90° NPT MALE/BSP FEMALE 60° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|----------------|--------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| 2NB9-02 | Z1/8"X27 | G1/8"X28 | | | 23 | 5.5 | 11 | 14 | |
| 2NB9-04 | Z1/4"X18 | G1/4"X19 | | | 29 | 5.5 | 14 | 19 | |
| 2NB9-04-06 | Z1/4"X18 | G3/8"X19 | | | 30 | 6.5 | 17 | 22 | |
| 2NB9-06 | Z3/8"X18 | G3/8"X19 | | | 30 | 6.5 | 17 | 22 | |
| 2NB9-06-04 | Z3/8"X18 | G1/4"X19 | | | 30 | 5.5 | 17 | 19 | |
| 2NB9-06-08 | Z3/8"X18 | G1/2"X14 | | | 33 | 8 | 19 | 27 | |
| 2NB9-08 | Z1/2"X14 | G1/2"X14 | | | 37 | 8 | 22 | 27 | |
| 2NB9-08-06 | Z1/2"X14 | G3/8"X19 | | | 37 | 6.5 | 22 | 22 | |
| 2NB9-12 | Z3/4"X14 | G3/4"X14 | | | 40 | 11.5 | 27 | 32 | |
| 2NB9-12-08 | Z3/4"X14 | G1/2"X14 | | | 40 | 8 | 27 | 27 | |
| 2NB9-12-16 | Z3/4"X14 | G1"X11 | | | 49 | 11.5 | 33 | 41 | |
| 2NB9-16 | Z1"X11.5 | G1"X11 | | | 49 | 11.5 | 33 | 41 | |
| 2NB9-16-12 | Z1"X11.5 | G3/4"X14 | | | 49 | 11.5 | 33 | 32 | |
| 2NB9-20 | Z1.1 / 4"X11.5 | G1.1 / 4"X11 | | | 57 | 12 | 44 | 50 | |
| 2NB9-24 | Z1.1 / 2"X11.5 | G1.1 / 2"X11 | | | 57 | 13 | 48 | 55 | |
| 2NB9-32 | Z2"X11.5 | G2"X11 | | | 66 | 16 | 65 | 70 | |



4BN-WD

英管外螺纹胶垫密封内六角堵头
BSP MALE CAPTIVE SEAL HOLLOW HEX PLUG

| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | | |
|----------------|------------|--|--|---------------|------|----|----|-----|------|
| | E | | | A | d | D | S1 | H | L |
| 4BN-04WD | G1/4"X19 | | | 12 | 16.3 | 19 | 6 | 1.2 | 17.3 |
| 4BN-06WD | G3/8"X19 | | | 12 | 18.7 | 22 | 8 | 1.2 | 17.3 |
| 4BN-08WD | G1/2"X14 | | | 14 | 23.7 | 27 | 10 | 1.2 | 19.3 |
| 4BN-12WD | G3/4"X14 | | | 16 | 29 | 32 | 12 | 1.2 | 21.3 |
| 4BN-16WD | G1"X11 | | | 16 | 35.5 | 40 | 14 | 1.6 | 22.8 |




4B-WD

英管外螺纹胶垫密封堵头
BSP MALE CAPTIVE SEAL PLUG


| 代号 PART NO. | 螺纹 THREADE | | | A | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|----|---------------|----|-----|--|
| | E | | | | d | S1 | H | |
| 4B-04WD | G1/4"X19 | | | 12 | 16.3 | 19 | 1.2 | |
| 4B-06WD | G3/8"X19 | | | 12 | 18.7 | 22 | 1.2 | |
| 4B-08WD | G1/2"X14 | | | 14 | 23.7 | 27 | 1.2 | |
| 4B-12WD | G3/4"X14 | | | 16 | 29 | 32 | 1.2 | |
| 4B-16WD | G1"X11 | | | 16 | 35.5 | 41 | 1.6 | |

5B



英管外螺纹60°内锥或六角端
面组合垫密封/英管内螺纹
BSP MALE DOUBLE FOR 60° SEAT
BONDED SEAL / BSP FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | | |
|----------------|------------|------------|--|--|------|---------------|----|---|------|
| | E | F | | | | S1 | | L | |
| 5B-02-04 | G1/8"X28 | G1/4"X19 | | | 10 | | 19 | | 28 |
| 5B-04-02 | G1/4"X19 | G1/8"X28 | | | 12 | | 19 | | 30 |
| 5B-04 | G1/4"X19 | G1/4"X19 | | | 12 | | 19 | | 30 |
| 5B-04-06 | G1/4"X19 | G3/8"X19 | | | 12 | | 22 | | 32 |
| 5B-06-04 | G3/8"X19 | G1/4"X19 | | | 13.5 | | 22 | | 33.5 |
| 5B-06 | G3/8"X19 | G3/8"X19 | | | 13.5 | | 22 | | 33.5 |
| 5B-06-08 | G3/8"X19 | G1/2"X14 | | | 13.5 | | 27 | | 33.5 |
| 5B-08-06 | G1/2"X14 | G3/8"X19 | | | 16 | | 27 | | 36 |
| 5B-08 | G1/2"X14 | G1/2"X14 | | | 16 | | 27 | | 36 |
| 5B-08-10 | G1/2"X14 | G5/8"X14 | | | 16 | | 30 | | 42 |
| 5B-08-12 | G1/2"X14 | G3/4"X14 | | | 16 | | 32 | | 40 |
| 5B-10-08 | G5/8"X14 | G1/2"X14 | | | 17.5 | | 30 | | 44 |
| 5B-12-08 | G3/4"X14 | G1/2"X14 | | | 18.5 | | 32 | | 43 |
| 5B-12 | G3/4"X14 | G3/4"X14 | | | 18.5 | | 32 | | 42.5 |
| 5B-12-16 | G3/4"X14 | G1"X11 | | | 18.5 | | 41 | | 52.5 |
| 5B-16-12 | G1"X11 | G3/4"X14 | | | 20.5 | | 41 | | 54.5 |
| 5B-16 | G1"X11 | G1"X11 | | | 20.5 | | 41 | | 54.5 |
| 5B-16-20 | G1"X11 | G1.1/4"X11 | | | 20.5 | | 50 | | 37.5 |
| 5B-20-16 | G1.1/4"X11 | G1"X11 | | | 20.5 | | 50 | | 57.5 |
| 5B-20 | G1.1/4"X11 | G1.1/4"X11 | | | 20.5 | | 50 | | 56.5 |
| 5B-20-24 | G1.1/4"X11 | G1.1/2"X11 | | | 20.5 | | 55 | | 57.5 |
| 5B-24 | G1.1/2"X11 | G1.1/2"X11 | | | 23 | | 55 | | 60 |
| 5B-32-24 | G2"X11 | G1.1/2"X11 | | | 23 | | 70 | | 60 |
| 5B-32 | G2"X11 | G2"X11 | | | 25.5 | | 70 | | 62.5 |



5B9

90 ° 英管外螺纹 60 ° 内锥 / 英管内螺纹
90 ° BSP MALE 60 ° SEAT/BSP FEMALE

| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | |
|----------------|------------|----------|--|--|----|---------------|----|--|
| | E | F | | | | B | S1 | |
| 5B9-02 | G1/8"X28 | G1/4"X19 | | | 22 | 17 | 14 | |
| 5B9-04 | G1/4"X19 | G1/4"X19 | | | 27 | 21 | 17 | |
| 5B9-06 | G3/8"X19 | G3/8"X19 | | | 32 | 27 | 22 | |
| 5B9-08 | G1/2"X14 | G1/2"X14 | | | 35 | 30 | 27 | |
| 5B9-12 | G3/4"X14 | G3/4"X14 | | | 40 | 32 | 33 | |
| 5B9-16 | G1"X11 | G1"X11 | | | 49 | 38 | 41 | |



5BN


英管外螺纹60°内锥或六角端面组

合垫密封/美制布锥管内螺纹

BSP MALE DOUBLE FOR 60° EAT

BONDED SEAL / NPT FEMALE

| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | |
|----------------|------------|----------------|--|--|------|---------------|----|------|
| | E | F | | | | S1 | | L |
| 5BN-04 | G1/4"X19 | Z1/4"X18 | | | 12 | | 19 | 30 |
| 5BN-06 | G3/8"X19 | Z3/8"X18 | | | 13.5 | | 22 | 33.5 |
| 5BN-08 | G1/2"X14 | Z1/2"X14 | | | 16 | | 27 | 36 |
| 5BN-12 | G3/4"X14 | Z3/4"X14 | | | 18.5 | | 32 | 42.5 |
| 5BN-16 | G1"X11 | Z1"X11.5 | | | 20.5 | | 41 | 54.5 |
| 5BN-20 | G1.1/4"X11 | Z1.1 / 4"X11.5 | | | 20.5 | | 50 | 57.5 |
| 5BN-24 | G1.1/2"X11 | Z1.1 / 2"X11.5 | | | 23 | | 55 | 60 |
| 5BN-32 | G2"X11 | Z2"X11.5 | | | 25.5 | | 70 | 62.5 |



5BT


英管外螺纹60°内锥或六角端面组

合垫密封/英锥管内螺纹

BSP MALE DOUBLE FOR 60° EAT

BONDED SEAL / BSPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | |
|----------------|------------|---------------|--|--|------|---------------|----|------|
| | E | F | | | | S1 | | L |
| 5BT-04 | G1/4"X19 | ZG1/4"X19 | | | 12 | | 19 | 30 |
| 5BT-06 | G3/8"X19 | ZG3/8"X19 | | | 13.5 | | 22 | 33.5 |
| 5BT-08 | G1/2"X14 | ZG1/2"X14 | | | 16 | | 27 | 36 |
| 5BT-12 | G3/4"X14 | ZG3/4"X14 | | | 18.5 | | 32 | 42.5 |
| 5BT-16 | G1"X11 | ZG1"X11 | | | 20.5 | | 41 | 54.5 |
| 5BT-20 | G1.1/4"X11 | ZG1.1 / 4"X11 | | | 20.5 | | 50 | 57.5 |
| 5BT-24 | G1.1/2"X11 | ZG1.1 / 2"X11 | | | 23 | | 55 | 60 |
| 5BT-32 | G2"X11 | ZG2"X11 | | | 25.5 | | 70 | 62.5 |



5B-WD

英管外螺纹胶垫密封/英管内螺纹
BSP MALE CAPTIVE SEAL/BSP FEMALE


| 代号 PART NO. | 螺纹 THREADE | | 尺寸 DIMENSIONS | | | |
|----------------|------------|------------|---------------|----|--|------|
| | E | F | A | S1 | | L |
| 5B-02-04WD | G1/8"X28 | G1/4"X19 | 10 | 19 | | 28 |
| 5B-02-06WD | G1/8"X28 | G3/8"X19 | 10 | 22 | | 30 |
| 5B-04-02WD | G1/4"X19 | G1/8"X28 | 12 | 19 | | 30 |
| 5B-04-06WD | G1/4"X19 | G3/8"X19 | 12 | 22 | | 32 |
| 5B-04-08WD | G1/4"X19 | G1/2"X14 | 12 | 27 | | 32 |
| 5B-06-02WD | G3/8"X19 | G1/8"X28 | 13.5 | 22 | | 33.5 |
| 5B-06-04WD | G3/8"X19 | G1/4"X19 | 13.5 | 22 | | 33.5 |
| 5B-06-08WD | G3/8"X19 | G1/2"X14 | 13.5 | 27 | | 33.5 |
| 5B-08-04WD | G1/2"X14 | G1/4"X19 | 16 | 22 | | 36 |
| 5B-08-06WD | G1/2"X14 | G3/8"X19 | 16 | 27 | | 36 |
| 5B-08-12WD | G1/2"X14 | G3/4"X14 | 16 | 32 | | 40 |
| 5B-12-08WD | G3/4"X14 | G1/2"X14 | 18.5 | 32 | | 42.5 |
| 5B-12-16WD | G3/4"X14 | G1"X11 | 18.5 | 41 | | 52.5 |
| 5B-12-20WD | G3/4"X14 | G1.1/4"X11 | 18.5 | 50 | | 52.5 |
| 5B-16-12WD | G1"X11 | G3/4"X14 | 20.5 | 41 | | 54.5 |
| 5B-16-20WD | G1"X11 | G1.1/4"X11 | 20.5 | 50 | | 56.5 |
| 5B-20-16WD | G1.1/4"X11 | G1"X11 | 20.5 | 50 | | 56.5 |
| 5B-20-24WD | G1.1/4"X11 | G1.1/2"X11 | 20.5 | 55 | | 57.5 |
| 5B-20-32WD | G1.1/4"X11 | G2"X11 | 20.5 | 70 | | 57.5 |
| 5B-24-16WD | G1.1/2"X11 | G1"X11 | 23 | 55 | | 60 |
| 5B-24-20WD | G1.1/2"X11 | G1.1/4"X11 | 23 | 55 | | 60 |
| 5B-24-32WD | G1.1/2"X11 | G2"X11 | 23 | 70 | | 60 |



5GB

英管外螺纹O型圈/ 英管内螺纹
BSP MALE O-RING/BSP FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|----------|--|---------------|----|----|------|
| | E | F | | A | S1 | | L |
| 5GB-04 | G1/4"X19 | G1/4"X19 | | 12 | | 19 | 30 |
| 5GB-04-06 | G1/4"X19 | G3/8"X19 | | 12 | | 22 | 32 |
| 5GB-06 | G3/8"X19 | G3/8"X19 | | 13.5 | | 22 | 33.5 |
| 5GB-06-08 | G3/8"X19 | G1/2"X14 | | 13.5 | | 27 | 33.5 |
| 5GB-08 | G1/2"X14 | G1/2"X14 | | 16 | | 27 | 36 |
| 5GB-08-12 | G3/4"X14 | G3/4"X14 | | 16 | | 32 | 40 |
| 5GB-12 | G3/4"X14 | G3/4"X14 | | 18.5 | | 32 | 42.5 |
| 5GB-12-16 | G3/4"X14 | G1"X11 | | 18.5 | | 41 | 52.5 |
| 5GB-16-12 | G1"X11 | G3/4"X14 | | 20.5 | | 41 | 33 |
| 5GB-16 | G1"X11 | G1"X11 | | 20.5 | | 41 | 54.5 |



7TB

英锥管内螺纹/ 英管内螺纹60 ° 外锥
BSPT FEMALE/BSP FEMALE 60 ° CONE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|----------|--|---------------|----|----|--|
| | E | F | | C | S1 | S2 | |
| 7TB-02-04 | ZG1/8"X28 | G1/4"X19 | | 5.5 | 17 | 19 | |
| 7TB-04 | ZG1/4"X19 | G1/4"X19 | | 5.5 | 19 | 19 | |
| 7TB-04-06 | ZG1/4"X19 | G3/8"X19 | | 6.5 | 22 | 22 | |
| 7TB-06 | ZG3/8"X19 | G3/8"X19 | | 6.5 | 22 | 22 | |
| 7TB-06-08 | ZG3/8"X19 | G1/2"X14 | | 8 | 27 | 27 | |
| 7TB-08-06 | ZG1/2"X14 | G3/8"X19 | | 6.5 | 27 | 22 | |
| 7TB-08 | ZG1/2"X14 | G1/2"X14 | | 8 | 27 | 27 | |
| 7TB-12 | ZG3/4"X14 | G3/4"X14 | | 11.5 | 32 | 32 | |
| 7TB-16 | ZG1"X11 | G1"X11 | | 11.5 | 41 | 41 | |



7B

英管内螺纹
BSP FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | | L | 尺寸 DIMENSIONS | | |
|----------------|------------|------------|--|--|----|---------------|----|--|
| | E | F | | | | S1 | | |
| 7B-02 | G1/8"X28 | G1/8"X28 | | | 22 | | 14 | |
| 7B-04 | G1/4"X19 | G1/4"X19 | | | 24 | | 19 | |
| 7B-06 | G3/8"X19 | G3/8"X19 | | | 26 | | 22 | |
| 7B-08 | G1/2"X14 | G1/2"X14 | | | 32 | | 27 | |
| 7B-10 | G5/8"X14 | G5/8"X14 | | | 36 | | 30 | |
| 7B-12 | G3/4"X14 | G3/4"X14 | | | 36 | | 32 | |
| 7B-16 | G1"X11 | G1"X11 | | | 40 | | 41 | |
| 7B-20 | G1.1/4"X11 | G1.1/4"X11 | | | 44 | | 50 | |
| 7B-24 | G1.1/2"X11 | G1.1/2"X11 | | | 45 | | 55 | |
| 7B-32 | G2"X11 | G2"X11 | | | 54 | | 70 | |



7B9

90° 英管内螺纹
90° BSP FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS B | | | |
|----------------|------------|--|--|--|-----------------|----|----|--|
| | E | | | | A | | S1 | |
| 7B9-02 | G1/8"X28 | | | | 17 | 17 | 14 | |
| 7B9-04 | G1/4"X19 | | | | 21 | 21 | 17 | |
| 7B9-06 | G3/8"X19 | | | | 24 | 24 | 22 | |
| 7B9-08 | G1/2"X14 | | | | 27 | 27 | 26 | |
| 7B9-12 | G3/4"X14 | | | | 33 | 33 | 34 | |
| 7B9-16 | G1"X11 | | | | 38 | 38 | 41 | |
| 7B9-20 | G1.1/4"X11 | | | | 45 | 45 | 54 | |
| 7B9-24 | G1.1/2"X11 | | | | 47 | 47 | 56 | |
| 7B9-32 | G2"X11 | | | | 60 | 60 | 68 | |



GB

英管内螺纹三通
BSP FEMALE TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|---------------|--|----|--|
| | E | | | | A | | S1 | |
| GB-02 | G1/8"X28 | | | | 17 | | 14 | |
| GB-04 | G1/4"X19 | | | | 21 | | 17 | |
| GB-06 | G3/8"X19 | | | | 24 | | 22 | |
| GB-08 | G1/2"X14 | | | | 27 | | 26 | |
| GB-12 | G3/4"X14 | | | | 33 | | 34 | |
| GB-16 | G1"X11 | | | | 38 | | 41 | |
| GB-20 | G1.1/4"X11 | | | | 45 | | 54 | |
| GB-24 | G1.1/2"X11 | | | | 47 | | 56 | |
| GB-32 | G2"X11 | | | | 60 | | 68 | |



AB

英管外螺纹60°内锥三通
BSP MALE 60° SEAT TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|-------------|--|---------------|----|----|----|--|
| | E | F | G | | A | B | C | S1 | |
| AB-02 | G1/8"X28 | G1/8"X28 | G1/8"X28AB- | | 24 | 24 | 24 | 11 | |
| 04 | G1/4"X19 | G1/4"X19 | G1/4"X19AB- | | 27 | 27 | 27 | 14 | |
| 06 | G3/8"X19 | G3/8"X19 | G3/8"X19AB- | | 28 | 28 | 28 | 17 | |
| 08 | G1/2"X14 | G1/2"X14 | G1/2"X14AB- | | 33 | 33 | 33 | 22 | |
| 10 | G5/8"X14 | G5/8"X14 | G5/8"X14AB- | | 33 | 33 | 33 | 22 | |
| 12 | G3/4"X14 | G3/4"X14 | G3/4"X14AB- | | 40 | 40 | 40 | 27 | |
| 16 | G1"X11 | G1"X11 | G1"X11 | | 49 | 49 | 49 | 33 | |
| AB-20 | G1.1/4"X11 | G1.1/4"X11 | G1.1/4"X11 | | 57 | 57 | 57 | 44 | |



BB

英管外螺纹60°内锥/
英管内螺纹外锥分支三通
BSP MALE 60° SEAT/
BSP FEMALE 60° CONE BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| BB-02 | G1/8"X28 | G1/8"X28 | | | 24 | 5.5 | 11 | 14 | |
| BB-04 | G1/4"X19 | G1/4"X19 | | | 27 | 5.5 | 14 | 19 | |
| BB-06 | G3/8"X19 | G1/4"X19 | | | 28 | 6.5 | 17 | 22 | |
| BB-08 | G1/2"X14 | G1/2"X14 | | | 33 | 8 | 22 | 27 | |
| BB-12 | G3/4"X14 | G3/4"X14 | | | 40 | 11.5 | 27 | 32 | |
| BB-16 | G1"X11 | G1"X11 | | | 49 | 11.5 | 33 | 41 | |
| BB-20 | G1.1/4"X11 | G1.1/4"X11 | | | 57 | 12 | 44 | 50 | |



CB

英管外螺纹60°内锥/
英管内螺纹外锥主支三通
BSP MALE 60° SEAT/
BSP FEMALE 60° CONE RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| CB-02 | G1/8"X28 | G1/8"X28 | | | 24 | 5.5 | 11 | 14 | |
| CB-04 | G1/4"X19 | G1/4"X19 | | | 27 | 5.5 | 14 | 19 | |
| CB-06 | G3/8"X19 | G1/4"X19 | | | 28 | 6.5 | 17 | 22 | |
| CB-08 | G1/2"X14 | G1/2"X14 | | | 33 | 8 | 22 | 27 | |
| CB-12 | G3/4"X14 | G3/4"X14 | | | 40 | 11.5 | 27 | 32 | |
| CB-16 | G1"X11 | G1"X11 | | | 49 | 11.5 | 33 | 41 | |
| CB-20 | G1.1/4"X11 | G1.1/4"X11 | | | 57 | 12 | 44 | 50 | |



DB

英管内螺纹外锥三通
BSP FEMALE 60° CONE TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|--|--|---------------|----|----|--|--|
| | E | F | | | C | S1 | S2 | | |
| DB-02 | G1/8"X28 | G1/8"X28 | | | 5.5 | 11 | 14 | | |
| DB-04 | G1/4"X19 | G1/4"X19 | | | 5.5 | 14 | 19 | | |
| DB-06 | G3/8"X19 | G1/4"X19 | | | 6.5 | 17 | 22 | | |
| DB-08 | G1/2"X14 | G1/2"X14 | | | 8 | 22 | 27 | | |
| DB-12 | G3/4"X14 | G3/4"X14 | | | 11.5 | 27 | 32 | | |
| DB-16 | G1"X11 | G1"X11 | | | 11.5 | 33 | 41 | | |
| DB-20 | G1.1/4"X11 | G1.1/4"X11 | | | 12 | 44 | 50 | | |



EB

英管内螺纹60°外锥/
英管外螺纹60°内锥分支三通
BSP FEMALE 60° CONE/
BSP MALE 60° BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| EB-02 | G1/8"X28 | G1/8"X28 | | | 24 | 5.5 | 11 | 14 | |
| EB-04 | G1/4"X19 | G1/4"X19 | | | 27 | 5.5 | 14 | 19 | |
| EB-06 | G3/8"X19 | G1/4"X19 | | | 28 | 6.5 | 17 | 22 | |
| EB-08 | G1/2"X14 | G1/2"X14 | | | 33 | 8 | 22 | 27 | |
| EB-12 | G3/4"X14 | G3/4"X14 | | | 40 | 11.5 | 27 | 32 | |
| EB-16 | G1"X11 | G1"X11 | | | 49 | 11.5 | 33 | 41 | |
| EB-20 | G1.1/4"X11 | G1.1/4"X11 | | | 57 | 12 | 44 | 50 | |



FB

英管内螺纹60°外锥/
英管外螺纹60°内锥分支三通
BSP FEMALE 60° CONE/
BSP MALE 60° BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| FB-02 | G1/8"X28 | G1/8"X28 | | | 24 | 5.5 | 11 | 14 | |
| FB-04 | G1/4"X19 | G1/4"X19 | | | 27 | 5.5 | 14 | 19 | |
| FB-06 | G3/8"X19 | G1/4"X19 | | | 28 | 6.5 | 17 | 22 | |
| FB-08 | G1/2"X14 | G1/2"X14 | | | 33 | 8 | 22 | 27 | |
| FB-12 | G3/4"X14 | G3/4"X14 | | | 40 | 11.5 | 27 | 32 | |
| FB-16 | G1"X11 | G1"X11 | | | 49 | 11.5 | 33 | 41 | |
| FB-20 | G1.1/4"X11 | G1.1/4"X11 | | | 57 | 12 | 44 | 50 | |



ABBG-OG

英管外螺纹60°内锥/ 英管外螺
纹O型圈可调向柱端主支三通
BSP MALE 60° SEAT/BSP MALE
O-RING ADJUSTABLE STUD END RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | A | B | S1 | S2 | | 尺寸 DIMENSIONS | |
|-----------------|------------|----------|----------|---|----|------|----|----|---------------|---|
| | E | F | G | | | | | | A | B |
| ABBG-04OG | G1/4"X19 | G1/4"X19 | G1/4"X19 | | 27 | 24.5 | 14 | 19 | | |
| ABBG-04-04-060G | G1/4"X19 | G1/4"X19 | G3/8"X19 | | 28 | 26.5 | 17 | 19 | | |
| ABBG-06OG | G3/8"X19 | G3/8"X19 | G3/8"X19 | | 28 | 27.5 | 17 | 22 | | |
| ABBG-06-06-080G | G3/8"X19 | G3/8"X19 | G1/2"X19 | | 33 | 31 | 22 | 22 | | |
| ABBG-08OG | G1/2"X14 | G1/2"X14 | G1/2"X14 | | 33 | 34.5 | 22 | 27 | | |
| ABBG-12OG | G3/4"X14 | G3/4"X14 | G3/4"X14 | | 33 | 40 | 24 | 32 | | |
| ABBG-16OG | G1"X11 | G1"X11 | G1"X11 | | 49 | 46 | 33 | 41 | | |



ABGB-OG

英管外螺纹60°内锥/ 英管外螺
纹O型圈可调向柱端分支三通
BSP MALE 60° SEAT/BSP MALE O-RING
ADJUSTABLE STUD END BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | A | B | S1 | S2 | | 尺寸 DIMENSIONS | |
|-----------------|------------|----------|----------|---|----|------|----|----|---------------|---|
| | E | F | G | | | | | | A | B |
| ABGB-04OG | G1/4"X19 | G1/4"X19 | G1/4"X19 | | 27 | 31.8 | 14 | 19 | | |
| ABGB-06-04-060G | G1/4"X19 | G1/4"X19 | G3/8"X19 | | 28 | 33.5 | 17 | 19 | | |
| ABGB-06OG | G3/8"X19 | G3/8"X19 | G3/8"X19 | | 28 | 36.8 | 17 | 22 | | |
| ABGB-08-06-080G | G3/8"X19 | G3/8"X19 | G1/2"X19 | | 33 | 39.5 | 22 | 22 | | |
| ABGB-08OG | G1/2"X14 | G1/2"X14 | G1/2"X14 | | 33 | 43.2 | 22 | 27 | | |
| ABGB-12-08-120G | G3/4"X14 | G1/2"X14 | G3/4"X14 | | 33 | 46.5 | 24 | 27 | | |
| ABGB-12OG | G3/4"X14 | G3/4"X14 | G3/4"X14 | | 33 | 49.3 | 24 | 32 | | |
| ABGB-16OG | G1"X11 | G1"X11 | G1"X11 | | 49 | 53 | 33 | 41 | | |



1T

英锥管外螺纹
BSPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|-------------|--|--|---------------|------|----|--|------|
| | E | F | | | A | B | S1 | | L |
| 1T-02 | ZG1/8"X28 | ZG1/8"X28 | | | 10 | 10 | 12 | | 26 |
| 1T-02-04 | ZG1/8"X28 | ZG1/4"X19 | | | 10 | 14 | 14 | | 30 |
| 1T-02-06 | ZG1/8"X28 | ZG3/8"X19 | | | 10 | 14 | 17 | | 30 |
| 1T-04 | ZG1/4"X19 | ZG1/4"X19 | | | 14 | 14 | 14 | | 34 |
| 1T-04-06 | ZG1/4"X19 | ZG3/8"X19 | | | 14 | 14 | 17 | | 34 |
| 1T-04-08 | ZG1/4"X19 | ZG1/2"X14 | | | 14 | 19 | 22 | | 41.5 |
| 1T-06 | ZG3/8"X19 | ZG3/8"X19 | | | 14 | 14 | 17 | | 34 |
| 1T-06-08 | ZG3/8"X19 | ZG1/2"X14 | | | 14 | 19 | 22 | | 41 |
| 1T-08 | ZG1/2"X14 | ZG1/2"X14 | | | 19 | 19 | 22 | | 46 |
| 1T-08-12 | ZG1/2"X14 | ZG3/4"X14 | | | 19 | 19.5 | 27 | | 47 |
| 1T-12 | ZG3/4"X14 | ZG3/4"X14 | | | 19.5 | 19.5 | 27 | | 48 |
| 1T-12-16 | ZG3/4"X14 | ZG1"X11 | | | 19.5 | 24 | 36 | | 53 |
| 1T-16 | ZG1"X11 | ZG1"X11 | | | 24 | 24 | 36 | | 58 |
| 1T-16-20 | ZG1"X11 | ZG1.1/4"X11 | | | 24 | 25 | 46 | | 62 |
| 1T-20 | ZG1.1/4"X11 | ZG1.1/4"X11 | | | 25 | 25 | 46 | | 63 |
| 1T-20-24 | ZG1.1/4"X11 | ZG1.1/2"X11 | | | 25 | 25 | 50 | | 65 |
| 1T-24 | ZG1.1/2"X11 | ZG1.1/2"X11 | | | 25 | 25 | 50 | | 65 |
| 1T-24-32 | ZG1.1/2"X11 | ZG2"X11 | | | 25 | 29 | 70 | | 72 |
| 1T-32 | ZG2"X11 | ZG2"X11 | | | 29 | 29 | 70 | | 75 |



1T4

45° 英锥管外螺纹
45° BSPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | 尺寸 DIMENSIONS | |
|----------------|-------------|-------------|--|--|----|----|---------------|--|
| | E | F | | | | | S1 | |
| 1T4-02 | ZG1/8"X28 | ZG1/8"X28 | | | 19 | 21 | 11 | |
| 1T4-04 | ZG1/4"X19 | ZG1/4"X19 | | | 22 | 27 | 14 | |
| 1T4-06 | ZG3/8"X19 | ZG3/8"X19 | | | 22 | 29 | 17 | |
| 1T4-08 | ZG1/2"X14 | ZG1/2"X14 | | | 27 | 37 | 22 | |
| 1T4-12 | ZG3/4"X14 | ZG3/4"X14 | | | 33 | 43 | 27 | |
| 1T4-16 | ZG1"X11 | ZG1"X11 | | | 37 | 47 | 33 | |
| 1T4-20 | ZG1.1/4"X11 | ZG1.1/4"X11 | | | 40 | 56 | 44 | |
| 1T4-24 | ZG1.1/2"X11 | ZG1.1/2"X11 | | | 47 | 57 | 53 | |
| 1T4-32 | ZG2"X11 | ZG2"X11 | | | 55 | 63 | 65 | |



1T9

90° 英锥管外螺纹
90° BSPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | 尺寸 DIMENSIONS | |
|----------------|-------------|-------------|--|--|----|----|---------------|--|
| | E | F | | | | | S1 | |
| 1T9-02 | ZG1/8"X28 | ZG1/8"X28 | | | 22 | 22 | 11 | |
| 1T9-04 | ZG1/4"X19 | ZG1/4"X19 | | | 29 | 27 | 14 | |
| 1T9-06 | ZG3/8"X19 | ZG3/8"X19 | | | 30 | 29 | 17 | |
| 1T9-08 | ZG1/2"X14 | ZG1/2"X14 | | | 37 | 37 | 22 | |
| 1T9-12 | ZG3/4"X14 | ZG3/4"X14 | | | 40 | 40 | 27 | |
| 1T9-16 | ZG1"X11 | ZG1"X11 | | | 49 | 49 | 33 | |
| 1T9-20 | ZG1.1/4"X11 | ZG1.1/4"X11 | | | 57 | 57 | 44 | |
| 1T9-24 | ZG1.1/2"X11 | ZG1.1/2"X11 | | | 57 | 57 | 48 | |
| 1T9-32 | ZG2"X11 | ZG2"X11 | | | 66 | 66 | 65 | |



4T

英锥管外螺纹堵头
BSPT MALE PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | | |
|----------------|-------------|--|--|--|------|---------------|----|--|----|
| | E | | | | | S1 | | | L |
| 4T-02 | ZG1/8"X28 | | | | 10 | | 12 | | 16 |
| 4T-04 | ZG1/4"X19 | | | | 14 | | 17 | | 20 |
| 4T-06 | ZG3/8"X19 | | | | 14 | | 19 | | 21 |
| 4T-08 | ZG1/2"X14 | | | | 19 | | 22 | | 27 |
| 4T-12 | ZG3/4"X14 | | | | 19.5 | | 30 | | 29 |
| 4T-16 | ZG1"X11 | | | | 24 | | 36 | | 36 |
| 4T-20 | ZG1.1/4"X11 | | | | 25 | | 46 | | 38 |
| 4T-24 | ZG1.1/2"X11 | | | | 25 | | 50 | | 41 |
| 4T-32 | ZG2"X11 | | | | 29 | | 65 | | 46 |



4TN

英锥管外螺纹内六角堵头
BSPT MALE HOLLOW HEX PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | L | 尺寸 DIMENSIONS | | | |
|----------------|-------------|--|--|--|----|---------------|----|--|--|
| | E | | | | | S1 | | | |
| 4TN-02 | ZG1/8"X28 | | | | 8 | | 5 | | |
| 4TN-04 | ZG1/4"X19 | | | | 10 | | 6 | | |
| 4TN-06 | ZG3/8"X19 | | | | 12 | | 8 | | |
| 4TN-08 | ZG1/2"X14 | | | | 15 | | 10 | | |
| 4TN-12 | ZG3/4"X14 | | | | 18 | | 12 | | |
| 4TN-16 | ZG1"X11 | | | | 20 | | 17 | | |
| 4TN-20 | ZG1.1/4"X11 | | | | 22 | | 22 | | |



5T

英锥管外螺纹/英锥管内螺纹
BSPT MALE/BSPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|-------------|--|---------------|--|----|--|----|
| | E | F | | A | | S1 | | L |
| 5T-02 | ZG1/8"X28 | ZG1/8"X28 | | 10 | | 14 | | 25 |
| 5T-02-04 | ZG1/8"X28 | ZG1/4"X19 | | 10 | | 19 | | 28 |
| 5T-04-02 | ZG1/4"X19 | ZG1/8"X28 | | 14 | | 17 | | 20 |
| 5T-04 | ZG1/4"X19 | ZG1/4"X19 | | 14 | | 19 | | 32 |
| 5T-04-06 | ZG1/4"X19 | ZG3/8"X19 | | 14 | | 22 | | 34 |
| 5T-06-02 | ZG3/8"X19 | ZG1/8"X28 | | 14 | | 19 | | 21 |
| 5T-06-04 | ZG3/8"X19 | ZG1/4"X19 | | 14 | | 19 | | 21 |
| 5T-06-06 | ZG3/8"X19 | ZG3/8"X19 | | 14 | | 24 | | 34 |
| 5T-06-08 | ZG3/8"X19 | ZG1/2"X14 | | 14 | | 30 | | 40 |
| 5T-08-02 | ZG1/2"X14 | ZG3/4"X14 | | 19 | | 24 | | 27 |
| 5T-08-04 | ZG1/2"X14 | ZG1/4"X19 | | 19 | | 24 | | 27 |
| 5T-08-06 | ZG1/2"X14 | ZG3/8"X19 | | 19 | | 24 | | 27 |
| 5T-08-12 | ZG1/2"X14 | ZG3/4"X14 | | 19 | | 36 | | 49 |
| 5T-12-04 | ZG3/4"X14 | ZG1/4"X19 | | 19.5 | | 27 | | 29 |
| 5T-12-06 | ZG3/4"X14 | ZG3/8"X19 | | 19.5 | | 27 | | 29 |
| 5T-12-08 | ZG3/4"X14 | ZG1/2"X14 | | 19.5 | | 30 | | 29 |
| 5T-12-16 | ZG3/4"X14 | ZG1"X11 | | 19.5 | | 41 | | 54 |
| 5T-12-20 | ZG3/4"X14 | ZG1.1/4"X11 | | 19.5 | | 50 | | 56 |
| 5T-16-06 | ZG1"X11 | ZG3/8"X19 | | 24 | | 36 | | 34 |
| 5T-16-08 | ZG1"X11 | ZG1/2"X14 | | 24 | | 36 | | 34 |
| 5T-16-12 | ZG1"X11 | ZG3/4"X14 | | 24 | | 36 | | 34 |
| 5T-16-16 | ZG1"X11 | ZG1"X11 | | 24 | | 41 | | 58 |
| 5T-20-12 | ZG1.1/4"X11 | ZG3/4"X14 | | 25 | | 46 | | 38 |
| 5T-20-16 | ZG1.1/4"X11 | ZG1"X11 | | 25 | | 46 | | 38 |
| 5T-24-16 | ZG1.1/2"X11 | ZG1"X11 | | 25 | | 50 | | 42 |
| 5T-24-20 | ZG1.1/2"X11 | ZG1.1/4"X11 | | 25 | | 50 | | 42 |
| 5T-32-16 | ZG2"X11 | ZG1"X11 | | 29 | | 65 | | 47 |
| 5T-32-20 | ZG2"X11 | ZG1.1/4"X11 | | 29 | | 65 | | 47 |
| 5T-32-24 | ZG2"X11 | ZG1.1/2"X11 | | 29 | | 65 | | 47 |



5T9

90° 英锥管外螺纹/ 英锥管内螺纹
90° BSPT MALE/BSPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | |
|----------------|-------------|-------------|--|---------------|------|----|--|
| | E | F | | A | B | S1 | |
| 5T9-02 | ZG1/8"X28 | ZG1/8"X28 | | 30 | 23 | 17 | |
| 5T9-04 | ZG1/4"X19 | ZG1/4"X19 | | 33 | 25 | 19 | |
| 5T9-06 | ZG3/8"X19 | ZG3/8"X19 | | 37 | 25 | 22 | |
| 5T9-08 | ZG1/2"X14 | ZG1/2"X14 | | 43 | 31.5 | 27 | |
| 5T9-12 | ZG3/4"X14 | ZG3/4"X14 | | 52 | 37 | 33 | |
| 5T9-16 | ZG1"X11 | ZG1"X11 | | 59 | 43 | 44 | |
| 5T9-20 | ZG1.1/4"X11 | ZG1.1/4"X11 | | 61 | 50 | 50 | |
| 5T9-24 | ZG1.1/2"X11 | ZG1.1/2"X11 | | 65 | 55 | 65 | |



7T

英锥管内螺纹
BSPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | S1 | 尺寸 DIMENSIONS | |
|----------------|-------------|-------------|--|--|------|------|----|---------------|--|
| | E | F | | | | | | L | |
| 7T-02 | ZG1/8"X28 | ZG1/8"X28 | | | 8 | 8 | 14 | 22 | |
| 7T-04-02 | ZG1/4"X19 | ZG1/8"X28 | | | 10 | 8 | 19 | 26 | |
| 7T-04 | ZG1/4"X19 | ZG1/4"X19 | | | 10 | 10 | 19 | 28 | |
| 7T-06-04 | ZG3/8"X19 | ZG1/4"X19 | | | 10 | 8 | 19 | 26 | |
| 7T-06 | ZG3/8"X19 | ZG3/8"X19 | | | 11 | 11 | 19 | 28 | |
| 7T-08-04 | ZG1/2"X14 | ZG1/4"X19 | | | 14 | 10 | 27 | 34 | |
| 7T-08 | ZG1/2"X14 | ZG1/2"X14 | | | 14 | 14 | 27 | 38 | |
| 7T-12 | ZG3/4"X14 | ZG3/4"X14 | | | 15.5 | 15.5 | 36 | 42 | |
| 7T-16 | ZG1"X11 | ZG1"X11 | | | 17 | 17 | 41 | 50 | |
| 7T-20 | ZG1.1/4"X11 | ZG1.1/4"X11 | | | 19 | 19 | 50 | 55 | |
| 7T-24 | ZG1.1/2"X11 | ZG1.1/2"X11 | | | 19 | 19 | 55 | 55 | |
| 7T-32 | ZG2"X11 | ZG2"X11 | | | 21 | 21 | 70 | 60 | |



7T9

90° 英锥管内螺纹
90° BSPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | |
|----------------|-------------|-------------|--|--|----|---------------|----|--|
| | E | F | | | | B | S1 | |
| 7T9-02 | ZG1/8"X28 | ZG1/8"X28 | | | 17 | 17 | 14 | |
| 7T9-02-04 | ZG1/8"X28 | ZG1/4"X19 | | | 21 | 21 | 17 | |
| 7T9-04 | ZG1/4"X19 | ZG1/4"X19 | | | 21 | 21 | 17 | |
| 7T9-06 | ZG3/8"X19 | ZG3/8"X19 | | | 24 | 24 | 22 | |
| 7T9-08 | ZG1/2"X14 | ZG1/2"X14 | | | 27 | 27 | 26 | |
| 7T9-12 | ZG3/4"X14 | ZG3/4"X14 | | | 33 | 33 | 34 | |
| 7T9-16 | ZG1"X11 | ZG1"X11 | | | 38 | 38 | 41 | |
| 7T9-20 | ZG1.1/4"X11 | ZG1.1/4"X11 | | | 45 | 45 | 54 | |
| 7T9-24 | ZG1.1/2"X11 | ZG1.1/2"X11 | | | 47 | 47 | 56 | |
| 7T9-32 | ZG2"X11 | ZG2"X11 | | | 60 | 60 | 68 | |



GT

英锥管内螺纹三通
BSPT FEMALE TEE


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | |
|----------------|-------------|--|--|--|----|---------------|----|--|
| | E | | | | | S1 | | |
| GT-02 | ZG1/8"X28 | | | | 17 | | 14 | |
| GT-04 | ZG1/4"X19 | | | | 21 | | 17 | |
| GT-06 | ZG3/8"X19 | | | | 24 | | 22 | |
| GT-08 | ZG1/2"X14 | | | | 27 | | 26 | |
| GT-12 | ZG3/4"X14 | | | | 33 | | 34 | |
| GT-16 | ZG1"X11 | | | | 38 | | 41 | |
| GT-20 | ZG1.1/4"X11 | | | | 45 | | 54 | |
| GT-24 | ZG1.1/2"X11 | | | | 47 | | 56 | |
| GT-32 | ZG2"X11 | | | | 60 | | 68 | |



ZT

英锥管内螺纹四通
BSPT FEMALE CROSS


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|-------------|--|--|--|---------------|--|----|--|
| | E | | | | A | | S1 | |
| ZT-02 | ZG1/8"X28 | | | | 17 | | 14 | |
| ZT-04 | ZG1/4"X19 | | | | 21 | | 17 | |
| ZT-06 | ZG3/8"X19 | | | | 24 | | 22 | |
| ZT-08 | ZG1/2"X14 | | | | 27 | | 26 | |
| ZT-12 | ZG3/4"X14 | | | | 33 | | 34 | |
| ZT-16 | ZG1"X11 | | | | 38 | | 41 | |
| ZT-20 | ZG1.1/4"X11 | | | | 45 | | 54 | |



5GT

英管外螺纹O型圈/ 英锥管内螺纹
BSP MALE O-RING/BSPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|-----------|--|--|---------------|--|----|------|
| | E | F | | | A | | S1 | L |
| 5GT-02 | G1/8"X28 | ZG1/8"X28 | | | 9 | | 14 | 24 |
| 5GT-04 | G1/4"X19 | ZG1/4"X19 | | | 12 | | 19 | 30 |
| 5GT-06 | G3/8"X19 | ZG3/8"X19 | | | 13.5 | | 22 | 33.5 |
| 5GT-08-06 | G1/2"X14 | ZG3/8"X19 | | | 16 | | 27 | 36 |
| 5GT-08 | G1/2"X14 | ZG1/2"X14 | | | 16 | | 27 | 36 |
| 5GT-12 | G3/4"X14 | ZG3/4"X14 | | | 18.5 | | 36 | 49 |
| 5GT-16 | G1"X11 | ZG1"X11 | | | 20.5 | | 41 | 55 |



1N

美制布锥管外螺纹
NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | |
|----------------|--------------|--------------|--|---------------|------|----|------|
| | E | F | | A | B | S1 | L |
| 1N-02 | Z1/8"X27 | Z1/8"X27 | | 10 | 10 | 12 | 26 |
| 1N-02-04 | Z1/8"X27 | Z1/4"X18 | | 10 | 14 | 14 | 30 |
| 1N-02-06 | Z1/8"X27 | Z3/8"X18 | | 10 | 14 | 17 | 30 |
| 1N-04 | Z1/4"X18 | Z1/4"X18 | | 14 | 14 | 14 | 34 |
| 1N-04-06 | Z1/4"X18 | Z3/8"X18 | | 14 | 14 | 17 | 34 |
| 1N-04-08 | Z1/4"X18 | Z1/2"X14 | | 14 | 19 | 22 | 41.5 |
| 1N-06 | Z3/8"X18 | Z3/8"X18 | | 14 | 14 | 17 | 34 |
| 1N-06-08 | Z3/8"X18 | Z1/2"X14 | | 14 | 19 | 22 | 41 |
| 1N-08 | Z1/2"X14 | Z1/2"X14 | | 19 | 19 | 22 | 46 |
| 1N-08-12 | Z1/2"X14 | Z3/4"X14 | | 19 | 19.5 | 27 | 47 |
| 1N-12 | Z3/4"X14 | Z3/4"X14 | | 19.5 | 19.5 | 27 | 48 |
| 1N-12-16 | Z3/4"X14 | Z1"X11.5 | | 19.5 | 24 | 36 | 53 |
| 1N-16 | Z1"X11.5 | Z1"X11.5 | | 24 | 24 | 36 | 58 |
| 1N-16-20 | Z1"X11.5 | Z1.1/4"X11.5 | | 24 | 25 | 46 | 62 |
| 1N-20 | Z1.1/4"X11.5 | Z1.1/4"X11.5 | | 25 | 25 | 46 | 63 |
| 1N-20-24 | Z1.1/4"X11.5 | Z1.1/2"X11.5 | | 25 | 25 | 50 | 65 |
| 1N-24 | Z1.1/2"X11.5 | Z1.1/2"X11.5 | | 25 | 25 | 50 | 65 |
| 1N-24-32 | Z1.1/2"X11.5 | Z2"X11.5 | | 25 | 29 | 70 | 72 |
| 1N-32 | Z2"X11.5 | Z2"X11.5 | | 29 | 29 | 70 | 75 |



1N4

45° 美制布锥管外螺纹
45° NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|----------------|----------------|--|---------------|----|----|--|--|
| | E | F | | A | B | S1 | | |
| 1N4-02 | Z1/8"X27 | Z1/8"X27 | | 19 | 21 | 11 | | |
| 1N4-04 | Z1/4"X18 | Z1/4"X18 | | 22 | 27 | 14 | | |
| 1N4-06 | Z3/8"X18 | Z3/8"X18 | | 22 | 29 | 17 | | |
| 1N4-08 | Z1/2"X14 | Z1/2"X14 | | 27 | 37 | 22 | | |
| 1N4-12 | Z3/4"X14 | Z3/4"X14 | | 33 | 43 | 27 | | |
| 1N4-16 | Z1"X11.5 | Z1"X11.5 | | 37 | 47 | 33 | | |
| 1N4-20 | Z1.1 / 4"X11.5 | Z1.1 / 4"X11.5 | | 40 | 56 | 44 | | |
| 1N4-24 | Z1.1 / 2"X11.5 | Z1.1 / 2"X11.5 | | 47 | 57 | 53 | | |
| 1N4-32 | Z2"X11.5 | Z2"X11.5 | | 55 | 63 | 65 | | |



1N9

90° 美制布锥管外螺纹
90° NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|----------------|----------------|--|---------------|----|----|--|--|
| | E | F | | A | B | S1 | | |
| 1N9-02 | Z1/8"X27 | Z1/8"X27 | | 22 | 22 | 11 | | |
| 1N9-04 | Z1/4"X18 | Z1/4"X18 | | 29 | 27 | 14 | | |
| 1N9-06 | Z3/8"X18 | Z3/8"X18 | | 30 | 29 | 17 | | |
| 1N9-08 | Z1/2"X14 | Z1/2"X14 | | 37 | 37 | 22 | | |
| 1N9-12 | Z3/4"X14 | Z3/4"X14 | | 40 | 40 | 27 | | |
| 1N9-16 | Z1"X11.5 | Z1"X11.5 | | 49 | 49 | 33 | | |
| 1N9-20 | Z1.1 / 4"X11.5 | Z1.1 / 4"X11.5 | | 57 | 57 | 44 | | |
| 1N9-24 | Z1.1 / 2"X11.5 | Z1.1 / 2"X11.5 | | 57 | 57 | 48 | | |
| 1N9-32 | Z2"X11.5 | Z2"X11.5 | | 66 | 66 | 65 | | |



4NN

美制布锥管外螺纹内六角堵头
NPT MALE HOLLOW HEX PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | L | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|----|---------------|----|--|--|
| | E | | | | | S1 | | | |
| 4NN-02 | Z1/8"X27 | | | | 8 | | 5 | | |
| 4NN-04 | Z1/4"X18 | | | | 10 | | 6 | | |
| 4NN-06 | Z3/8"X18 | | | | 12 | | 8 | | |
| 4NN-08 | Z1/2"X14 | | | | 15 | | 10 | | |
| 4NN-12 | Z3/4"X14 | | | | 18 | | 12 | | |
| 4NN-16 | Z1"X11.5 | | | | 20 | | 17 | | |



4N

美制布锥管外螺纹堵头
NPT MALE PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | | |
|----------------|----------------|--|--|--|------|---------------|----|--|----|
| | E | | | | | S1 | | | L |
| 4N-02 | Z1/8"X27 | | | | 10 | | 12 | | 16 |
| 4N-04 | Z1/4"X18 | | | | 14 | | 17 | | 20 |
| 4N-06 | Z3/8"X18 | | | | 14 | | 19 | | 21 |
| 4N-08 | Z1/2"X14 | | | | 19 | | 22 | | 27 |
| 4N-12 | Z3/4"X14 | | | | 19.5 | | 30 | | 29 |
| 4N-16 | Z1"X11.5 | | | | 24 | | 36 | | 36 |
| 4N-20 | Z1.1 / 4"X11.5 | | | | 25 | | 46 | | 38 |
| 4N-24 | Z1.1 / 2"X11.5 | | | | 25 | | 50 | | 41 |
| 4N-32 | Z2"X11.5 | | | | 29 | | 65 | | 46 |



5N

美制布锥管外螺纹/布锥管内螺纹
NPT MALE/NPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|----------------|----------------|--|---------------|--|----|--|----|
| | E | F | | A | | S1 | | L |
| 5N-02 | Z1/8"X27 | Z1/8"X27 | | 10 | | 14 | | 25 |
| 5N-02-04 | Z1/8"X27 | Z1/4"X18 | | 10 | | 19 | | 28 |
| 5N-04-02 | Z1/4"X18 | Z1/8"X27 | | 14 | | 17 | | 20 |
| 5N-04 | Z1/4"X18 | Z1/4"X18 | | 14 | | 19 | | 32 |
| 5N-04-06 | Z1/4"X18 | Z3/8"X18 | | 14 | | 22 | | 34 |
| 5N-06-02 | Z3/8"X18 | Z1/8"X28 | | 14 | | 19 | | 21 |
| 5N-06-04 | Z3/8"X18 | Z1/4"X18 | | 14 | | 19 | | 21 |
| 5N-06-06 | Z3/8"X18 | Z3/8"X18 | | 14 | | 24 | | 34 |
| 5N-06-08 | Z3/8"X18 | Z1/2"X14 | | 14 | | 30 | | 40 |
| 5N-08-02 | Z1/2"X14 | Z3/4"X14 | | 19 | | 24 | | 27 |
| 5N-08-04 | Z1/2"X14 | Z1/4"X18 | | 19 | | 24 | | 27 |
| 5N-08-06 | Z1/2"X14 | Z3/8"X18 | | 19 | | 24 | | 27 |
| 5N-08-12 | Z1/2"X14 | Z3/4"X14 | | 19 | | 36 | | 49 |
| 5N-12-04 | Z3/4"X14 | Z1/4"X18 | | 19.5 | | 27 | | 29 |
| 5N-12-06 | Z3/4"X14 | Z3/8"X18 | | 19.5 | | 27 | | 29 |
| 5N-12-08 | Z3/4"X14 | Z1/2"X14 | | 19.5 | | 30 | | 29 |
| 5N-12-16 | Z3/4"X14 | Z1"X11.5 | | 19.5 | | 41 | | 54 |
| 5N-12-20 | Z3/4"X14 | Z1.1 / 4"X11.5 | | 19.5 | | 50 | | 56 |
| 5N-16-06 | Z1"X11.5 | Z3/8"X18 | | 24 | | 36 | | 34 |
| 5N-16-08 | Z1"X11.5 | Z1/2"X14 | | 24 | | 36 | | 34 |
| 5N-16-12 | Z1"X11.5 | Z3/4"X14 | | 24 | | 36 | | 34 |
| 5N-16-16 | Z1"X11.5 | Z1"X11.5 | | 24 | | 41 | | 58 |
| 5N-20-12 | Z1.1 / 4"X11.5 | Z3/4"X14 | | 25 | | 46 | | 38 |
| 5N-20-16 | Z1.1 / 4"X11.5 | Z1"X11.5 | | 25 | | 46 | | 38 |
| 5N-24-16 | Z1.1 / 2"X11.5 | Z1"X11.5 | | 25 | | 50 | | 42 |
| 5N-24-20 | Z1.1 / 2"X11.5 | Z1.1 / 4"X11.5 | | 25 | | 50 | | 42 |
| 5N-32-16 | Z2"X11.5 | Z1"X11.5 | | 29 | | 65 | | 47 |
| 5N-32-20 | Z2"X11.5 | Z1.1 / 4"X11.5 | | 29 | | 65 | | 47 |
| 5N-32-24 | Z2"X11.5 | Z1.1 / 2"X11.5 | | 29 | | 65 | | 47 |



5N4

45° 美制布锥管外螺纹/ 布锥管内螺纹
45° NPT MALE/NPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | |
|----------------|----------------|--|--|---------------|------|----|--|
| | E | | | A | B | S1 | |
| 5N4-02 | Z1/8"X27 | | | 22 | 17 | 17 | |
| 5N4-04 | Z1/4"X18 | | | 25 | 20 | 19 | |
| 5N4-06 | Z3/8"X18 | | | 27 | 19 | 22 | |
| 5N4-08 | Z1/2"X14 | | | 33 | 28 | 27 | |
| 5N4-12 | Z3/4"X14 | | | 37 | 30 | 33 | |
| 5N4-16 | Z1"X11.5 | | | 40 | 37.5 | 44 | |
| 5N4-20 | Z1.1 / 4"X11.5 | | | 47 | 30 | 50 | |
| 5N4-24 | Z1.1 / 2"X11.5 | | | 55 | 36 | 65 | |



5N9

90° 美制布锥管外螺纹/ 布锥管内螺纹
90° NPT MALE/NPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | |
|----------------|----------------|----------------|--|---------------|------|----|--|
| | E | F | | A | B | S1 | |
| 5N9-02 | Z1/8"X27 | Z1/8"X27 | | 22 | 17 | 14 | |
| 5N9-04-02 | Z1/4"X18 | Z1/8"X27 | | 27 | 21 | 17 | |
| 5N9-04 | Z1/4"X18 | Z1/4"X18 | | 27 | 21 | 17 | |
| 5N9-04-06 | Z1/4"X18 | Z3/8"X18 | | 32 | 27 | 22 | |
| 5N9-06 | Z3/8"X18 | Z3/8"X18 | | 32 | 27 | 22 | |
| 5N9-08 | Z1/2"X14 | Z1/2"X14 | | 35 | 30 | 27 | |
| 5N9-12-08 | Z3/4"X14 | Z1/2"X14 | | 40 | 32 | 33 | |
| 5N9-12 | Z3/4"X14 | Z3/4"X14 | | 40 | 32 | 33 | |
| 5N9-16 | Z1"X11.5 | Z1"X11.5 | | 49 | 38 | 41 | |
| 5N9-20 | Z1.1 / 4"X11.5 | Z1.1 / 4"X11.5 | | 61 | 43.2 | 50 | |
| 5N9-24 | Z1.1 / 2"X11.5 | Z1.1 / 2"X11.5 | | 65 | 52.8 | 65 | |
| 5N9-32 | Z2"X11.5 | Z2"X11.5 | | 65 | 62 | 65 | |



7N

美制布锥管内螺纹
NPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | S1 | 尺寸 DIMENSIONS | |
|----------------|----------------|----------------|--|--|------|------|----|---------------|--|
| | E | F | | | | | | L | |
| 7N-02 | Z1/8"X27 | Z1/8"X27 | | | 8 | 8 | 14 | 22 | |
| 7N-04-02 | Z1/4"X18 | Z1/8"X27 | | | 10 | 8 | 19 | 26 | |
| 7N-04 | Z1/4"X18 | Z1/4"X18 | | | 10 | 10 | 19 | 28 | |
| 7N-06-04 | Z3/8"X18 | Z1/4"X18 | | | 10 | 8 | 19 | 26 | |
| 7N-06 | Z3/8"X18 | Z3/8"X18 | | | 11 | 11 | 19 | 28 | |
| 7N-08-04 | Z1/2"X14 | Z1/4"X18 | | | 14 | 10 | 27 | 34 | |
| 7N-08 | Z1/2"X14 | Z1/2"X14 | | | 14 | 14 | 27 | 38 | |
| 7N-12 | Z3/4"X14 | Z3/4"X14 | | | 15.5 | 15.5 | 36 | 42 | |
| 7N-16 | Z1"X11.5 | Z1"X11.5 | | | 17 | 17 | 41 | 50 | |
| 7N-20 | Z1.1 / 4"X11.5 | Z1.1 / 4"X11.5 | | | 19 | 19 | 50 | 55 | |
| 7N-24 | Z1.1 / 2"X11.5 | Z1.1 / 2"X11.5 | | | 19 | 19 | 55 | 55 | |
| 7N-32 | Z2"X11.5 | Z2"X11.5 | | | 21 | 21 | 70 | 60 | |



7N9

90° 美制布锥管内螺纹
90° NPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|----------------|----------------|--|--|---------------|----|--|--|
| | E | F | | | A | S1 | | |
| 7N9-02 | Z1/8"X27 | Z1/8"X27 | | | 17 | 14 | | |
| 7N9-02-04 | Z1/8"X27 | Z1/4"X18 | | | 21 | 17 | | |
| 7N9-04 | Z1/4"X18 | Z1/4"X18 | | | 21 | 17 | | |
| 7N9-06 | Z3/8"X18 | Z3/8"X18 | | | 24 | 22 | | |
| 7N9-08 | Z1/2"X14 | Z1/2"X14 | | | 27 | 26 | | |
| 7N9-12 | Z3/4"X14 | Z3/4"X14 | | | 33 | 34 | | |
| 7N9-16 | Z1"X11.5 | Z1"X11.5 | | | 38 | 41 | | |
| 7N9-20 | Z1.1 / 4"X11.5 | Z1.1 / 4"X11.5 | | | 45 | 54 | | |
| 7N9-24 | Z1.1 / 2"X11.5 | Z1.1 / 2"X11.5 | | | 47 | 56 | | |
| 7N9-32 | Z2"X11.5 | Z2"X11.5 | | | 60 | 68 | | |



9N-CAP

美制布锥管内螺纹堵头
NPT FEMALE PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|----------------|--|--|--|---------------|----|--|--|
| | E | | | | A | S1 | | |
| 9N-02CAP | Z1/8"X27 | | | | 17.5 | 17 | | |
| 9N-04CAP | Z1/4"X18 | | | | 23 | 19 | | |
| 9N-06CAP | Z3/8"X18 | | | | 24 | 24 | | |
| 9N-08CAP | Z1/2"X14 | | | | 28 | 30 | | |
| 9N-12CAP | Z3/4"X14 | | | | 28 | 36 | | |
| 9N-16CAP | Z1"X11.5 | | | | 34 | 46 | | |
| 9N-20CAP | Z1.1 / 4"X11.5 | | | | 37 | 55 | | |
| 9N-24CAP | Z1.1 / 2"X11.5 | | | | 37 | 65 | | |
| 9N-32CAP | Z2"X11.5 | | | | 40.5 | 75 | | |



1NO

美制SAE外螺纹带O型圈/ 美制布锥管外螺纹
NPT MALE/SAE O-RING BOSS


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | | |
|----------------|-------------|----------------|--|---------------|------|----|------|--|--|
| | E | F | | A | B | S1 | L | | |
| 1ON-04 | U7/16"X20 | Z1/4"X18 | | 10 | 14 | 19 | 30 | | |
| 1ON-04-06 | U9/16"X18 | Z1/4"X18 | | 12 | 14 | 22 | 32 | | |
| 1ON-06-04 | U7/16"X20 | Z3/8"X18 | | 10 | 14 | 19 | 30 | | |
| 1ON-06 | U9/16"X18 | Z3/8"X18 | | 12 | 14 | 22 | 34 | | |
| 1ON-06-08 | U3/4"X16 | Z3/8"X18 | | 12 | 14 | 27 | 36 | | |
| 1ON-08 | U3/4"X16 | Z1/2"X14 | | 12 | 19 | 27 | 41 | | |
| 1ON-08-10 | U7/8"X14 | Z1/2"X14 | | 13.5 | 19 | 30 | 42.5 | | |
| 1ON-08-12 | U1.1/16"X12 | Z1/2"X14 | | 16 | 19 | 32 | 45 | | |
| 1ON-12-10 | U7/8"X14 | Z3/4"X14 | | 13.5 | 19.5 | 30 | 43 | | |
| 1ON-12 | U1.1/16"X12 | Z3/4"X14 | | 16 | 19.5 | 32 | 45.5 | | |
| 1ON-16 | U1.5/16"X12 | Z1"X11.5 | | 16 | 24 | 41 | 52 | | |
| 1ON-20-16 | U1.5/16"X12 | Z1.1 / 4"X11.5 | | 16 | 25 | 46 | 54 | | |
| 1ON-20 | U1.5/8"X12 | Z1.1 / 4"X11.5 | | 18 | 25 | 50 | 60 | | |
| 1ON-24 | U1.7/8"X12 | Z1.1 / 2"X11.5 | | 18.5 | 25 | 55 | 60.5 | | |



2NU

布锥管外螺纹/美制NPSM内螺纹60°外锥
NPT MALE/NPSM FEMALE 60° CONE


| 代号 PART NO. | 螺纹 THREADE | | A | 尺寸 DIMENSIONS | | | |
|----------------|--------------|--------------|------|---------------|----|----|--|
| | E | F | | C | S1 | S2 | |
| 2NU-02 | Z1/8"X27 | Z1/8"X27 | 10 | 5.5 | 12 | 14 | |
| 2NU-02-04 | Z1/8"X27 | Z1/4"X18 | 10 | 5.5 | 12 | 19 | |
| 2NU-04-02 | Z1/4"X18 | Z1/8"X27 | 14 | 5.5 | 14 | 14 | |
| 2NU-04 | Z1/4"X18 | Z1/4"X18 | 14 | 5.5 | 14 | 19 | |
| 2NU-04-06 | Z1/4"X18 | Z3/8"X18 | 14 | 6.5 | 17 | 22 | |
| 2NU-04-08 | Z1/4"X18 | Z1/2"X14 | 14 | 8 | 19 | 27 | |
| 2NU-06 | Z3/8"X18 | Z3/8"X18 | 14 | 6.5 | 19 | 22 | |
| 2NU-06-04 | Z3/8"X18 | Z1/4"X18 | 14 | 5.5 | 19 | 19 | |
| 2NU-06-08 | Z3/8"X18 | Z1/2"X14 | 14 | 8 | 19 | 27 | |
| 2NU-08 | Z1/2"X14 | Z1/2"X14 | 19 | 8 | 22 | 27 | |
| 2NU-08-04 | Z1/2"X14 | Z1/4"X18 | 19 | 5.5 | 22 | 19 | |
| 2NU-08-06 | Z1/2"X14 | Z3/8"X18 | 19 | 6.5 | 22 | 22 | |
| 2NU-12 | Z3/4"X14 | Z3/4"X14 | 19.5 | 11.5 | 27 | 32 | |
| 2NU-12-06 | Z3/4"X14 | Z3/8"X18 | 19.5 | 6.5 | 27 | 22 | |
| 2NU-12-08 | Z3/4"X14 | Z1/2"X14 | 19.5 | 8 | 27 | 27 | |
| 2NU-12-16 | Z3/4"X14 | Z1"X11.5 | 19.5 | 11.5 | 36 | 41 | |
| 2NU-16-12 | Z1"X11.5 | Z3/4"X14 | 24 | 11.5 | 36 | 32 | |
| 2NU-16 | Z1"X11.5 | Z1"X11.5 | 24 | 11.5 | 36 | 41 | |
| 2NU-16-20 | Z1"X11.5 | Z1.1/4"X11.5 | 24 | 12 | 41 | 50 | |
| 2NU-20-16 | Z1.1/4"X11.5 | Z1"X11.5 | 25 | 11.5 | 46 | 41 | |
| 2NU-20 | Z1.1/4"X11.5 | Z1.1/4"X11.5 | 25 | 12 | 46 | 50 | |
| 2NU-20-24 | Z1.1/4"X11.5 | Z1.1/2"X11.5 | 25 | 13 | 41 | 55 | |
| 2NU-24-20 | Z1.1/2"X11.5 | Z1.1/4"X11.5 | 25 | 12 | 46 | 50 | |
| 2NU-24 | Z1.1/2"X11.5 | Z1.1/2"X11.5 | 25 | 13 | 50 | 55 | |
| 2NU-32 | Z2"X11.5 | Z2"X11.5 | 29 | 16 | 65 | 70 | |



2NU4

45° 布锥管外螺纹/美制NPSM内螺纹 60° 外锥
45° NPT MALE/NPSM FEMALE 60° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|----------------|----------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| 2NU4-02 | Z1/8"X27 | Z1/8"X27 | | | 17 | 5.5 | 11 | 14 | |
| 2NU4-04 | Z1/4"X18 | Z1/4"X18 | | | 22 | 5.5 | 14 | 19 | |
| 2NU4-04-06 | Z1/4"X18 | Z3/8"X18 | | | 22 | 6.5 | 17 | 22 | |
| 2NU4-06 | Z3/8"X18 | Z3/8"X18 | | | 22 | 6.5 | 17 | 22 | |
| 2NU4-06-04 | Z3/8"X18 | Z1/4"X18 | | | 22 | 5.5 | 17 | 19 | |
| 2NU4-06-08 | Z3/8"X18 | Z1/2"X14 | | | 25 | 8 | 19 | 27 | |
| 2NU4-08 | Z1/2"X14 | Z1/2"X14 | | | 27 | 8 | 22 | 27 | |
| 2NU4-08-06 | Z1/2"X14 | Z3/8"X18 | | | 27 | 6.5 | 22 | 22 | |
| 2NU4-08-12 | Z1/2"X14 | Z3/4"X14 | | | 33 | 11.5 | 27 | 32 | |
| 2NU4-12 | Z3/4"X14 | Z3/4"X14 | | | 33 | 11.5 | 27 | 32 | |
| 2NU4-12-08 | Z3/4"X14 | Z1/2"X14 | | | 33 | 8 | 27 | 27 | |
| 2NU4-12-16 | Z3/4"X14 | Z1"X11.5 | | | 37 | 11.5 | 33 | 41 | |
| 2NU4-16 | Z1"X11.5 | Z1"X11.5 | | | 37 | 11.5 | 33 | 41 | |
| 2NU4-16-12 | Z1"X11.5 | Z3/4"X14 | | | 37 | 11.5 | 33 | 32 | |
| 2NU4-20 | Z1.1 / 4"X11.5 | Z1.1 / 4"X11.5 | | | 40 | 12 | 44 | 50 | |
| 2NU4-24 | Z1.1 / 2"X11.5 | Z1.1 / 2"X11.5 | | | 47 | 13 | 50 | 55 | |
| 2NU4-32 | Z2"X11.5 | Z2"X11.5 | | | 55 | 16 | 65 | 70 | |



2NU9

90 ° 布锥管外螺纹/美制NPSM内螺纹 60 ° 外锥
90 ° NPT MALE/NPSM FEMALE 60 ° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|----------------|----------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| 2NU9-02 | Z1/8"X27 | Z1/8"X27 | | | 21 | 5.5 | 11 | 14 | |
| 2NU9-02-04 | Z1/8"X27 | Z1/4"X18 | | | 21 | 5.5 | 11 | 19 | |
| 2NU9-04-02 | Z1/4"X18 | Z1/8"X27 | | | 29 | 5.5 | 14 | 14 | |
| 2NU9-04 | Z1/4"X18 | Z1/4"X18 | | | 29 | 5.5 | 14 | 19 | |
| 2NU9-04-06 | Z1/4"X18 | Z3/8"X18 | | | 30 | 6.5 | 17 | 22 | |
| 2NU9-06 | Z3/8"X18 | Z3/8"X18 | | | 30 | 6.5 | 17 | 22 | |
| 2NU9-06-04 | Z3/8"X18 | Z1/4"X18 | | | 30 | 5.5 | 17 | 19 | |
| 2NU9-06-08 | Z3/8"X18 | Z1/2"X14 | | | 33 | 8 | 19 | 27 | |
| 2NU9-08 | Z1/2"X14 | Z1/2"X14 | | | 37 | 8 | 22 | 27 | |
| 2NU9-08-06 | Z1/2"X14 | Z3/8"X18 | | | 37 | 6.5 | 22 | 22 | |
| 2NU9-08-12 | Z1/2"X14 | Z3/4"X14 | | | 43 | 11.5 | 27 | 32 | |
| 2NU9-12 | Z3/4"X14 | Z3/4"X14 | | | 43 | 11.5 | 27 | 32 | |
| 2NU9-12-08 | Z3/4"X14 | Z1/2"X14 | | | 43 | 8 | 27 | 27 | |
| 2NU9-12-16 | Z3/4"X14 | Z1"X11.5 | | | 52 | 11.5 | 33 | 41 | |
| 2NU9-16 | Z1"X11.5 | Z1"X11.5 | | | 52 | 11.5 | 33 | 41 | |
| 2NU9-16-12 | Z1"X11.5 | Z3/4"X14 | | | 52 | 11.5 | 33 | 32 | |
| 2NU9-20-16 | Z1.1 / 4"X11.5 | Z1"X11.5 | | | 59 | 11.5 | 44 | 41 | |
| 2NU9-20 | Z1.1 / 4"X11.5 | Z1.1 / 4"X11.5 | | | 59 | 12 | 44 | 50 | |
| 2NU9-24 | Z1.1 / 2"X11.5 | Z1.1 / 2"X11.5 | | | 61 | 13 | 50 | 55 | |
| 2NU9-32 | Z2"X11.5 | Z2"X11.5 | | | 66 | 16 | 65 | 70 | |



5GN

美制外螺纹O型圈/ 美制布锥管内螺纹
BSP MALE O-RING/NPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--------------|--|---------------|----|----|---|------|
| | E | F | | A | S1 | | L | |
| 5GN-02 | G1/8"X28 | Z1/8"X27 | | 9 | | 17 | | 24 |
| 5GN-02-04 | G1/8"X28 | Z1/4"X18 | | 9 | | 19 | | 27 |
| 5GN-04-02 | G1/4"X19 | Z1/8"X27 | | 12 | | 19 | | 30 |
| 5GN-04 | G1/4"X19 | Z1/4"X18 | | 12 | | 19 | | 30 |
| 5GN-04-06 | G1/4"X19 | Z3/8"X18 | | 12 | | 22 | | 32 |
| 5GN-06-04 | G3/8"X19 | Z1/4"X18 | | 13.5 | | 22 | | 33.5 |
| 5GN-06 | G3/8"X19 | Z3/8"X18 | | 13.5 | | 22 | | 33.5 |
| 5GN-08-04 | G1/2"X14 | Z1/4"X18 | | 16 | | 27 | | 36 |
| 5GN-08-06 | G1/2"X14 | Z3/8"X18 | | 16 | | 27 | | 36 |
| 5GN-08 | G1/2"X14 | Z1/2"X14 | | 16 | | 30 | | 42 |
| 5GN-12 | G3/4"X14 | Z3/4"X14 | | 18.5 | | 36 | | 48.5 |
| 5GN-16 | G1"X11 | Z1"X11.5 | | 20.5 | | 41 | | 54.5 |
| 5GN-20 | G1.1/4"X11 | Z1.1/4"X11.5 | | 20.5 | | 50 | | 57.5 |
| 5GN-24 | G1.1/2"X11 | Z1.1/2"X11.5 | | 23 | | 60 | | 60 |



5HN

公制外螺纹轻系列/ 美制布锥管内螺纹
METRIC MALE L-SERIES/NPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|------------|---------------|----|-----|----|----|
| | E | F | A | S1 | L | | |
| 5HN-10-02 | M10x1 | Z1/8"X27 | | | 8.5 | 14 | 23 |
| 5HN-12-02 | M12x1.5 | Z1 / 8"X27 | | | 11 | 17 | 26 |
| 5HN-12-04 | M12x1.5 | Z1 / 4"X18 | | | 11 | 19 | 29 |
| 5HN-14-04 | M14x1.5 | Z1 / 4"X18 | | | 11 | 19 | 29 |
| 5HN-16-06 | M16x1.5 | Z3 / 8"X18 | | | 11 | 22 | 31 |
| 5HN-16-08 | M16x1.5 | Z1 / 2"X14 | | | 11 | 30 | 37 |
| 5HN-18-06 | M18x1.5 | Z3 / 8"X18 | | | 11 | 24 | 31 |
| 5HN-18-08 | M18x1.5 | Z1 / 2"X14 | | | 11 | 30 | 37 |
| 5HN-22-08 | M22x1.5 | Z1/2"X14 | | | 12 | 30 | 38 |
| 5HN-27-12 | M27x2 | Z3/4"X14 | | | 13 | 36 | 43 |



5MN

公制外螺纹组合垫圈/ 美制布锥管内螺纹
METRIC MALE WITH BONDED SEAL/NPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|----------|---------------|----|----|----|----|
| | E | F | A | S1 | L | | |
| 5MN-12-02 | M12x1.5 | Z1/8"X27 | | | 10 | 19 | 30 |
| 5MN-14-04 | M14x1.5 | Z1/4"X18 | | | 11 | 19 | 31 |
| 5MN-16-06 | M16x1.5 | Z3/8"X18 | | | 12 | 22 | 34 |
| 5MN-18-06 | M18x1.5 | Z3/8"X18 | | | 12 | 24 | 34 |
| 5MN-22-06 | M22x1.5 | Z3/8"X18 | | | 14 | 27 | 36 |
| 5MN-22-08 | M22x1.5 | Z1/2"X14 | | | 14 | 30 | 43 |



5NO

美制布锥管外螺纹/ 美制SAE内螺纹
NPT MALE/ SAE FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|--------------|-------------|--|---------------|--|----|--|----|
| | E | F | | A | | S1 | | L |
| 5NO-02-04 | Z1/8"X27 | U7/16"X20 | | 10 | | 17 | | 25 |
| 5NO-02-05 | Z1/8"X27 | U1/2"X20 | | 10 | | 17 | | 25 |
| 5NO-04 | Z1/4"X18 | U7/16"X20 | | 14 | | 17 | | 29 |
| 5NO-04-06 | Z1/4"X18 | U9/16"X18 | | 14 | | 19 | | 32 |
| 5NO-04-08 | Z1/4"X18 | U3/4"X16 | | 14 | | 27 | | 34 |
| 5NO-06-04 | Z3/8"X18 | U7/16"X20 | | 14 | | 19 | | 20 |
| 5NO-06 | Z3/8"X18 | U9/16"X18 | | 14 | | 19 | | 32 |
| 5NO-06-08 | Z3/8"X18 | U3/4"X16 | | 14 | | 24 | | 34 |
| 5NO-08-06 | Z1/2"X14 | U9/16"X18 | | 19 | | 24 | | 27 |
| 5NO-08 | Z1/2"X14 | U3/4"X16 | | 19 | | 27 | | 39 |
| 5NO-08-10 | Z1/2"X14 | U7/8"X14 | | 19 | | 30 | | 45 |
| 5NO-12-08 | Z3/4"X14 | U3/4"X16 | | 19.5 | | 30 | | 30 |
| 5NO-12-10 | Z3/4"X14 | U7/8"X14 | | 19.5 | | 30 | | 30 |
| 5NO-12 | Z3/4"X14 | U1.1/16"X12 | | 19.5 | | 36 | | 49 |
| 5NO-16-12 | Z1"X11.5 | U1.1/16"X12 | | 24 | | 36 | | 35 |
| 5NO-16 | Z1"X11.5 | U1.5/16"X12 | | 24 | | 41 | | 58 |
| 5NO-20 | Z1.1/4"X11.5 | U1.5/8"X12 | | 25 | | 50 | | 62 |



50N

美制SAE外螺纹O型圈轻系列/
美制布锥管内螺纹
SAE O-RING BOSS L-SERIES/
NPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | |
|----------------|-------------|--------------|--|--|------|---------------|----|----|
| | E | F | | | | S1 | | L |
| 5ON-04-02 | U7/16"X20 | Z1/8"X27 | | | 10 | | 17 | 25 |
| 5ON-04 | U7/16"X20 | Z1/4"X18 | | | 10 | | 19 | 28 |
| 5ON-04-06 | U7/16"X20 | Z3/8"X18 | | | 10 | | 24 | 30 |
| 5ON-05-02 | U1/2"X20 | Z1/8"X27 | | | 10 | | 17 | 25 |
| 5ON-06-04 | U9/16"X18 | Z1/4"X18 | | | 12 | | 19 | 30 |
| 5ON-08-04 | U3/4"X16 | Z1/4"X18 | | | 12 | | 22 | 32 |
| 5ON-08-06 | U3/4"X16 | Z3/8"X18 | | | 12 | | 22 | 32 |
| 5ON-08 | U3/4"X16 | Z1/2"X14 | | | 12 | | 30 | 38 |
| 5ON-08-12 | U3/4"X16 | Z3/4"X14 | | | 12 | | 36 | 42 |
| 5ON-10-08 | U7/8"X14 | Z1/2"X14 | | | 13.5 | | 30 | 39 |
| 5ON-10-06 | U7/8"X14 | Z3/8"X18 | | | 13.5 | | 27 | 33 |
| 5ON-10-12 | U7/8"X14 | Z3/4"X14 | | | 13.5 | | 36 | 43 |
| 5ON-12-08 | U1.1/16"X12 | Z1/2"X14 | | | 16 | | 32 | 40 |
| 5ON-12 | U1.1/16"X12 | Z3/4"X14 | | | 16 | | 36 | 46 |
| 5ON-12-16 | U1.1/16"X12 | Z1"X11.5 | | | 16 | | 41 | 50 |
| 5ON-16-12 | U1.5/16"X12 | Z3/4"X14 | | | 17 | | 41 | 51 |
| 5ON-16 | U1.5/16"X12 | Z1"X11.5 | | | 17 | | 41 | 51 |
| 5ON-20-16 | U1.5/8"X12 | Z1"X11.5 | | | 18 | | 50 | 54 |
| 5ON-20 | U1.5/8"X12 | Z1.1/4"X11.5 | | | 18 | | 50 | 54 |
| 5ON-24-16 | U1.7/8"X12 | Z1"X11.5 | | | 18.5 | | 55 | 56 |
| 5ON-24-20 | U1.7/8"X12 | Z1.1/4"X11.5 | | | 18.5 | | 55 | 56 |
| 5ON-24 | U1.7/8"X12 | Z1.1/2"X11.5 | | | 18.5 | | 60 | 56 |
| 5ON-32 | U1.1/2"X12 | Z2"X11.5 | | | 22 | | 70 | 59 |



5TN

英锥管外螺纹/ 美制布锥管内螺纹
BSPT MALE/NPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|----------|--|---------------|--|----|--|----|
| | E | F | | A | | S1 | | L |
| 5TN-02 | ZG1/8"X28 | Z1/8"X27 | | 10 | | 17 | | 25 |
| 5TN-04-02 | ZG1/4"X19 | Z1/8"X27 | | 14 | | 14 | | 20 |
| 5TN-04 | ZG1/4"X19 | Z1/4"X18 | | 14 | | 19 | | 32 |
| 5TN-06-04 | ZG3/8"X19 | Z1/4"X18 | | 14 | | 19 | | 20 |
| 5TN-06 | ZG3/8"X19 | Z3/8"X18 | | 14 | | 24 | | 34 |
| 5TN-08-06 | ZG1/2"X14 | Z3/8"X18 | | 19 | | 24 | | 27 |
| 5TN-08 | ZG1/2"X14 | Z1/2"X14 | | 19 | | 30 | | 45 |
| 5TN-12-08 | ZG3/4"X14 | Z1/2"X14 | | 19.5 | | 32 | | 29 |
| 5TN-12 | ZG3/4"X14 | Z3/4"X14 | | 19.5 | | 36 | | 49 |
| 5TN-16-12 | ZG1"X11 | Z3/4"X14 | | 19.5 | | 36 | | 31 |
| 5TN-16 | ZG1"X11 | Z1"X11.5 | | 24 | | 41 | | 58 |



ZN

美制布锥管内螺纹四通
NPT FEMALE CROSS


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|--------------|--|--|---------------|--|----|--|--|
| | E | | | A | | S1 | | |
| ZN-04 | Z1/4"X18 | | | 21 | | 17 | | |
| ZN-06 | Z3/8"X18 | | | 24 | | 22 | | |
| ZN-08 | Z1/2"X14 | | | 27 | | 26 | | |
| ZN-12 | Z3/4"X14 | | | 33 | | 34 | | |
| ZN-16 | Z1"X11.5 | | | 38 | | 41 | | |
| ZN-20 | Z1.1/4"X11.5 | | | 45 | | 54 | | |



7NU

布锥管内螺纹/美制NPSM内螺纹60 ° 外锥
NPT FEMALE/NPSM FEMALE 60 ° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|----------------|----------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| 7NU-02 | Z1/8"X27 | Z1/8"X27 | | | 10 | 5.5 | 17 | 14 | |
| 7NU-04-02 | Z1/4"X18 | Z1/8"X27 | | | 14 | 5.5 | 19 | 14 | |
| 7NU-04 | Z1/4"X18 | Z1/4"X18 | | | 14 | 5.5 | 19 | 19 | |
| 7NU-04-06 | Z1/4"X18 | Z3/8"X18 | | | 14 | 6.5 | 19 | 22 | |
| 7NU-06 | Z3/8"X18 | Z3/8"X18 | | | 14 | 6.5 | 22 | 22 | |
| 7NU-06-08 | Z3/8"X18 | Z1/2"X14 | | | 14 | 8 | 22 | 27 | |
| 7NU-08-06 | Z1/2"X14 | Z3/8"X18 | | | 19 | 6.5 | 30 | 22 | |
| 7NU-08 | Z1/2"X14 | Z1/2"X14 | | | 19 | 8 | 30 | 27 | |
| 7NU-12 | Z3/4"X14 | Z3/4"X14 | | | 19.5 | 11.5 | 36 | 32 | |
| 7NU-16 | Z1"X11.5 | Z1"X11.5 | | | 24 | 11.5 | 41 | 41 | |
| 7NU-20 | Z1.1 / 4"X11.5 | Z1.1 / 4"X11.5 | | | 25 | 12 | 50 | 50 | |
| 7NU-24 | Z1.1 / 2"X11.5 | Z1.1 / 2"X11.5 | | | 25 | 13 | 60 | 55 | |
| 7NU-32 | Z2"X11.5 | Z2"X11.5 | | | 29 | 16 | 70 | 70 | |



AN

美制布锥管外螺纹三通
NPT MALE TEE


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | | |
|----------------|----------------|--|--|--|----|---------------|----|--|--|
| | E | | | | | S1 | | | |
| AN-02 | Z1/8"X27 | | | | 24 | | 11 | | |
| AN-04 | Z1/4"X18 | | | | 27 | | 14 | | |
| AN-06 | Z3/8"X18 | | | | 28 | | 17 | | |
| AN-08 | Z1/2"X14 | | | | 33 | | 22 | | |
| AN-12 | Z3/4"X14 | | | | 40 | | 27 | | |
| AN-16 | Z1"X11.5 | | | | 49 | | 33 | | |
| AN-20 | Z1.1 / 4"X11.5 | | | | 57 | | 44 | | |



GN

布锥管内螺纹三通
NPT FEMALE TEE


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | | |
|----------------|----------------|--|--|--|----|---------------|----|--|--|
| | E | | | | | S1 | | | |
| GN-02 | Z1/8"X27 | | | | 17 | | 14 | | |
| GN-04 | Z1/4"X18 | | | | 21 | | 17 | | |
| GN-06 | Z3/8"X18 | | | | 24 | | 22 | | |
| GN-08 | Z1/2"X14 | | | | 27 | | 26 | | |
| GN-12 | Z3/4"X14 | | | | 33 | | 34 | | |
| GN-16 | Z1"X11.5 | | | | 38 | | 41 | | |
| GN-20 | Z1.1 / 4"X11.5 | | | | 45 | | 54 | | |
| GN-24 | Z1.1 / 2"X11.5 | | | | 47 | | 56 | | |
| GN-32 | Z2"X11.5 | | | | 60 | | 68 | | |



JN

美制布锥管内螺纹/布锥管外螺纹分支三通
NPT FEMALE/NPT MALE BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|----------|--|--|---------------|----|----|--|
| | E | F | | | A | B | S1 | |
| JN-02 | Z1/8"X27 | Z1/8"X27 | | | 17 | 17 | 14 | |
| JN-04 | Z1/4"X18 | Z1/4"X18 | | | 21 | 21 | 17 | |
| JN-06 | Z3/8"X18 | Z3/8"X18 | | | 24 | 24 | 22 | |
| JN-08 | Z1/2"X14 | Z1/2"X14 | | | 27 | 27 | 26 | |
| JN-12 | Z3/4"X14 | Z3/4"X14 | | | 33 | 33 | 34 | |
| JN-16 | Z1"X11.5 | Z1"X11.5 | | | 38 | 38 | 41 | |



HN

美制布锥管内螺纹/布锥管外螺纹主支三通
NPT FEMALE/NPT MALE RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|----------|--|--|---------------|----|----|--|
| | E | F | | | A | B | S1 | |
| HN-02 | Z1/8"X27 | Z1/8"X27 | | | 17 | 17 | 14 | |
| HN-04 | Z1/4"X18 | Z1/4"X18 | | | 21 | 21 | 17 | |
| HN-06 | Z3/8"X18 | Z3/8"X18 | | | 24 | 24 | 22 | |
| HN-08 | Z1/2"X14 | Z1/2"X14 | | | 27 | 27 | 26 | |
| HN-12 | Z3/4"X14 | Z3/4"X14 | | | 33 | 33 | 34 | |
| HN-16 | Z1"X11.5 | Z1"X11.5 | | | 38 | 38 | 41 | |



1J

美制JIC外螺纹74°外锥
JIC MALE 74° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|-------------|--|--|---------------|------|----|--|------|
| | E | F | | | A | B | S1 | | L |
| 1J-02 | U5/16"X24 | U5/16"X24 | | | 11.5 | 11.5 | 12 | | 29 |
| 1J-04 | U7/16"X20 | U7/16"X20 | | | 14 | 14 | 14 | | 34 |
| 1J-04-05 | U7/16"X20 | U1/2"X20 | | | 14 | 14 | 14 | | 34 |
| 1J-04-06 | U7/16"X20 | U9/16"X18 | | | 14 | 14 | 17 | | 34 |
| 1J-04-08 | U7/16"X20 | U3/4"X16 | | | 14 | 16.7 | 22 | | 39 |
| 1J-05 | U1/2"X20 | U1/2"X20 | | | 14 | 14 | 14 | | 34 |
| 1J-05-06 | U1/2"X20 | U9/16"X18 | | | 14 | 14 | 17 | | 35 |
| 1J-05-08 | U1/2"X20 | U3/4"X16 | | | 14 | 16.7 | 22 | | 39 |
| 1J-05-10 | U1/2"X20 | U7/8"X14 | | | 14 | 19.5 | 24 | | 42 |
| 1J-06 | U9/16"X18 | U9/16"X18 | | | 14 | 14 | 17 | | 35.5 |
| 1J-06-08 | U9/16"X18 | U3/4"X16 | | | 14 | 16.7 | 22 | | 38 |
| 1J-06-10 | U9/16"X18 | U7/8"X14 | | | 14 | 19.5 | 24 | | 42 |
| 1J-06-12 | U9/16"X18 | U1.1/16"X12 | | | 14 | 22 | 30 | | 46 |
| 1J-08 | U3/4"X16 | U3/4"X16 | | | 16.7 | 16.7 | 22 | | 42 |
| 1J-08-10 | U3/4"X16 | U7/8"X14 | | | 16.7 | 19.5 | 24 | | 44 |
| 1J-08-12 | U3/4"X16 | U1.1/16"X12 | | | 16.7 | 22 | 30 | | 49 |
| 1J-08-16 | U3/4"X16 | U1.5/16"X12 | | | 16.7 | 23 | 36 | | 51 |
| 1J-10 | U7/8"X14 | U7/8"X14 | | | 19.5 | 19.5 | 24 | | 47.5 |
| 1J-10-12 | U7/8"X14 | U1.1/16"X12 | | | 19.5 | 22 | 30 | | 52 |
| 1J-10-16 | U7/8"X14 | U1.5/16"X12 | | | 19.5 | 23 | 36 | | 53.5 |
| 1J-12 | U1.1/16"X12 | U1.1/16"X12 | | | 22 | 22 | 30 | | 55 |
| 1J-12-16 | U1.1/16"X12 | U1.5/16"X12 | | | 22 | 23 | 36 | | 56 |
| 1J-16 | U1.5/16"X12 | U1.5/16"X12 | | | 23 | 23 | 36 | | 57 |
| 1J-16-20 | U1.5/16"X12 | U1.5/8"X12 | | | 23 | 24.5 | 46 | | 60 |
| 1J-20 | U1.5/8"X12 | U1.5/8"X12 | | | 24.5 | 24.5 | 46 | | 61.5 |
| 1J-20-24 | U1.5/8"X12 | U1.7/8"X12 | | | 24.5 | 27.5 | 50 | | 66.5 |
| 1J-20-32 | U1.5/8"X12 | U2.1/2"X12 | | | 24.5 | 34 | 70 | | 75.5 |
| 1J-24 | U1.7/8"X12 | U1.7/8"X12 | | | 27.5 | 27.5 | 50 | | 69.5 |
| 1J-24-32 | U1.7/8"X12 | U2.1/2"X12 | | | 27.5 | 34 | 70 | | 78.5 |
| 1J-32 | U2.1/2"X12 | U2.1/2"X12 | | | 34 | 34 | 70 | | 85 |



1J4

45 ° 美制JIC外螺纹 74 ° 外锥
45 ° JIC MALE 74 ° CONE

| 代号 PART NO. | 螺纹 THREADE | 尺寸 DIMENSIONS B | | | | |
|----------------|---------------|-----------------|--|----|----|----|
| | | E | | A | S1 | |
| 1J4-04 | U7 / 16"X20 | | | 20 | 20 | 11 |
| 1J4-05 | U1 / 2"X20 | | | 22 | 22 | 14 |
| 1J4-06 | U9 / 16"X18 | | | 22 | 22 | 14 |
| 1J4-08 | U3 / 4"X16 | | | 25 | 25 | 19 |
| 1J4-10 | U7 / 8"X14 | | | 27 | 27 | 22 |
| 1J4-12 | U1.1 / 16"X12 | | | 33 | 33 | 27 |
| 1J4-16 | U1.5 / 16"X12 | | | 37 | 37 | 33 |
| 1J4-20 | U1.5 / 8"X12 | | | 40 | 40 | 44 |
| 1J4-24 | U1.7 / 8"X12 | | | 47 | 47 | 53 |
| 1J4-32 | U2.1 / 2"X12 | | | 55 | 55 | 65 |




1J9

90 ° 美制JIC外螺纹 74 ° 外锥
90 ° JIC MALE 74 ° CONE


| 代号 PART NO. | 螺纹 THREADE | 尺寸 DIMENSIONS | | | | |
|----------------|---------------|---------------|--|----|----|----|
| | | E | | A | B | S1 |
| 1J9-04 | U7/16"X20 | U7/16"X20 | | 22 | 22 | 11 |
| 1J9-05 | U1/2"X20 | U1/2"X20 | | 29 | 27 | 14 |
| 1J9-06 | U9/16"X18 | U9/16"X18 | | 29 | 27 | 14 |
| 1J9-08 | U3/4"X16 | U3/4"X16 | | 33 | 33 | 19 |
| 1J9-10 | U7/8"X14 | U7/8"X14 | | 37 | 37 | 22 |
| 1J9-12 | U1.1 / 16"X12 | U1.1 / 16"X12 | | 40 | 40 | 27 |
| 1J9-16 | U1.5 / 16"X12 | U1.5 / 16"X12 | | 49 | 49 | 33 |
| 1J9-20 | U1.5 / 8"X12 | U1.5 / 8"X12 | | 57 | 57 | 44 |
| 1J9-24 | U1.7 / 8"X12 | U1.7 / 8"X12 | | 57 | 57 | 48 |
| 1J9-32 | U2.1 / 2"X12 | U2.1 / 2"X12 | | 66 | 66 | 65 |

2J



美制JIC外螺纹74 ° 外锥/
JIC内螺纹74 ° 内锥 JIC
MALE 74 ° CONE / JIC
FEMALE 74 ° SEAT


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|-------------|--|---------------|------|----|----|--|
| | E | F | | A | C | S1 | S2 | |
| 2J-04 | U7/16"X20 | U7/16"X20 | | 14 | 8.5 | 14 | 17 | |
| 2J-04-05 | U7/16"X20 | U1/2"X20 | | 14 | 9.5 | 14 | 19 | |
| 2J-04-06 | U7/16"X20 | U9/16"X18 | | 14 | 10 | 17 | 19 | |
| 2J-04-08 | U7/16"X20 | U3/4"X16 | | 14 | 11 | 22 | 24 | |
| 2J-05 | U1/2"X20 | U1/2"X20 | | 14 | 9.5 | 14 | 19 | |
| 2J-05-06 | U1/2"X20 | U9/16"X18 | | 14 | 10 | 17 | 19 | |
| 2J-05-08 | U1/2"X20 | U3/4"X16 | | 14 | 11 | 22 | 24 | |
| 2J-06 | U9/16"X18 | U9/16"X18 | | 14 | 10 | 17 | 19 | |
| 2J-06-08 | U9/16"X18 | U3/4"X16 | | 14 | 11 | 22 | 24 | |
| 2J-06-10 | U9/16"X18 | U7/8"X14 | | 14 | 11 | 22 | 27 | |
| 2J-08 | U3/4"X16 | U3/4"X16 | | 16.7 | 11 | 22 | 24 | |
| 2J-08-10 | U3/4"X16 | U7/8"X14 | | 16.7 | 11 | 22 | 27 | |
| 2J-08-12 | U3/4"X16 | U1.1/16"X12 | | 16.7 | 13.5 | 30 | 32 | |
| 2J-10 | U7/8"X14 | U7/8"X14 | | 19.5 | 11 | 22 | 27 | |
| 2J-10-08 | U7/8"X14 | U3/4"X16 | | 19.5 | 11 | 22 | 24 | |
| 2J-10-12 | U7/8"X14 | U1.1/16"X12 | | 19.5 | 13.5 | 30 | 32 | |
| 2J-12 | U1.1/16"X12 | U1.1/16"X12 | | 22 | 13.5 | 30 | 32 | |
| 2J-12-10 | U1.1/16"X12 | U7/8"X14 | | 22 | 11 | 30 | 27 | |
| 2J-12-16 | U1.1/16"X12 | U1.5/16"X12 | | 22 | 14.5 | 36 | 41 | |
| 2J-16 | U1.5/16"X12 | U1.5/16"X12 | | 23 | 14.5 | 36 | 41 | |
| 2J-16-20 | U1.5/16"X12 | U1.5/8"X12 | | 23 | 15.5 | 41 | 50 | |
| 2J-20 | U1.5/8"X12 | U1.5/8"X12 | | 24.5 | 15.5 | 46 | 50 | |
| 2J-20-24 | U1.5/8"X12 | U1.7/8"X12 | | 24.5 | 18.5 | 46 | 55 | |
| 2J-24 | U1.7/8"X12 | U1.7/8"X12 | | 27.5 | 18.5 | 50 | 55 | |
| 2J-24-32 | U1.7/8"X12 | U2.1/2"X12 | | 27.5 | 24.5 | 65 | 75 | |
| 2J-32 | U2.1/2"X12 | U2.1/2"X12 | | 34 | 24.5 | 65 | 75 | |



2J4

45 ° 美制JIC外螺纹 74 ° 外锥 /
JIC内螺纹 74 ° 内锥 45 °
JIC MALE 74 ° CONE / JIC
FEMALE 74 ° SEAT


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|-------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| 2J4-04 | U7/16"X20 | U7/16"X20 | | | 20 | 8.5 | 11 | 17 | |
| 2J4-05 | U1/2"X20 | U1/2"X20 | | | 22 | 9.5 | 14 | 19 | |
| 2J4-06 | U9/16"X18 | U9/16"X18 | | | 22 | 10 | 14 | 19 | |
| 2J4-08 | U3/4"X16 | U3/4"X16 | | | 25 | 11 | 19 | 24 | |
| 2J4-10 | U7/8"X14 | U7/8"X14 | | | 27 | 11 | 22 | 27 | |
| 2J4-12 | U1.1/16"X12 | U1.1/16"X12 | | | 33 | 13.5 | 27 | 32 | |
| 2J4-16 | U1.5/16"X12 | U1.5/16"X12 | | | 37 | 14.5 | 33 | 41 | |
| 2J4-20 | U1.5/8"X12 | U1.5/8"X12 | | | 40 | 15.5 | 44 | 50 | |
| 2J4-24 | U1.7/8"X12 | U1.7/8"X12 | | | 47 | 18.5 | 53 | 55 | |
| 2J4-32 | U2.1/2"X12 | U2.1/2"X12 | | | 55 | 24.5 | 65 | 75 | |



2J9

90 ° 美制JIC外螺纹 74 ° 外锥 /
JIC内螺纹 74 ° 内锥 90 °
JIC MALE 74 ° CONE / JIC
FEMALE 74 ° SEAT


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | | |
|----------------|-------------|-------------|--|--|----|---------------|----|----|--|
| | E | F | | | | C | S1 | S2 | |
| 2J9-04 | U7/16"X20 | U7/16"X20 | | | 22 | 8.5 | 11 | 17 | |
| 2J9-05 | U1/2"X20 | U1/2"X20 | | | 29 | 9.5 | 14 | 19 | |
| 2J9-06 | U9/16"X18 | U9/16"X18 | | | 29 | 10 | 14 | 19 | |
| 2J9-06-08 | U9/16"X18 | U3/4"X16 | | | 33 | 11 | 19 | 24 | |
| 2J9-08-06 | U3/4"X16 | U9/16"X18 | | | 33 | 10 | 19 | 19 | |
| 2J9-08 | U3/4"X16 | U3/4"X16 | | | 33 | 11 | 19 | 24 | |
| 2J9-08-10 | U3/4"X16 | U7/8"X14 | | | 37 | 11 | 22 | 27 | |
| 2J9-10 | U7/8"X14 | U7/8"X14 | | | 37 | 11 | 22 | 27 | |
| 2J9-10-08 | U7/8"X14 | U3/4"X16 | | | 37 | 11 | 22 | 24 | |
| 2J9-10-12 | U7/8"X14 | U1.1/16"X12 | | | 40 | 13.5 | 27 | 32 | |
| 2J4-12 | U1.1/16"X12 | U1.1/16"X12 | | | 40 | 13.5 | 27 | 32 | |
| 2J4-12-10 | U1.1/16"X12 | U7/8"X14 | | | 40 | 11 | 27 | 27 | |
| 2J4-12-16 | U1.1/16"X12 | U1.5/16"X12 | | | 49 | 14.5 | 33 | 41 | |
| 2J9-16 | U1.5/16"X12 | U1.5/16"X12 | | | 49 | 14.5 | 33 | 41 | |
| 2J9-16-20 | U1.5/16"X12 | U1.5/8"X12 | | | 57 | 15.5 | 44 | 50 | |
| 2J9-20-16 | U1.5/8"X12 | U1.5/16"X12 | | | 57 | 14.5 | 44 | 41 | |
| 2J9-20 | U1.5/8"X12 | U1.5/8"X12 | | | 57 | 15.5 | 44 | 50 | |
| 2J9-20-24 | U1.5/8"X12 | U1.7/8"X12 | | | 57 | 18.5 | 48 | 55 | |
| 2J9-24-20 | U1.7/8"X12 | U1.5/8"X12 | | | 57 | 15.5 | 48 | 50 | |
| 2J9-24 | U1.7/8"X12 | U1.7/8"X12 | | | 57 | 18.5 | 48 | 55 | |
| 2J9-32 | U2.1/2"X12 | U2.1/2"X12 | | | 66 | 24.5 | 65 | 75 | |



3J

美制JIC内螺纹74°内锥
JIC FEMALE 74° SEAT


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|-------------|--|--|---------------|------|----|----|--|
| | E | F | | | C | d | S1 | S2 | |
| 3J-04 | U7/16"X20 | U7/16"X20 | | | 8.5 | 8.5 | 17 | 17 | |
| 3J-05 | U1/2"X20 | U1/2"X20 | | | 9.5 | 9.5 | 19 | 19 | |
| 3J-06 | U9/16"X18 | U9/16"X18 | | | 10 | 10 | 19 | 19 | |
| 3J-06-08 | U9/16"X18 | U3/4"X16 | | | 10 | 11 | 19 | 24 | |
| 3J-08 | U3/4"X16 | U3/4"X16 | | | 11 | 11 | 24 | 24 | |
| 3J-10 | U7/8"X14 | U7/8"X14 | | | 11 | 11 | 27 | 27 | |
| 3J-12 | U1.1/16"X12 | U1.1/16"X12 | | | 13.5 | 13.5 | 32 | 32 | |
| 3J-16 | U1.5/16"X12 | U1.5/16"X12 | | | 14.5 | 14.5 | 41 | 41 | |
| 3J-20 | U1.5/8"X12 | U1.5/8"X12 | | | 15.5 | 15.5 | 50 | 50 | |
| 3J-24 | U1.7/8"X12 | U1.7/8"X12 | | | 18.5 | 18.5 | 55 | 55 | |



3J4

45° 美制JIC内螺纹74°内锥
45° JIC FEMALE 74° SEAT


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|-------------|--|--|---------------|------|----|----|--|
| | E | F | | | C | d | S1 | S2 | |
| 3J4-04 | U7/16"X20 | U7/16"X20 | | | 8.5 | 8.5 | 17 | 17 | |
| 3J4-05 | U1/2"X20 | U1/2"X20 | | | 9.5 | 9.5 | 19 | 19 | |
| 3J4-06 | U9/16"X18 | U9/16"X18 | | | 10 | 10 | 19 | 19 | |
| 3J4-06-08 | U9/16"X18 | U3/4"X16 | | | 10 | 11 | 19 | 24 | |
| 3J4-08 | U3/4"X16 | U3/4"X16 | | | 11 | 11 | 24 | 24 | |
| 3J4-10 | U7/8"X14 | U7/8"X14 | | | 11 | 11 | 27 | 27 | |
| 3J4-12 | U1.1/16"X12 | U1.1/16"X12 | | | 13.5 | 13.5 | 32 | 32 | |
| 3J4-16 | U1.5/16"X12 | U1.5/16"X12 | | | 14.5 | 14.5 | 41 | 41 | |
| 3J4-20 | U1.5/8"X12 | U1.5/8"X12 | | | 15.5 | 15.5 | 50 | 50 | |
| 3J4-24 | U1.7/8"X12 | U1.7/8"X12 | | | 18.5 | 18.5 | 55 | 55 | |



3J9

90 ° 美制JIC内螺纹74 ° 内锥
90 ° JIC FEMALE 74 ° SEAT


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|-------------|--|--|---------------|------|----|----|--|
| | E | F | | | C | d | S1 | S2 | |
| 3J9-04 | U7/16"X20 | U7/16"X20 | | | 8.5 | 8.5 | 17 | 17 | |
| 3J9-05 | U1/2"X20 | U1/2"X20 | | | 9.5 | 9.5 | 19 | 19 | |
| 3J9-06 | U9/16"X18 | U9/16"X18 | | | 10 | 10 | 19 | 19 | |
| 3J9-06-08 | U9/16"X18 | U3/4"X16 | | | 10 | 11 | 19 | 24 | |
| 3J9-08 | U3/4"X16 | U3/4"X16 | | | 11 | 11 | 24 | 24 | |
| 3J9-10 | U7/8"X14 | U7/8"X14 | | | 11 | 11 | 27 | 27 | |
| 3J9-12 | U1.1/16"X12 | U1.1/16"X12 | | | 13.5 | 13.5 | 32 | 32 | |
| 3J9-16 | U1.5/16"X12 | U1.5/16"X12 | | | 14.5 | 14.5 | 41 | 41 | |
| 3J9-20 | U1.5/8"X12 | U1.5/8"X12 | | | 15.5 | 15.5 | 50 | 50 | |
| 3J9-24 | U1.7/8"X12 | U1.7/8"X12 | | | 18.5 | 18.5 | 55 | 55 | |



4J

美制JIC外螺纹74 ° 外锥堵头
JIC MALE 74 ° CONE PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|-------------|--|--|--|---------------|--|----|----|
| | E | | | | A | | S1 | L |
| 4J-04 | U7/16"X20 | | | | 14 | | 14 | 20 |
| 4J-05 | U1/2"X20 | | | | 14 | | 14 | 20 |
| 4J-06 | U9/16"X18 | | | | 14 | | 17 | 20 |
| 4J-08 | U3/4"X16 | | | | 16.7 | | 22 | 25 |
| 4J-10 | U7/8"X14 | | | | 19.5 | | 24 | 28 |
| 4J-12 | U1.1/16"X12 | | | | 22 | | 30 | 31 |
| 4J-16 | U1.5/16"X12 | | | | 23 | | 36 | 34 |
| 4J-20 | U1.5/8"X12 | | | | 24.5 | | 46 | 38 |
| 4J-24 | U1.7/8"X12 | | | | 27.5 | | 50 | 44 |
| 4J-32 | U2.1/2"X12 | | | | 34 | | 65 | 52 |



5J

美制JIC外螺纹/美制JIC内螺纹
JIC MALE/JIC FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|-------------|--|--|---------------|----|----|--|--|
| | E | F | | | A | C | S1 | | |
| 5J-06-04 | U9/16"X18 | U7/16"X20 | | | 14 | 10 | 19 | | |
| 5J-08-04 | U3/4"X16 | U7/16"X20 | | | 14 | 11 | 24 | | |
| 5J-10-04 | U7/8"X14 | U7/16"X20 | | | 14 | 12 | 27 | | |
| 5J-12-04 | U1.1/16"X12 | U7/16"X20 | | | 14 | 13 | 32 | | |
| 5J-08-05 | U3/4"X16 | U1/2"X20 | | | 14 | 11 | 24 | | |
| 5J-10-05 | U7/8"X14 | U1/2"X20 | | | 14 | 12 | 27 | | |
| 5J-12-05 | U1.1/16"X12 | U1/2"X20 | | | 14 | 13 | 32 | | |
| 5J-08-06 | U3/4"X16 | U9/16"X18 | | | 14 | 11 | 24 | | |
| 5J-10-06 | U7/8"X14 | U9/16"X18 | | | 14 | 12 | 27 | | |
| 5J-12-06 | U1.1/16"X12 | U9/16"X18 | | | 14 | 13 | 32 | | |
| 5J-16-06 | U1.5/16"X12 | U9/16"X18 | | | 14 | 14 | 38 | | |
| 5J-12-08 | U1.1/16"X12 | U3/4"X16 | | | 16.7 | 13 | 32 | | |
| 5J-16-08 | U1.5/16"X12 | U3/4"X16 | | | 16.7 | 14 | 38 | | |
| 5J-20-08 | U1.5/8"X12 | U3/4"X16 | | | 16.7 | 15 | 50 | | |
| 5J-16-10 | U1.5/16"X12 | U7/8"X14 | | | 19.5 | 14 | 38 | | |
| 5J-20-10 | U1.5/8"X12 | U7/8"X14 | | | 19.5 | 15 | 50 | | |
| 5J-24-10 | U1.7/8"X12 | U7/8"X14 | | | 19.5 | 19 | 55 | | |
| 5J-16-12 | U1.5/16"X12 | U1.1/16"X12 | | | 22 | 14 | 38 | | |
| 5J-20-12 | U1.5/8"X12 | U1.1/16"X12 | | | 22 | 15 | 50 | | |
| 5J-24-12 | U1.7/8"X12 | U1.1/16"X12 | | | 22 | 19 | 55 | | |
| 5J-20-16 | U1.5/8"X12 | U1.5/16"X12 | | | 23 | 15 | 50 | | |
| 5J-24-16 | U1.7/8"X12 | U1.5/16"X12 | | | 23 | 19 | 55 | | |
| 5J-24-20 | U1.7/8"X12 | U1.5/8"X12 | | | 24.5 | 19 | 55 | | |



6J

美制JIC外螺纹74°外锥过板接头
JIC MALE 74° CONE BULKHEAD


| 代号 PART NO. | 螺纹 THREADE | 尺寸 DIMENSIONS | | | | |
|----------------|---------------|---------------|--|------|------|-----|
| | | E | | A | B | S1 |
| 6J-04 | U7 / 16"X20 | | | 14 | 32.5 | 17 |
| 6J-06 | U9 / 16"X18 | | | 14 | 32.5 | 22 |
| 6J-08 | U3 / 4"X16 | | | 16.7 | 36.5 | 24 |
| 6J-10 | U7 / 8"X14 | | | 19.5 | 40 | 30 |
| 6J-12 | U1.1 / 16"X12 | | | 22 | 44.5 | 36 |
| 6J-16 | U1.5 / 16"X12 | | | 23 | 44.5 | 41 |
| 6J-20 | U1.5 / 8"X12 | | | 24.5 | 45.7 | 50 |
| 6J-24 | U1.7 / 8"X12 | | | 27.5 | 46 | 55 |
| 6J-32 | U2.1 / 2"X12 | | | 34 | 53.1 | 70 |
| | | | | | | 105 |



6J4

45° 美制JIC外螺纹74°外锥过板接头
45° JIC MALE 74° CONE BULKHEAD


| 代号 PART NO. | 螺纹 THREADE | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|---------------|--|----|------|----|
| | | E | | A | B | S1 |
| 6J4-04 | U7/16"X20 | | | 22 | 39 | 14 |
| 6J4-06 | U9/16"X18 | | | 22 | 42.5 | 14 |
| 6J4-08 | U3/4"X16 | | | 25 | 49.3 | 19 |
| 6J4-10 | U7/8"X14 | | | 27 | 55 | 22 |
| 6J4-12 | U1.1/16"X12 | | | 33 | 62 | 27 |
| 6J4-16 | U1.5/16"X12 | | | 37 | 65 | 33 |
| 6J4-20 | U1.5/8"X12 | | | 40 | 67.3 | 44 |



6J9

90 ° 美制JIC外螺纹 74 ° 外锥过板接头
90 ° JIC MALE 74 ° CONE BULKHEAD


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | |
|----------------|-------------|--|--|--|----|---------------|----|--|
| | E | | | | | B | S1 | |
| 6J9-04 | U7/16"X20 | | | | 29 | 40.4 | 14 | |
| 6J9-06 | U9/16"X18 | | | | 29 | 46 | 14 | |
| 6J9-08 | U3/4"X16 | | | | 33 | 53.5 | 19 | |
| 6J9-10 | U7/8"X14 | | | | 37 | 60.7 | 22 | |
| 6J9-12 | U1.1/16"X12 | | | | 40 | 67.8 | 27 | |
| 6J9-16 | U1.5/16"X12 | | | | 49 | 71 | 33 | |
| 6J9-20 | U1.5/8"X12 | | | | 57 | 79.2 | 44 | |



8J

美制JIC锁母
JIC LOCK NUT


| 代号 PART NO. | 螺纹 THREADE | | | | L | 尺寸 DIMENSIONS | | |
|----------------|-------------|--|--|--|------|---------------|----|--|
| | E | | | | | S1 | | |
| 8J-04 | U7/16"X20 | | | | 7 | | 17 | |
| 8J-06 | U9/16"X18 | | | | 7 | | 19 | |
| 8J-08 | U3/4"X16 | | | | 8 | | 24 | |
| 8J-10 | U7/8"X14 | | | | 9 | | 30 | |
| 8J-12 | U1.1/16"X12 | | | | 10.5 | | 36 | |
| 8J-16 | U1.5/16"X12 | | | | 10.5 | | 41 | |
| 8J-20 | U1.5/8"X12 | | | | 10.5 | | 50 | |
| 8J-24 | U1.7/8"X12 | | | | 10.5 | | 55 | |
| 8J-32 | U2.1/2"X12 | | | | 10.5 | | 70 | |



9J

美制JIC内螺纹74°内锥堵头
JIC FEMALE 74° SEAT PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|-------------|-------------|--|--|---------------|----|--|--|
| | E | F | | | C | S1 | | |
| 9J-04 | U7/16"X20 | U7/16"X20 | | | 9 | 17 | | |
| 9J-06 | U9/16"X18 | U9/16"X18 | | | 10 | 19 | | |
| 9J-08 | U3/4"X16 | U3/4"X16 | | | 11 | 24 | | |
| 9J-10 | U7/8"X14 | U7/8"X14 | | | 12 | 27 | | |
| 9J-12 | U1.1/16"X12 | U1.1/16"X12 | | | 13 | 32 | | |
| 9J-16 | U1.5/16"X12 | U1.5/16"X12 | | | 14 | 38 | | |
| 9J-20 | U1.5/8"X12 | U1.5/8"X12 | | | 15 | 50 | | |
| 9J-24 | U1.7/8"X12 | U1.7/8"X12 | | | 19 | 55 | | |
| 9J-32 | U2.1/2"X12 | U2.1/2"X12 | | | 24 | 75 | | |



9J-CAP

JIC74°内螺纹堵头
JIC 74° FEMALE PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|-------------|--|--|--|---------------|------|--|--|
| | E | | | | S1 | L | | |
| 9J-04CAP | U7/16"X20 | | | | 14 | 15 | | |
| 9J-06CAP | U9/16"X18 | | | | 17 | 16 | | |
| 9J-08CAP | U3/4"X16 | | | | 22 | 19 | | |
| 9J-10CAP | U7/8"X14 | | | | 27 | 21.5 | | |
| 9J-12CAP | U1.1/16"X12 | | | | 32 | 23 | | |
| 9J-16CAP | U1.5/16"X12 | | | | 38 | 26 | | |



1JT

JIC外螺纹74°外锥/英锥管外螺纹
JIC MALE 74° CONE/BSPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|-------------|--|---------------|------|----|------|--|
| | E | F | | A | B | S1 | L | |
| 1JT-04-02 | U7/16"X20 | ZG1/8"X28 | | 14 | 10 | 14 | 30 | |
| 1JT-04 | U7/16"X20 | ZG1/4"X19 | | 14 | 14 | 14 | 34 | |
| 1JT-04-06 | U7/16"X20 | ZG3/8"X19 | | 14 | 14 | 19 | 34 | |
| 1JT-04-08 | U7/16"X20 | ZG1/2"X14 | | 14 | 19 | 22 | 41.5 | |
| 1JT-05-04 | U1/2"X20 | ZG1/4"X19 | | 14 | 14 | 14 | 34 | |
| 1JT-05-06 | U1/2"X20 | ZG3/8"X19 | | 14 | 14 | 19 | 34 | |
| 1JT-05-08 | U1/2"X20 | ZG1/2"X14 | | 14 | 19 | 22 | 41.5 | |
| 1JT-06-04 | U9/16"X18 | ZG1/4"X19 | | 14 | 14 | 17 | 34 | |
| 1JT-06 | U9/16"X18 | ZG3/8"X19 | | 14 | 14 | 19 | 34 | |
| 1JT-06-08 | U9/16"X18 | ZG1/2"X14 | | 14 | 19 | 22 | 41 | |
| 1JT-08-04 | U3/4"X16 | ZG1/4"X19 | | 16.7 | 14 | 22 | 39 | |
| 1JT-08-06 | U3/4"X16 | ZG3/8"X19 | | 16.7 | 14 | 22 | 38 | |
| 1JT-08 | U3/4"X16 | ZG1/2"X14 | | 16.7 | 19 | 22 | 44 | |
| 1JT-08-12 | U3/4"X16 | ZG3/4"X14 | | 16.7 | 19.5 | 30 | 46 | |
| 1JT-10-06 | U7/8"X14 | ZG3/8"X19 | | 19.5 | 14 | 24 | 42 | |
| 1JT-10-08 | U7/8"X14 | ZG1/2"X14 | | 19.5 | 19 | 24 | 47 | |
| 1JT-10-12 | U7/8"X14 | ZG3/4"X14 | | 19.5 | 19.5 | 30 | 48 | |
| 1JT-12-08 | U1.1/16"X12 | ZG1/2"X14 | | 22 | 19 | 30 | 50 | |
| 1JT-12 | U1.1/16"X12 | ZG3/4"X14 | | 22 | 19.5 | 30 | 50 | |
| 1JT-12-16 | U1.1/16"X12 | ZG1"X11 | | 22 | 24 | 36 | 57 | |
| 1JT-12-20 | U1.1/16"X12 | ZG1.1/4"X11 | | 22 | 25 | 46 | 60 | |
| 1JT-16-12 | U1.5/16"X12 | ZG3/4"X14 | | 23 | 19.5 | 36 | 53 | |
| 1JT-16 | U1.5/16"X12 | ZG1"X11 | | 23 | 24 | 36 | 58 | |
| 1JT-16-20 | U1.5/16"X12 | ZG1.1/4"X11 | | 23 | 25 | 46 | 61 | |
| 1JT-16-24 | U1.5/16"X12 | ZG1.1/2"X11 | | 23 | 25 | 50 | 64 | |
| 1JT-20-16 | U1.5/8"X12 | ZG1"X11 | | 24.5 | 24 | 46 | 62 | |
| 1JT-20 | U1.5/8"X12 | ZG1.1/4"X11 | | 24.5 | 25 | 46 | 63 | |
| 1JT-24 | U1.7/8"X12 | ZG1.1/2"X11 | | 27.5 | 25 | 50 | 69 | |
| 1JT-24-32 | U1.7/8"X12 | ZG2"X11 | | 27.5 | 29 | 70 | 74 | |
| 1JT-32 | U2.1/2"X12 | ZG2"X11 | | 34 | 29 | 70 | 81 | |



1JT4

45 ° JIC外螺纹 74 ° 外锥/英锥管外螺纹
45 ° JIC MALE 74 ° CONE/BSPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|-------------|---------------|--|--|---------------|----|----|--|
| | E | F | | | A | B | S1 | |
| 1JT4-04-02 | U7/16"X20 | ZG1/8"X28 | | | 20 | 20 | 11 | |
| 1JT4-04 | U7/16"X20 | ZG1/4"X19 | | | 22 | 22 | 14 | |
| 1JT4-04-06 | U7/16"X20 | ZG3/8"X19 | | | 22 | 22 | 17 | |
| 1JT4-04-08 | U7/16"X20 | ZG1/2"X14 | | | 27 | 27 | 22 | |
| 1JT4-05-04 | U1/2"X20 | ZG1/4"X19 | | | 22 | 22 | 14 | |
| 1JT4-06-04 | U9/16"X18 | ZG1/4"X19 | | | 22 | 22 | 14 | |
| 1JT4-06 | U9/16"X18 | ZG3/8"X19 | | | 22 | 22 | 17 | |
| 1JT4-06-08 | U9/16"X18 | ZG1/2"X14 | | | 27 | 27 | 22 | |
| 1JT4-08-04 | U3/4"X16 | ZG1/4"X19 | | | 25 | 25 | 19 | |
| 1JT4-08-06 | U3/4"X16 | ZG3/8"X19 | | | 25 | 25 | 19 | |
| 1JT4-08 | U3/4"X16 | ZG1/2"X14 | | | 27 | 27 | 22 | |
| 1JT4-08-12 | U3/4"X16 | ZG3/4"X14 | | | 33 | 33 | 27 | |
| 1JT4-10-08 | U7/8"X14 | ZG1/2"X14 | | | 27 | 27 | 22 | |
| 1JT4-10-12 | U7/8"X14 | ZG3/4"X14 | | | 33 | 33 | 27 | |
| 1JT4-12-08 | U1.1/16"X12 | ZG1/2"X14 | | | 33 | 33 | 27 | |
| 1JT4-12 | U1.1/16"X12 | ZG3/4"X14 | | | 33 | 33 | 27 | |
| 1JT4-12-16 | U1.1/16"X12 | ZG1"X11 | | | 37 | 37 | 33 | |
| 1JT4-16-12 | U1.5/16"X12 | ZG3/4"X14 | | | 37 | 37 | 33 | |
| 1JT4-16 | U1.5/16"X12 | ZG1"X11 | | | 37 | 37 | 33 | |
| 1JT4-16-20 | U1.5/16"X12 | ZG1.1 / 4"X11 | | | 40 | 40 | 44 | |
| 1JT4-20-16 | U1.5/8"X12 | ZG1"X11 | | | 40 | 40 | 44 | |
| 1JT4-20 | U1.5/8"X12 | ZG1.1 / 4"X11 | | | 40 | 40 | 44 | |
| 1JT4-20-24 | U1.7/8"X12 | ZG1.1 / 2"X11 | | | 47 | 47 | 53 | |
| 1JT4-24 | U1.7/8"X12 | ZG1.1 / 2"X11 | | | 47 | 47 | 53 | |
| 1JT4-32 | U2.1/2"X12 | ZG2"X11 | | | 55 | 55 | 65 | |



1JT9

90 ° JIC外螺纹 74 ° 外锥/英锥管外螺纹
90 ° JIC MALE 74 ° CONE/BSPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|-------------|-------------|--|--|---------------|----|----|--|
| | E | F | | | A | B | S1 | |
| 1JT9-04-02 | U7/16"X20 | ZG1/8"X28 | | | 22 | 22 | 11 | |
| 1JT9-04 | U7/16"X20 | ZG1/4"X19 | | | 29 | 27 | 14 | |
| 1JT9-04-06 | U7/16"X20 | ZG3/8"X19 | | | 29 | 30 | 17 | |
| 1JT9-05-02 | U1/2"X20 | ZG1/8"X28 | | | 29 | 27 | 14 | |
| 1JT9-05-04 | U1/2"X20 | ZG1/4"X19 | | | 29 | 27 | 14 | |
| 1JT9-05-06 | U1/2"X20 | ZG3/8"X19 | | | 29 | 30 | 17 | |
| 1JT9-06 | U9/16"X18 | ZG3/8"X19 | | | 22 | 22 | 17 | |
| 1JT9-06-04 | U9/16"X18 | ZG1/4"X19 | | | 29 | 27 | 14 | |
| 1JT9-06-08 | U9/16"X18 | ZG1/2"X14 | | | 37 | 37 | 22 | |
| 1JT9-08-04 | U3/4"X16 | ZG1/4"X19 | | | 33 | 33 | 19 | |
| 1JT9-08-06 | U3/4"X16 | ZG3/8"X19 | | | 33 | 33 | 19 | |
| 1JT9-08 | U3/4"X16 | ZG1/2"X14 | | | 37 | 37 | 22 | |
| 1JT9-08-12 | U3/4"X16 | ZG3/4"X14 | | | 40 | 40 | 27 | |
| 1JT9-10-06 | U7/8"X14 | ZG3/8"X19 | | | 37 | 37 | 22 | |
| 1JT9-10-08 | U7/8"X14 | ZG1/2"X14 | | | 37 | 37 | 22 | |
| 1JT9-10-12 | U7/8"X14 | ZG3/4"X14 | | | 40 | 40 | 27 | |
| 1JT9-12-08 | U1.1/16"X12 | ZG1/2"X14 | | | 40 | 40 | 27 | |
| 1JT9-12 | U1.1/16"X12 | ZG3/4"X14 | | | 40 | 40 | 27 | |
| 1JT9-12-16 | U1.1/16"X12 | ZG1"X11 | | | 49 | 49 | 33 | |
| 1JT9-16-12 | U1.5/16"X12 | ZG3/4"X14 | | | 49 | 49 | 33 | |
| 1JT9-16 | U1.5/16"X12 | ZG1"X11 | | | 49 | 49 | 33 | |
| 1JT9-16-20 | U1.5/16"X12 | ZG1.1/4"X11 | | | 57 | 57 | 44 | |
| 1JT9-16-24 | U1.5/16"X12 | ZG1.1/2"X11 | | | 57 | 57 | 48 | |
| 1JT9-20-16 | U1.5/8"X12 | ZG1"X11 | | | 57 | 57 | 44 | |
| 1JT9-20 | U1.5/8"X12 | ZG1.1/4"X11 | | | 57 | 57 | 44 | |
| 1JT9-20-24 | U1.7/8"X12 | ZG1.1/2"X11 | | | 57 | 57 | 48 | |
| 1JT9-24 | U1.7/8"X12 | ZG1.1/2"X11 | | | 57 | 57 | 48 | |
| 1JT9-24-20 | U1.7/8"X12 | ZG1.1/4"X11 | | | 57 | 57 | 48 | |
| 1JT9-32-24 | U2.1/2"X12 | ZG1.1/2"X11 | | | 66 | 66 | 65 | |
| 1JT9-32 | U2.1/2"X12 | ZG2"X11 | | | 66 | 66 | 65 | |



1JN

JIC外螺纹74°外锥/布锥管外螺纹
JIC MALE 74° CONE/NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|--------------|--|---------------|------|----|------|--|
| | E | F | | A | B | S1 | L | |
| 1JN-04-02 | U7/16"X20 | Z1/8"X27 | | 14 | 10 | 14 | 30 | |
| 1JN-04 | U7/16"X20 | Z1/4"X18 | | 14 | 14 | 14 | 34 | |
| 1JN-04-06 | U7/16"X20 | Z3/8"X18 | | 14 | 14 | 19 | 34 | |
| 1JN-04-08 | U7/16"X20 | Z1/2"X14 | | 14 | 19 | 22 | 41.5 | |
| 1JN-05-04 | U1/2"X20 | Z1/4"X18 | | 14 | 14 | 14 | 34 | |
| 1JN-05-06 | U1/2"X20 | Z3/8"X18 | | 14 | 14 | 19 | 34 | |
| 1JN-05-08 | U1/2"X20 | Z1/2"X14 | | 14 | 19 | 22 | 41.5 | |
| 1JN-06-04 | U9/16"X18 | Z1/4"X18 | | 14 | 14 | 17 | 34 | |
| 1JN-06 | U9/16"X18 | Z3/8"X18 | | 14 | 14 | 19 | 34 | |
| 1JN-06-08 | U9/16"X18 | Z1/2"X14 | | 14 | 19 | 22 | 41 | |
| 1JN-08-04 | U3/4"X16 | Z1/4"X18 | | 16.7 | 14 | 22 | 39 | |
| 1JN-08-06 | U3/4"X16 | Z3/8"X18 | | 16.7 | 14 | 22 | 38 | |
| 1JN-08 | U3/4"X16 | Z1/2"X14 | | 16.7 | 19 | 22 | 44 | |
| 1JN-08-12 | U3/4"X16 | Z3/4"X14 | | 16.7 | 19.5 | 30 | 46 | |
| 1JN-10-06 | U7/8"X14 | Z3/8"X18 | | 19.5 | 14 | 24 | 42 | |
| 1JN-10-08 | U7/8"X14 | Z1/2"X14 | | 19.5 | 19 | 24 | 47 | |
| 1JN-10-12 | U7/8"X14 | Z3/4"X14 | | 19.5 | 19.5 | 30 | 48 | |
| 1JN-12-08 | U1.1/16"X12 | Z1/2"X14 | | 22 | 19 | 30 | 50 | |
| 1JN-12 | U1.1/16"X12 | Z3/4"X14 | | 22 | 19.5 | 30 | 50 | |
| 1JN-12-16 | U1.1/16"X12 | Z1"X11.5 | | 22 | 24 | 36 | 57 | |
| 1JN-12-20 | U1.1/16"X12 | Z1.1/4"X11.5 | | 22 | 25 | 46 | 60 | |
| 1JN-16-12 | U1.5/16"X12 | Z3/4"X14 | | 23 | 19.5 | 36 | 53 | |
| 1JN-16 | U1.5/16"X12 | Z1"X11.5 | | 23 | 24 | 36 | 58 | |
| 1JN-16-20 | U1.5/16"X12 | Z1.1/4"X11.5 | | 23 | 25 | 46 | 61 | |
| 1JN-16-24 | U1.5/16"X12 | Z1.1/2"X11.5 | | 23 | 25 | 50 | 64 | |
| 1JN-20-16 | U1.5/8"X12 | Z1"X11.5 | | 24.5 | 24 | 46 | 62 | |
| 1JN-20 | U1.5/8"X12 | Z1.1/4"X11.5 | | 24.5 | 25 | 46 | 63 | |
| 1JN-24 | U1.7/8"X12 | Z1.1/2"X11.5 | | 27.5 | 25 | 50 | 69 | |
| 1JN-24-32 | U1.7/8"X12 | Z2"X11.5 | | 27.5 | 29 | 70 | 74 | |
| 1JN-32 | U2.1/2"X12 | Z2"X11.5 | | 34 | 29 | 70 | 81 | |



1JN4

45 ° JIC外螺纹 74 ° 外锥/布锥管外螺纹
45 ° JIC MALE 74 ° CONE/NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|-------------|--------------|--|--|---------------|----|----|--|
| | E | F | | | A | B | S1 | |
| 1JN4-04-02 | U7/16"X20 | Z1/8"X27 | | | 20 | 20 | 11 | |
| 1JN4-04 | U7/16"X20 | Z1/4"X18 | | | 22 | 22 | 14 | |
| 1JN4-04-06 | U7/16"X20 | Z3/8"X18 | | | 22 | 22 | 17 | |
| 1JN4-04-08 | U7/16"X20 | Z1/2"X14 | | | 27 | 27 | 22 | |
| 1JN4-05-04 | U1/2"X20 | Z1/4"X18 | | | 22 | 22 | 14 | |
| 1JN4-06-04 | U9/16"X18 | Z1/4"X18 | | | 22 | 22 | 14 | |
| 1JN4-06 | U9/16"X18 | Z3/8"X18 | | | 22 | 22 | 17 | |
| 1JN4-06-08 | U9/16"X18 | Z1/2"X14 | | | 27 | 27 | 22 | |
| 1JN4-08-04 | U3/4"X16 | Z1/4"X18 | | | 25 | 25 | 19 | |
| 1JN4-08-06 | U3/4"X16 | Z3/8"X18 | | | 25 | 25 | 19 | |
| 1JN4-08 | U3/4"X16 | Z1/2"X14 | | | 27 | 27 | 22 | |
| 1JN4-08-12 | U3/4"X16 | Z3/4"X14 | | | 33 | 33 | 27 | |
| 1JN4-10-08 | U7/8"X14 | Z1/2"X14 | | | 27 | 27 | 22 | |
| 1JN4-10-12 | U7/8"X14 | Z3/4"X14 | | | 33 | 33 | 27 | |
| 1JN4-12-08 | U1.1/16"X12 | Z1/2"X14 | | | 33 | 33 | 27 | |
| 1JN4-12 | U1.1/16"X12 | Z3/4"X14 | | | 33 | 33 | 27 | |
| 1JN4-12-16 | U1.1/16"X12 | Z1"X11.5 | | | 37 | 37 | 33 | |
| 1JN4-16-12 | U1.5/16"X12 | Z3/4"X14 | | | 37 | 37 | 33 | |
| 1JN4-16 | U1.5/16"X12 | Z1"X11.5 | | | 37 | 37 | 33 | |
| 1JN4-16-20 | U1.5/16"X12 | Z1.1/4"X11.5 | | | 40 | 40 | 44 | |
| 1JN4-20-16 | U1.5/8"X12 | Z1"X11.5 | | | 40 | 40 | 44 | |
| 1JN4-20 | U1.5/8"X12 | Z1.1/4"X11.5 | | | 40 | 40 | 44 | |
| 1JN4-20-24 | U1.7/8"X12 | Z1.1/2"X11.5 | | | 47 | 47 | 53 | |
| 1JN4-24 | U1.7/8"X12 | Z1.1/2"X11.5 | | | 47 | 47 | 53 | |
| 1JN4-32 | U2.1/2"X12 | Z2"X11.5 | | | 55 | 55 | 65 | |



1JN9

90 ° JIC外螺纹 74 ° 外锥/布锥管外螺纹
90 ° JIC MALE 74 ° CONE/NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|-------------|--------------|--|--|---------------|----|----|--|
| | E | F | | | A | B | S1 | |
| 1JN9-04-02 | U7/16"X20 | Z1/8"X27 | | | 22 | 22 | 11 | |
| 1JN9-04 | U7/16"X20 | Z1/4"X18 | | | 29 | 27 | 14 | |
| 1JN9-04-06 | U7/16"X20 | Z3/8"X18 | | | 29 | 30 | 17 | |
| 1JN9-05-02 | U1/2"X20 | Z1/8"X27 | | | 29 | 27 | 14 | |
| 1JN9-05-04 | U1/2"X20 | Z1/4"X18 | | | 29 | 27 | 14 | |
| 1JN9-05-06 | U1/2"X20 | Z3/8"X18 | | | 29 | 30 | 17 | |
| 1JN9-06 | U9/16"X18 | Z3/8"X18 | | | 22 | 22 | 17 | |
| 1JN9-06-04 | U9/16"X18 | Z1/4"X18 | | | 29 | 27 | 14 | |
| 1JN9-06-08 | U9/16"X18 | Z1/2"X14 | | | 37 | 37 | 22 | |
| 1JN9-08-04 | U3/4"X16 | Z1/4"X18 | | | 33 | 33 | 19 | |
| 1JN9-08-06 | U3/4"X16 | Z3/8"X18 | | | 33 | 33 | 19 | |
| 1JN9-08 | U3/4"X16 | Z1/2"X14 | | | 37 | 37 | 22 | |
| 1JN9-08-12 | U3/4"X16 | Z3/4"X14 | | | 40 | 40 | 27 | |
| 1JN9-10-06 | U7/8"X14 | Z3/8"X18 | | | 37 | 37 | 22 | |
| 1JN9-10-08 | U7/8"X14 | Z1/2"X14 | | | 37 | 37 | 22 | |
| 1JN9-10-12 | U7/8"X14 | Z3/4"X14 | | | 40 | 40 | 27 | |
| 1JN9-12-08 | U1.1/16"X12 | Z1/2"X14 | | | 40 | 40 | 27 | |
| 1JN9-12 | U1.1/16"X12 | Z3/4"X14 | | | 40 | 40 | 27 | |
| 1JN9-12-16 | U1.1/16"X12 | Z1"X11.5 | | | 49 | 49 | 33 | |
| 1JN9-16-12 | U1.5/16"X12 | Z3/4"X14 | | | 49 | 49 | 33 | |
| 1JN9-16 | U1.5/16"X12 | Z1"X11.5 | | | 49 | 49 | 33 | |
| 1JN9-16-20 | U1.5/16"X12 | Z1.1/4"X11.5 | | | 57 | 57 | 44 | |
| 1JN9-16-24 | U1.5/16"X12 | Z1.1/2"X11.5 | | | 57 | 57 | 48 | |
| 1JN9-20-16 | U1.5/8"X12 | Z1"X11.5 | | | 57 | 57 | 44 | |
| 1JN9-20 | U1.5/8"X12 | Z1.1/4"X11.5 | | | 57 | 57 | 44 | |
| 1JN9-20-24 | U1.7/8"X12 | Z1.1/2"X11.5 | | | 57 | 57 | 48 | |
| 1JN9-24 | U1.7/8"X12 | Z1.1/2"X11.5 | | | 57 | 57 | 48 | |
| 1JN9-24-20 | U1.7/8"X12 | Z1.1/4"X11.5 | | | 57 | 57 | 48 | |
| 1JN9-32-24 | U2.1/2"X12 | Z1.1/2"X11.5 | | | 66 | 66 | 65 | |
| 1JN9-32 | U2.1/2"X12 | Z2"X11.5 | | | 66 | 66 | 65 | |



1JN9-L

90 ° JIC外螺纹 74 ° 外锥/加长布锥管外螺纹
90 ° JIC MALE 74 ° CONE/LONG NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|-------------|--------------|--|--|---------------|-------|----|--|
| | E | F | | | A | B | S1 | |
| 1JN9-04-02L | U7/16"X20 | Z1/8"X27 | | | 22 | 30 | 11 | |
| 1JN9-04L | U7/16"X20 | Z1/4"X18 | | | 29 | 40.1 | 14 | |
| 1JN9-05-02L | U1/2"X20 | Z1/8"X27 | | | 29 | 31 | 14 | |
| 1JN9-05-04L | U1/2"X20 | Z1/4"X18 | | | 29 | 40.1 | 14 | |
| 1JN9-06-04L | U9/16"X18 | Z1/4"X18 | | | 29 | 40.1 | 14 | |
| 1JN9-06-08L | U9/16"X18 | Z1/2"X14 | | | 37 | 55.1 | 22 | |
| 1JN9-08-06L | U3/4"X16 | Z3/8"X18 | | | 33 | 46.2 | 19 | |
| 1JN9-08L | U3/4"X16 | Z1/2"X14 | | | 37 | 55.1 | 22 | |
| 1JN9-10-08L | U7/8"X14 | Z1/2"X14 | | | 37 | 55.1 | 22 | |
| 1JN9-12-08L | U1.1/16"X12 | Z1/2"X14 | | | 40 | 56.9 | 27 | |
| 1JN9-12L | U1.1/16"X12 | Z3/4"X14 | | | 40 | 62 | 27 | |
| 1JN9-16-12L | U1.5/16"X12 | Z3/4"X14 | | | 49 | 69.9 | 33 | |
| 1JN9-16L | U1.5/16"X12 | Z1"X11.5 | | | 49 | 76.5 | 33 | |
| 1JN9-20L | U1.5/8"X12 | Z1.1/4"X11.5 | | | 57 | 93.7 | 44 | |
| 1JN9-24L | U1.7/8"X12 | Z1.1/2"X11.5 | | | 57 | 104.1 | 48 | |
| 1JN9-32L | U2.1/2"X12 | Z2"X11.5 | | | 66 | 122.2 | 65 | |



1JN9-LL

90 ° JIC外螺纹 74 ° 外锥/特长布锥管外螺纹
90 ° JIC MALE 74 ° CONE/LONGGER NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|----------------|--|--|---------------|-------|----|--|--|
| | E | F | | | A | B | S1 | | |
| 1JN9-04-02LL | U7/16"X20 | Z1/8"X27 | | | 22 | 39.6 | 11 | | |
| 1JN9-04LL | U7/16"X20 | Z1/4"X18 | | | 29 | 52.6 | 14 | | |
| 1JN9-05-04LL | U1/2"X20 | Z1/4"X18 | | | 29 | 52.6 | 14 | | |
| 1JN9-06-04LL | U9/16"X18 | Z1/4"X18 | | | 29 | 52.6 | 14 | | |
| 1JN9-06LL | U9/16"X18 | Z3/8"X18 | | | 30 | 61.5 | 17 | | |
| 1JN9-08-06LL | U3/4"X16 | Z3/8"X18 | | | 33 | 61.5 | 19 | | |
| 1JN9-10-08LL | U7/8"X14 | Z1/2"X14 | | | 37 | 72.9 | 22 | | |
| 1JN9-12LL | U1.1/16"X12 | Z3/4"X14 | | | 40 | 83.3 | 27 | | |
| 1JN9-16LL | U1.5/16"X12 | Z1"X11.5 | | | 49 | 102.9 | 33 | | |
| 1JN9-20LL | U1.5/8"X12 | Z1.1 / 4"X11.5 | | | 57 | 127 | 44 | | |
| 1JN9-24LL | U1.7/8"X12 | Z1.1 / 2"X11.5 | | | 57 | 141 | 48 | | |
| 1JN9-32LL | U2.1/2"X12 | Z2"X11.5 | | | 66 | 168.4 | 65 | | |



2JB

美制JIC外螺纹74°外锥
/ 英管内螺纹60°外锥
JIC MALE 74° CONE/
BSP FEMALE 60° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| 2JB-04 | U7/16"X20 | G1/4"X19 | | | 14 | 5.5 | 14 | 19 | |
| 2JB-04-06 | U7/16"X20 | G3/8"X19 | | | 14 | 6.5 | 17 | 22 | |
| 2JB-04-08 | U7/16"X20 | G1/2"X14 | | | 14 | 8 | 22 | 27 | |
| 2JB-06 | U9/16"X18 | G3/8"X19 | | | 14 | 6.5 | 17 | 22 | |
| 2JB-06-08 | U9/16"X18 | G1/2"X14 | | | 14 | 8 | 22 | 27 | |
| 2JB-06-10 | U9/16"X18 | G5/8"X14 | | | 14 | 10.5 | 22 | 30 | |
| 2JB-08 | U3/4"X16 | G1/2"X14 | | | 16.7 | 8 | 22 | 27 | |
| 2JB-08-06 | U3/4"X16 | G3/8"X19 | | | 16.7 | 6.5 | 22 | 22 | |
| 2JB-08-10 | U3/4"X16 | G5/8"X14 | | | 16.7 | 10.5 | 22 | 30 | |
| 2JB-10 | U7/8"X16 | G5/8"X14 | | | 19.5 | 10.5 | 22 | 30 | |
| 2JB-12 | U1.1/16"X12 | G3/4"X14 | | | 22 | 11.5 | 30 | 32 | |
| 2JB-12-08 | U1.1/16"X12 | G1/2"X14 | | | 22 | 8 | 30 | 27 | |
| 2JB-12-10 | U1.1/16"X12 | G5/8"X14 | | | 22 | 10.5 | 30 | 30 | |
| 2JB-12-16 | U1.1/16"X12 | G1"X11 | | | 22 | 11.5 | 32 | 41 | |
| 2JB-16 | U1.5/16"X12 | G1"X11 | | | 23 | 11.5 | 36 | 41 | |
| 2JB-16-20 | U1.5/16"X12 | G1.1/4"X11 | | | 23 | 12 | 41 | 50 | |
| 2JB-20 | U1.5/8"X12 | G1.1/4"X11 | | | 24.5 | 12 | 46 | 50 | |
| 2JB-20-24 | U1.5/8"X12 | G1.1/2"X11 | | | 24.5 | 13 | 46 | 55 | |
| 2JB-24 | U1.7/8"X12 | G1.1/2"X11 | | | 27.5 | 13 | 50 | 55 | |
| 2JB-32 | U2.1/2"X12 | G2"X11 | | | 34 | 16 | 70 | 70 | |



1JG

美制JIC外螺纹74 ° 外锥/
英管外螺纹O型圈
JIC MALE 74 ° CONE/
BSP MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|------------|--|---------------|------|----|------|--|
| | E | F | | A | B | S1 | L | |
| 1JG-04-02 | U7/16"X20 | G1/8"X28 | | 14 | 9 | 14 | 29 | |
| 1JG-04 | U7/16"X20 | G1/4"X19 | | 14 | 12 | 19 | 33 | |
| 1JG-04-06 | U7/16"X20 | G3/8"X19 | | 14 | 13.5 | 22 | 35 | |
| 1JG-04-08 | U7/16"X20 | G1/2"X14 | | 14 | 16 | 27 | 39 | |
| 1JG-05-04 | U1/2"X20 | G1/4"X19 | | 14 | 12 | 19 | 33 | |
| 1JG-05-06 | U1/2"X20 | G3/8"X19 | | 14 | 13.5 | 22 | 35 | |
| 1JG-05-08 | U1/2"X20 | G1/2"X14 | | 14 | 16 | 27 | 39 | |
| 1JG-06-04 | U9/16"X18 | G1/4"X19 | | 14 | 12 | 19 | 32 | |
| 1JG-06 | U9/16"X18 | G3/8"X19 | | 14 | 13.5 | 22 | 35 | |
| 1JG-06-08 | U9/16"X18 | G1/2"X14 | | 14 | 16 | 27 | 39 | |
| 1JG-08-04 | U3/4"X16 | G1/4"X19 | | 16.7 | 12 | 22 | 37 | |
| 1JG-08-06 | U3/4"X16 | G3/8"X19 | | 16.7 | 13.5 | 22 | 38.5 | |
| 1JG-08 | U3/4"X16 | G1/2"X14 | | 16.7 | 16 | 27 | 41 | |
| 1JG-08-12 | U3/4"X16 | G3/4"X14 | | 16.7 | 18.5 | 32 | 46 | |
| 1JG-10-06 | U7/8"X14 | G3/8"X19 | | 19.5 | 13.5 | 24 | 42 | |
| 1JG-10-08 | U7/8"X14 | G1/2"X14 | | 19.5 | 16 | 27 | 45 | |
| 1JG-10-12 | U7/8"X14 | G3/4"X14 | | 19.5 | 18.5 | 32 | 49 | |
| 1JG-12-08 | U1.1/16"X12 | G1/2"X14 | | 22 | 16 | 30 | 47 | |
| 1JG-12 | U1.1/16"X12 | G3/4"X14 | | 22 | 18.5 | 32 | 51 | |
| 1JG-12-16 | U1.1/16"X12 | G1"X11 | | 22 | 20.5 | 19 | 54 | |
| 1JG-12-20 | U1.1/16"X12 | G1.1/4"X11 | | 22 | 20.5 | 50 | 56 | |
| 1JG-16-12 | U1.5/16"X12 | G3/4"X14 | | 23 | 18.5 | 36 | 52 | |
| 1JG-16 | U1.5/16"X12 | G1"X11 | | 23 | 20.5 | 41 | 55 | |
| 1JG-16-20 | U1.5/16"X12 | G1.1/4"X11 | | 23 | 20.5 | 50 | 57 | |
| 1JG-20-16 | U1.5/8"X12 | G1"X11 | | 24.5 | 20.5 | 46 | 58 | |
| 1JG-20 | U1.5/8"X12 | G1.1/4"X11 | | 24.5 | 20.5 | 50 | 58 | |
| 1JG-24-16 | U1.7/8"X12 | G1"X11 | | 27.5 | 20.5 | 50 | 61 | |
| 1JG-24-20 | U1.7/8"X12 | G1.1/4"X11 | | 27.5 | 20.5 | 50 | 61 | |
| 1JG-24 | U1.7/8"X12 | G1.1/2"X11 | | 27.5 | 23 | 55 | 67 | |



1JG4-OG

45 ° 美制JIC外螺纹74 ° 外锥/
英管外螺纹O型圈45 °
JIC MALE 74 ° CONE/ BSP
MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|------------|--|--|--|---------------|------|----|----|--|
| | E | F | | | | A | B | S1 | S2 | |
| 1JG4-04OG | U7/16"X20 | G1/4"X19 | | | | 22 | 28 | 14 | 19 | |
| 1JG4-05-04OG | U1/2"X20 | G1/4"X19 | | | | 22 | 28 | 14 | 19 | |
| 1JG4-06-04OG | U9/16"X18 | G1/4"X19 | | | | 22 | 28 | 17 | 19 | |
| 1JG4-06OG | U9/16"X18 | G3/8"X19 | | | | 22 | 32 | 17 | 22 | |
| 1JG4-08-06OG | U3/4"X16 | G3/8"X19 | | | | 25 | 32 | 19 | 22 | |
| 1JG4-08OG | U3/4"X16 | G1/2"X14 | | | | 27 | 36 | 22 | 27 | |
| 1JG4-10-08OG | U7/8"X14 | G1/2"X14 | | | | 27 | 38 | 22 | 27 | |
| 1JG4-10OG | U7/8"X14 | G5/8"X14 | | | | 27 | 38 | 22 | 30 | |
| 1JG4-12-10OG | U1.1/16"X12 | G5/8"X14 | | | | 33 | 38.5 | 27 | 30 | |
| 1JG4-12-16OG | U1.1/16"X12 | G1"X11 | | | | 37 | 44 | 33 | 41 | |
| 1JG4-12OG | U1.1/16"X12 | G3/4"X14 | | | | 33 | 42 | 27 | 32 | |
| 1JG4-16-12OG | U1.5/16"X12 | G3/4"X14 | | | | 37 | 44 | 33 | 32 | |
| 1JG4-16OG | U1.5/16"X12 | G1"X11 | | | | 37 | 44 | 33 | 41 | |
| 1JG4-20OG | U1.5/8"X12 | G1.1/4"X11 | | | | 40 | 47.5 | 44 | 50 | |
| 1JG4-24OG | U1.7/8"X12 | G1.1/2"X11 | | | | 47 | 51.5 | 53 | 55 | |



1JG9-OG

90 ° 美制JIC外螺纹74 ° 外锥/
英管外螺纹O型圈90 °
JIC MALE 74 ° CONE/ BSP
MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | B | S1 | S2 | |
| 1JG9-04-02OG | U7/16"X20 | G1/8"X28 | | | 22 | 26.2 | 11 | 14 | |
| 1JG9-04-06OG | U7/16"X20 | G3/8"X19 | | | 30 | 36.8 | 17 | 22 | |
| 1JG9-04OG | U7/16"X20 | G1/4"X19 | | | 29 | 31.3 | 14 | 19 | |
| 1JG9-05-04OG | U1/2"X20 | G1/4"X19 | | | 29 | 31.8 | 14 | 19 | |
| 1JG9-05-06OG | U1/2"X20 | G3/8"X19 | | | 30 | 35.8 | 17 | 22 | |
| 1JG9-05-08OG | U1/2"X20 | G1/2"X14 | | | 37 | 43.2 | 22 | 27 | |
| 1JG9-06-04OG | U9/16"X18 | G1/4"X19 | | | 29 | 31.3 | 14 | 19 | |
| 1JG9-06-08OG | U9/16"X18 | G1/2"X14 | | | 37 | 43.2 | 22 | 27 | |
| 1JG9-06OG | U9/16"X18 | G3/8"X19 | | | 30 | 35.8 | 17 | 22 | |
| 1JG9-08-04OG | U3/4"X16 | G1/4"X19 | | | 33 | 33.5 | 19 | 19 | |
| 1JG9-08-06OG | U3/4"X16 | G3/8"X19 | | | 33 | 36.8 | 19 | 22 | |
| 1JG9-08OG | U3/4"X16 | G1/2"X14 | | | 37 | 43.2 | 22 | 27 | |
| 1JG9-08-12OG | U3/4"X16 | G3/4"X14 | | | 40 | 49.3 | 27 | 32 | |
| 1JG9-10-06OG | U7/8"X16 | G3/8"X19 | | | 37 | 39.2 | 22 | 22 | |
| 1JG9-10-08OG | U7/8"X16 | G1/2"X14 | | | 37 | 43.2 | 22 | 27 | |
| 1JG9-10-12OG | U7/8"X16 | G3/4"X14 | | | 40 | 49.3 | 27 | 32 | |
| 1JG9-12OG | U1.1/16"X12 | G3/4"X14 | | | 40 | 49.3 | 27 | 32 | |
| 1JG9-12-08OG | U1.1/16"X12 | G1/2"X14 | | | 40 | 46.5 | 27 | 27 | |
| 1JG9-12-16OG | U1.1/16"X12 | G1"X11 | | | 49 | 53 | 33 | 41 | |
| 1JG9-16OG | U1.5/16"X12 | G1"X11 | | | 49 | 53 | 33 | 41 | |
| 1JG9-16-12OG | U1.5/16"X12 | G3/4"X14 | | | 49 | 53 | 33 | 32 | |
| 1JG9-16-20OG | U1.5/16"X12 | G1.1/4"X11 | | | 57 | 58 | 44 | 50 | |
| 1JG9-20OG | U1.5/8"X12 | G1.1/4"X11 | | | 57 | 58 | 44 | 50 | |
| 1JG9-20-16OG | U1.5/8"X12 | G1"X11 | | | 57 | 58 | 44 | 41 | |
| 1JG9-24-16OG | U1.7/8"X12 | G1"X11 | | | 57 | 63 | 48 | 41 | |
| 1JG9-24-20OG | U1.7/8"X12 | G1.1/4"X11 | | | 57 | 63 | 48 | 50 | |
| 1JG9-24OG | U1.7/8"X12 | G1.1/2"X11 | | | 57 | 63 | 48 | 55 | |



1JF

美制JIC外螺纹74°外锥/ORFS外螺纹
JIC MALE 74° CONE/ORFS MALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | | |
|----------------|-------------|--------------|--|---------------|------|----|----|--|--|
| | E | F | | A | B | S1 | L | | |
| 1JF-04 | U7/16"X20 | U9/16"X18 | | 14 | 12 | 17 | 32 | | |
| 1JF-05-04 | U1/2"X20 | U9/16"X18 | | 14 | 12 | 17 | 32 | | |
| 1JF-05-06 | U1/2"X20 | U11/16"X16 | | 14 | 14 | 19 | 34 | | |
| 1JF-06-04 | U9/16"X18 | U9/16"X18 | | 14 | 12 | 17 | 32 | | |
| 1JF-08-06 | U3/4"X16 | U11/16"X16 | | 16.7 | 14 | 19 | 37 | | |
| 1JF-08 | U3/4"X16 | U13/16"X16 | | 16.7 | 15 | 22 | 40 | | |
| 1JF-10-08 | U7/8"X16 | U13/16"X16 | | 19.5 | 15 | 24 | 43 | | |
| 1JF-10 | U7/8"X16 | U1"X14 | | 19.5 | 16.5 | 27 | 46 | | |
| 1JF-12-10 | U1.1/16"X12 | U1"X14 | | 22 | 16.5 | 30 | 49 | | |
| 1JF-12 | U1.1/16"X12 | U1.3/16"X12 | | 22 | 17 | 32 | 50 | | |
| 1JF-16-12 | U1.5/16"X12 | U1.3/16"X12 | | 23 | 17 | 36 | 51 | | |
| 1JF-16 | U1.5/16"X12 | U1.7/16"X12 | | 23 | 18.5 | 41 | 54 | | |
| 1JF-20-16 | U1.5/8"X12 | U1.7/16"X12 | | 24.5 | 18.5 | 46 | 56 | | |
| 1JF-20 | U1.5/8"X12 | U1.11/16"X12 | | 24.5 | 19.5 | 46 | 57 | | |
| 1JF-24-20 | U1.7/8"X12 | U1.11/16"X12 | | 27.5 | 19.5 | 50 | 64 | | |



1JH

JIC外螺纹74 ° 外锥/
公制外螺纹O型圈密封
JIC MALE 74 ° CONE/
METRIC MALE END O-RING


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|---------|--|--|--|---------------|----|----|----|--|
| | E | F | | | | A | B | S1 | L | |
| 1JH-04-10 | U7/16"X20 | M10x1 | | | | 14 | 11 | 14 | 31 | |
| 1JH-04-12 | U7/16"X20 | M12x1.5 | | | | 14 | 11 | 17 | 31 | |
| 1JH-04-14 | U7/16"X20 | M14x1.5 | | | | 14 | 11 | 19 | 32 | |
| 1JH-05-10 | U1/2"X20 | M10x1 | | | | 14 | 11 | 14 | 31 | |
| 1JH-05-12 | U1/2"X20 | M12x1.5 | | | | 14 | 11 | 17 | 31 | |
| 1JH-05-14 | U1/2"X20 | M14x1.5 | | | | 14 | 11 | 19 | 31 | |
| 1JH-06-14 | U9/16"X18 | M14x1.5 | | | | 14 | 11 | 19 | 32 | |
| 1JH-06-16 | U9/16"X18 | M16x1.5 | | | | 14 | 11 | 22 | 33 | |
| 1JH-06-18 | U9/16"X18 | M18x1.5 | | | | 14 | 11 | 24 | 33 | |
| 1JH-08-14 | U3/4"X16 | M14x1.5 | | | | 16.7 | 11 | 22 | 36 | |
| 1JH-08-16 | U3/4"X16 | M16x1.5 | | | | 16.7 | 11 | 22 | 36 | |
| 1JH-08-18 | U3/4"X16 | M18x1.5 | | | | 16.7 | 11 | 24 | 36 | |
| 1JH-08-22 | U3/4"X16 | M22x1.5 | | | | 16.7 | 12 | 27 | 37 | |
| 1JH-10-16 | U7/8"X14 | M16x1.5 | | | | 13.5 | 11 | 24 | 33 | |
| 1JH-10-18 | U7/8"X14 | M18x1.5 | | | | 13.5 | 11 | 24 | 33 | |
| 1JH-10-22 | U7/8"X14 | M22x1.5 | | | | 13.5 | 12 | 27 | 33 | |
| 1JH-12-22 | U1.1/16"X12 | M22x1.5 | | | | 16 | 12 | 30 | 38 | |
| 1JH-12-27 | U1.1/16"X12 | M27x2 | | | | 16 | 13 | 32 | 39 | |
| 1JH-16-27 | U1.5/16"X12 | M27x2 | | | | 16 | 13 | 36 | 40 | |



1JH4-OG

45 ° 美制JIC外螺纹 74 ° 外锥/
公制外螺纹可调向柱端
45 ° JIC MALE 74 ° CONE/METRIC MALE
ADJUSTABLE STUD END


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|---------|--|--|--|---------------|------|----|----|--|
| | E | F | | | | A | B | S1 | S2 | |
| 1JH4-04-10OG | U7/16"X20 | M10x1 | | | | 20 | 23.5 | 11 | 14 | |
| 1JH4-04-12OG | U7/16"X20 | M12x1.5 | | | | 22 | 27.5 | 14 | 17 | |
| 1JH4-04-14OG | U7/16"X20 | M14x1.5 | | | | 22 | 28.3 | 14 | 19 | |
| 1JH4-05-12OG | U1/2"X20 | M12x1.5 | | | | 22 | 28.3 | 14 | 17 | |
| 1JH4-05-14OG | U1/2"X20 | M14x1.5 | | | | 22 | 28.3 | 14 | 19 | |
| 1JH4-06-14OG | U9/16"X18 | M14x1.5 | | | | 22 | 28.3 | 14 | 19 | |
| 1JH4-06-16OG | U9/16"X18 | M16x1.5 | | | | 22 | 29 | 17 | 22 | |
| 1JH4-08-16OG | U3/4"X16 | M16x1.5 | | | | 25 | 30 | 19 | 22 | |
| 1JH4-08-18OG | U3/4"X16 | M18x1.5 | | | | 25 | 31 | 19 | 24 | |
| 1JH4-10-16OG | U7/8"X14 | M16x1.5 | | | | 27 | 31 | 22 | 22 | |
| 1JH4-10-18OG | U7/8"X14 | M18x1.5 | | | | 27 | 32 | 22 | 24 | |
| 1JH4-10-22OG | U7/8"X14 | M22x1.5 | | | | 33 | 33 | 27 | 27 | |
| 1JH4-12-22OG | U1.1/16"X12 | M22x1.5 | | | | 33 | 34.5 | 27 | 27 | |
| 1JH4-12-27OG | U1.1/16"X12 | M27x2 | | | | 33 | 39.5 | 27 | 32 | |
| 1JH4-16-27OG | U1.5/16"X12 | M27x2 | | | | 37 | 41 | 33 | 32 | |



1JH9-OG

90 ° 美制JIC外螺纹74 ° 外锥/
公制外螺纹可调向柱端
90 ° JIC MALE 74 ° CONE/METRIC MALE
ADJUSTABLE STUD END


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | 尺寸 DIMENSIONS | |
|----------------|-------------|---------|--|--|----|------|---------------|----|
| | E | F | | | | | S1 | S2 |
| 1JH9-04-10OG | U7/16"X20 | M10x1 | | | 22 | 27.5 | 11 | 14 |
| 1JH9-04-12OG | U7/16"X20 | M12x1.5 | | | 29 | 30.3 | 14 | 17 |
| 1JH9-04-14OG | U7/16"X20 | M14x1.5 | | | 29 | 32 | 14 | 19 |
| 1JH9-05-12OG | U1/2"X20 | M12x1.5 | | | 29 | 32 | 14 | 17 |
| 1JH9-05-14OG | U1/2"X20 | M14x1.5 | | | 29 | 32 | 14 | 19 |
| 1JH9-06-14OG | U9/16"X18 | M14x1.5 | | | 29 | 32 | 14 | 19 |
| 1JH9-06-16OG | U9/16"X18 | M16x1.5 | | | 30 | 34.8 | 17 | 22 |
| 1JH9-08-16OG | U3/4"X16 | M16x1.5 | | | 33 | 38 | 19 | 22 |
| 1JH9-08-18OG | U3/4"X16 | M18x1.5 | | | 33 | 38 | 19 | 24 |
| 1JH9-10-16OG | U7/8"X14 | M16x1.5 | | | 37 | 38 | 22 | 22 |
| 1JH9-10-18OG | U7/8"X14 | M18x1.5 | | | 37 | 39.5 | 22 | 24 |
| 1JH9-10-22OG | U7/8"X14 | M22x1.5 | | | 40 | 42.5 | 27 | 27 |
| 1JH9-12-22OG | U1.1/16"X12 | M22x1.5 | | | 40 | 44 | 27 | 27 |
| 1JH9-12-27OG | U1.1/16"X12 | M27x2 | | | 40 | 48.5 | 27 | 32 |
| 1JH9-16-27OG | U1.5/16"X12 | M27x2 | | | 49 | 41 | 33 | 32 |



1JM

JIC外螺纹74°外锥/公制外螺纹
60°内锥或六角端面组合垫密封
JIC MALE 74° CONE/METRIC MALE DOUBLE
USE FOR 60° SEAT OR BONDED SEAL


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|---------|--|---------------|----|----|----|--|
| | E | F | | A | B | S1 | L | |
| 1JM-04-12 | U7/16"X20 | M12x1.5 | | 14 | 10 | 17 | 32 | |
| 1JM-04-14 | U7/16"X20 | M14x1.5 | | 14 | 11 | 19 | 33 | |
| 1JM-05-12 | U1/2"X20 | M12x1.5 | | 14 | 10 | 17 | 32 | |
| 1JM-05-14 | U1/2"X20 | M14x1.5 | | 14 | 11 | 19 | 33 | |
| 1JM-06-12 | U9/16"X18 | M12x1.5 | | 14 | 10 | 17 | 32 | |
| 1JM-06-14 | U9/16"X18 | M14x1.5 | | 14 | 11 | 19 | 33 | |
| 1JM-06-16 | U9/16"X18 | M16x1.5 | | 14 | 12 | 22 | 35 | |
| 1JM-06-18 | U9/16"X18 | M18x1.5 | | 14 | 12 | 24 | 50 | |
| 1JM-08-16 | U3/4"X16 | M16x1.5 | | 16.7 | 12 | 22 | 38 | |
| 1JM-08-18 | U3/4"X16 | M18x1.5 | | 16.7 | 12 | 24 | 38 | |
| 1JM-08-22 | U3/4"X16 | M22x1.5 | | 16.7 | 14 | 27 | 41 | |
| 1JM-10-22 | U7/8"X16 | M22x1.5 | | 19.5 | 14 | 27 | 44 | |
| 1JM-12-22 | U1.1/16"X12 | M22x1.5 | | 22 | 14 | 30 | 48 | |



1JM-WD

JIC外螺纹74°外锥/
公制外螺纹胶垫密封
JIC MALE 74° CONE/
METRIC MALE CAPTIVE SEAL

| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | | |
|----------------|-------------|---------|--|---------------|----|------|-----|----|------|
| | E | F | | A | B | D | H | S1 | L |
| 1JM-04-12WD | U7/16"X20 | M12x1.5 | | 14 | 10 | 14.2 | 1.2 | 17 | 32 |
| 1JM-05-14WD | U1/2"X20 | M14x1.5 | | 14 | 11 | 16.3 | 1.2 | 19 | 33 |
| 1JM-06-14WD | U9/16"X18 | M14x1.5 | | 14 | 11 | 16.3 | 1.2 | 19 | 33 |
| 1JM-06-18WD | U9/16"X18 | M18x1.5 | | 14 | 12 | 20.7 | 1.2 | 24 | 36.5 |
| 1JM-08-18WD | U3/4"X16 | M18x1.5 | | 16.7 | 12 | 20.7 | 1.2 | 24 | 39 |
| 1JM-08-22WD | U3/4"X16 | M22x1.5 | | 16.7 | 14 | 24.1 | 1.2 | 27 | 43.5 |
| 1JM-10-18WD | U7/8"X16 | M18x1.5 | | 19.5 | 12 | 20.7 | 1.2 | 24 | 41.5 |
| 1JM-10-22WD | U7/8"X16 | M22x1.5 | | 19.5 | 14 | 24.1 | 1.2 | 27 | 46 |
| 1JM-12-22WD | U1.1/16"X12 | M22x1.5 | | 22 | 14 | 24.1 | 1.2 | 30 | 49 |




1JO

美制JIC外螺纹74 ° 外锥/
SAE外螺纹带O型圈
JIC MALE 74 ° CONE/
SAE O-RING BOSS

| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|-------------|--|--|---------------|------|----|------|--|
| | E | F | | | A | B | S1 | L | |
| 1JO-04 | U7/16"X20 | U7/16"X20 | | | 14 | 10 | 14 | 31 | |
| 1JO-04-05 | U7/16"X20 | U1/2"X20 | | | 14 | 10 | 17 | 30 | |
| 1JO-04-06 | U7/16"X20 | U9/16"X18 | | | 14 | 12 | 17 | 32 | |
| 1JO-04-08 | U7/16"X20 | U3/4"X16 | | | 14 | 12 | 24 | 35 | |
| 1JO-05 | U1/2"X20 | U1/2"X20 | | | 14 | 10 | 17 | 30 | |
| 1JO-05-04 | U1/2"X20 | U7/16"X20 | | | 14 | 10 | 14 | 30 | |
| 1JO-05-06 | U1/2"X20 | U9/16"X18 | | | 14 | 12 | 17 | 32 | |
| 1JO-05-08 | U1/2"X20 | U3/4"X16 | | | 14 | 12 | 24 | 35 | |
| 1JO-06 | U9/16"X18 | U9/16"X18 | | | 14 | 12 | 17 | 33 | |
| 1JO-06-04 | U9/16"X18 | U7/16"X20 | | | 14 | 10 | 17 | 31 | |
| 1JO-06-05 | U9/16"X18 | U1/2"X20 | | | 14 | 10 | 17 | 30 | |
| 1JO-06-08 | U9/16"X18 | U3/4"X16 | | | 14 | 12 | 24 | 35 | |
| 1JO-06-10 | U9/16"X18 | U7/8"X14 | | | 14 | 13.5 | 27 | 36 | |
| 1JO-06-12 | U9/16"X18 | U1.1/16"X12 | | | 14 | 16 | 32 | 39 | |
| 1JO-08 | U3/4"X16 | U3/4"X16 | | | 16.7 | 12 | 24 | 37 | |
| 1JO-08-04 | U3/4"X16 | U7/16"X20 | | | 16.7 | 10 | 22 | 35 | |
| 1JO-08-06 | U3/4"X16 | U9/16"X18 | | | 16.7 | 12 | 22 | 37 | |
| 1JO-08-10 | U3/4"X16 | U7/8"X14 | | | 16.7 | 13.5 | 27 | 39 | |
| 1JO-08-12 | U3/4"X16 | U1.1/16"X12 | | | 16.7 | 16 | 32 | 42 | |
| 1JO-10 | U7/8"X14 | U7/8"X14 | | | 19.5 | 13.5 | 27 | 41.5 | |
| 1JO-10-08 | U7/8"X14 | U3/4"X16 | | | 19.5 | 12 | 24 | 40 | |
| 1JO-10-12 | U7/8"X14 | U1.1/16"X12 | | | 19.5 | 16 | 32 | 45 | |
| 1JO-12 | U1.1/16"X12 | U1.1/16"X12 | | | 22 | 16 | 32 | 47 | |
| 1JO-12-08 | U1.1/16"X12 | U3/4"X16 | | | 22 | 12 | 30 | 43 | |
| 1JO-12-10 | U1.1/16"X12 | U7/8"X14 | | | 22 | 13.5 | 30 | 45 | |
| 1JO-12-16 | U1.1/16"X12 | U1.5/16"X12 | | | 22 | 17 | 41 | 50 | |
| 1JO-16 | U1.5/16"X12 | U1.5/16"X12 | | | 23 | 17 | 41 | 51 | |
| 1JO-16-12 | U1.5/16"X12 | U1.1/16"X12 | | | 23 | 16 | 36 | 50 | |
| 1JO-16-20 | U1.5/16"X12 | U1.5/8"X12 | | | 23 | 18 | 50 | 55 | |
| 1JO-20 | U1.5/8"X12 | U1.5/8"X12 | | | 24.5 | 18 | 50 | 56 | |

接上页


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|-------------|--|---------------|------|----|------|--|
| | E | F | | A | B | S1 | L | |
| 1JO-16-20 | U1.5/16"X12 | U1.5/8"X12 | | 23 | 18 | 50 | 55 | |
| 1JO-20-16 | U1.5/8"X12 | U1.5/16"X12 | | 24.5 | 17 | 46 | 55 | |
| 1JO-20-24 | U1.5/8"X12 | U1.7/8"X12 | | 24.5 | 18.5 | 55 | 59 | |
| 1JO-24 | U1.7/8"X12 | U1.7/8"X12 | | 27.5 | 18.5 | 55 | 62 | |
| 1JO-24-20 | U1.7/8"X12 | U1.5/8"X12 | | 27.5 | 18 | 50 | 59 | |
| 1JO-24-32 | U1.7/8"X12 | U2.1/2"X12 | | 27.5 | 22 | 70 | 67.5 | |
| 1JO-32 | U2.1/2"X12 | U2.1/2"X12 | | 34 | 22 | 70 | 74 | |



1JO-L

加长美制JIC外螺纹74 ° 外锥/
SAE外螺纹带O型圈
LONG JIC MALE 74 ° CONE/
SAE O-RING BOSS


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|-------------|--|---------------|------|----|-----|--|
| | E | F | | A | B | S1 | L | |
| 1JO-04L | U7/16"X20 | U7/16"X20 | | 35 | 10 | 14 | 51 | |
| 1JO-05L | U1/2"X20 | U1/2"X20 | | 37 | 10 | 17 | 53 | |
| 1JO-06L | U9/16"X18 | U9/16"X18 | | 39 | 12 | 17 | 57 | |
| 1JO-08L | U3/4"X16 | U3/4"X16 | | 48 | 12 | 24 | 69 | |
| 1JO-10L | U7/8"X14 | U7/8"X14 | | 53 | 13.5 | 27 | 75 | |
| 1JO-12L | U1.1/16"X12 | U1.1/16"X12 | | 63 | 16 | 32 | 88 | |
| 1JO-16L | U1.5/16"X12 | U1.5/16"X12 | | 72 | 17 | 41 | 100 | |
| 1JO-20L | U1.5/8"X12 | U1.5/8"X12 | | 88.1 | 18 | 50 | 120 | |



1JO4-OG

45 ° JIC外螺纹74 ° 外锥/
SAE外螺纹带O型圈
45 ° JIC MALE 74 ° CONE/
SAE O-RING BOSS


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|-------------|--|---------------|------|----|----|--|
| | E | F | | A | B | S1 | S2 | |
| 1JO4-04OG | U7/16"X20 | U7/16"X20 | | 20 | 24 | 11 | 17 | |
| 1JO4-04-06OG | U7/16"X20 | U9/16"X18 | | 22 | 27.5 | 14 | 19 | |
| 1JO4-04-08OG | U7/16"X20 | U3/4"X16 | | 25 | 32.5 | 19 | 24 | |
| 1JO4-05OG | U1/2"X20 | U1/2"X20 | | 22 | 26.7 | 14 | 17 | |
| 1JO4-05-04OG | U1/2"X20 | U7/16"X20 | | 22 | 26.7 | 14 | 17 | |
| 1JO4-06OG | U9/16"X18 | U9/16"X18 | | 22 | 28 | 14 | 19 | |
| 1JO4-06-04OG | U9/16"X18 | U7/16"X20 | | 22 | 26 | 14 | 17 | |
| 1JO4-06-05OG | U9/16"X18 | U1/2"X20 | | 22 | 26 | 14 | 17 | |
| 1JO4-06-08OG | U9/16"X18 | U3/4"X16 | | 25 | 32.5 | 19 | 24 | |
| 1JO4-06-10OG | U9/16"X18 | U7/8"X14 | | 27 | 38.5 | 22 | 27 | |
| 1JO4-08OG | U3/4"X16 | U3/4"X16 | | 25 | 32.5 | 19 | 24 | |
| 1JO4-08-06OG | U3/4"X16 | U9/16"X18 | | 25 | 28 | 19 | 19 | |
| 1JO4-08-10OG | U3/4"X16 | U7/8"X14 | | 27 | 38.7 | 22 | 27 | |
| 1JO4-08-12OG | U3/4"X16 | U1.1/16"X12 | | 33 | 43.9 | 27 | 32 | |
| 1JO4-10OG | U7/8"X14 | U7/8"X14 | | 27 | 38.7 | 22 | 27 | |
| 1JO4-10-08OG | U7/8"X14 | U3/4"X16 | | 27 | 33 | 22 | 27 | |
| 1JO4-10-12OG | U7/8"X14 | U1.1/16"X12 | | 33 | 43.9 | 27 | 32 | |
| 1JO4-12OG | U1.1/16"X12 | U1.1/16"X12 | | 33 | 43.5 | 27 | 32 | |
| 1JO4-12-10OG | U1.1/16"X12 | U7/8"X14 | | 33 | 42 | 27 | 27 | |
| 1JO4-12-16OG | U1.1/16"X12 | U1.5/16"X12 | | 37 | 45.5 | 33 | 41 | |
| 1JO4-16OG | U1.5/16"X12 | U1.5/16"X12 | | 37 | 45.5 | 33 | 41 | |
| 1JO4-16-12OG | U1.5/16"X12 | U1.1/16"X12 | | 37 | 45 | 33 | 32 | |
| 1JO4-16-20OG | U1.5/16"X12 | U1.5/8"X12 | | 40 | 47 | 44 | 50 | |
| 1JO4-20OG | U1.5/8"X12 | U1.5/8"X12 | | 40 | 48.5 | 44 | 50 | |
| 1JO4-20-24OG | U1.5/8"X12 | U1.7/8"X12 | | 47 | 50 | 53 | 55 | |
| 1JO4-24OG | U1.7/8"X12 | U1.7/8"X12 | | 47 | 50 | 53 | 55 | |
| 1JO4-32OG | U1.7/8"X12 | U2.1/2"X12 | | 55 | 54 | 65 | 70 | |



1J09-OG

90 ° JIC外螺纹74 ° 外锥/
SAE外螺纹带O型圈
90 ° JIC MALE 74 ° CONE/
SAE O-RING BOSS


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|-------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | B | S1 | S2 | |
| 1J09-04OG | U7/16"X20 | U7/16"X20 | | | 22 | 27.2 | 11 | 17 | |
| 1J09-04-06OG | U7/16"X20 | U9/16"X18 | | | 29 | 31.8 | 14 | 19 | |
| 1J09-05-04OG | U1/2"X20 | U7/16"X20 | | | 29 | 30 | 14 | 17 | |
| 1J09-05OG | U1/2"X20 | U1/2"X20 | | | 29 | 29 | 14 | 17 | |
| 1J09-05-06OG | U1/2"X20 | U9/16"X18 | | | 29 | 31.8 | 14 | 19 | |
| 1J09-06OG | U9/16"X18 | U9/16"X18 | | | 29 | 31.8 | 14 | 19 | |
| 1J09-06-04OG | U9/16"X18 | U7/16"X20 | | | 29 | 30 | 14 | 17 | |
| 1J09-06-05OG | U9/16"X18 | U1/2"X20 | | | 29 | 29.9 | 14 | 17 | |
| 1J09-06-08OG | U9/16"X18 | U3/4"X16 | | | 33 | 36.8 | 19 | 24 | |
| 1J09-08-04OG | U3/4"X16 | U7/16"X20 | | | 33 | 33 | 19 | 17 | |
| 1J09-08OG | U3/4"X16 | U3/4"X16 | | | 33 | 36.8 | 19 | 24 | |
| 1J09-08-06OG | U3/4"X16 | U9/16"X18 | | | 33 | 33.5 | 19 | 19 | |
| 1J09-08-10OG | U3/4"X16 | U7/8"X14 | | | 37 | 44 | 22 | 27 | |
| 1J09-08-12OG | U3/4"X16 | U1.1/16"X12 | | | 40 | 51 | 27 | 32 | |
| 1J09-10OG | U7/8"X14 | U7/8"X14 | | | 37 | 44 | 22 | 27 | |
| 1J09-10-08OG | U7/8"X14 | U3/4"X16 | | | 37 | 40 | 22 | 27 | |
| 1J09-10-12OG | U7/8"X14 | U1.1/16"X12 | | | 40 | 51 | 27 | 32 | |
| 1J09-12OG | U1.1/16"X12 | U1.1/16"X12 | | | 40 | 51 | 27 | 32 | |
| 1J09-12-10OG | U1.1/16"X12 | U7/8"X14 | | | 40 | 47 | 27 | 27 | |
| 1J09-12-16OG | U1.1/16"X12 | U1.5/16"X12 | | | 49 | 54.5 | 33 | 41 | |
| 1J09-16OG | U1.5/16"X12 | U1.5/16"X12 | | | 49 | 54.5 | 33 | 41 | |
| 1J09-16-12OG | U1.5/16"X12 | U1.1/16"X12 | | | 49 | 54.5 | 33 | 32 | |
| 1J09-16-20OG | U1.5/16"X12 | U1.5/8"X12 | | | 57 | 59 | 44 | 50 | |
| 1J09-20OG | U1.5/8"X12 | U1.5/8"X12 | | | 57 | 59 | 44 | 50 | |
| 1J09-20-24OG | U1.5/8"X12 | U1.7/8"X12 | | | 57 | 63 | 48 | 55 | |
| 1J09-24OG | U1.7/8"X12 | U1.7/8"X12 | | | 57 | 63 | 48 | 55 | |
| 1J09-32OG | U1.7/8"X12 | U2.1/2"X12 | | | 66 | 76 | 65 | 70 | |



1J09-0G / L

90 ° 美制JIC外螺纹 74 ° 外锥
加长SAE外螺纹带O型圈90 °
JIC MALE 74 ° CONE / LONG
SAE O-RING BOSS


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | | |
|----------------|---------------|---------------|--|--|----|---------------|----|----|--|
| | E | F | | | | B | S1 | S2 | |
| 1J09-040G / L | U7/16"X20 | U7/16"X20 | | | 22 | 44 | 11 | 17 | |
| 1J09-060G / L | U9/16"X18 | U9/16"X18 | | | 29 | 52.8 | 14 | 19 | |
| 1J09-080G / L | U3/4"X16 | U3/4"X16 | | | 33 | 63.5 | 19 | 24 | |
| 1J09-100G / L | U7/8"X14 | U7/8"X14 | | | 37 | 73.4 | 22 | 27 | |
| 1J09-120G / L | U1.1 / 16"X12 | U1.1 / 16"X12 | | | 40 | 84.8 | 27 | 32 | |
| 1J09-160G / L | U1.5 / 16"X12 | U1.5 / 16"X12 | | | 49 | 94.5 | 33 | 41 | |



1BJ-WD

英管外螺纹胶垫密封/JIC外螺纹74 ° 外锥
BSP MALE CAPTIVE SEAL/JIC MALE 74 ° CONE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | | |
|----------------|------------|-------------|--|---------------|------|------|-----|----|------|
| | E | F | | A | B | D | H | S1 | L |
| 1BJ-02-04WD | G1/8"X28 | U7/16"X20 | | 10 | 14 | 11.7 | 0.7 | 14 | 31.5 |
| 1BJ-04WD | G1/4"X19 | U7/16"X20 | | 12 | 14 | 16.3 | 1.2 | 19 | 34 |
| 1BJ-06-04WD | G3/8"X19 | U7/16"X20 | | 13.5 | 14 | 18.7 | 1.2 | 22 | 36 |
| 1BJ-08-04WD | G1/2"X14 | U7/16"X20 | | 16 | 14 | 23.7 | 1.2 | 27 | 43 |
| 1BJ-04-05WD | G1/4"X19 | U1/2"X20 | | 12 | 14 | 16.3 | 1.2 | 19 | 34 |
| 1BJ-06-05WD | G3/8"X19 | U1/2"X20 | | 13.5 | 14 | 18.7 | 1.2 | 22 | 36 |
| 1BJ-02-06WD | G1/8"X28 | U9/16"X18 | | 10 | 14 | 11.7 | 0.7 | 17 | 31.5 |
| 1BJ-04-06WD | G1/4"X19 | U9/16"X18 | | 12 | 14 | 16.3 | 1.2 | 19 | 34 |
| 1BJ-06WD | G3/8"X19 | U9/16"X18 | | 13.5 | 14 | 18.7 | 1.2 | 22 | 36 |
| 1BJ-08-06WD | G1/2"X14 | U9/16"X18 | | 16 | 14 | 23.7 | 1.2 | 27 | 43 |
| 1BJ-04-08WD | G1/4"X19 | U3/4"X16 | | 12 | 16.7 | 16.3 | 1.2 | 22 | 37 |
| 1BJ-06-08WD | G3/8"X19 | U3/4"X16 | | 13.5 | 16.7 | 18.7 | 1.2 | 22 | 39 |
| 1BJ-08WD | G1/2"X14 | U3/4"X16 | | 16 | 16.7 | 23.7 | 1.2 | 27 | 45.5 |
| 1BJ-08-10WD | G1/2"X14 | U7/8"X16 | | 16 | 19.5 | 23.7 | 1.2 | 27 | 49 |
| 1BJ-12-10WD | G3/4"X14 | U7/8"X16 | | 18.5 | 19.5 | 29 | 1.2 | 32 | 50 |
| 1BJ-08-12WD | G1/2"X14 | U1.1/16"X12 | | 16 | 22 | 23.7 | 1.2 | 30 | 50.5 |
| 1BJ-12WD | G3/4"X14 | U1.1/16"X12 | | 18.5 | 22 | 29 | 1.2 | 32 | 52.5 |
| 1BJ-16-12WD | G1"X11 | U1.1/16"X12 | | 20.5 | 22 | 35.5 | 1.6 | 41 | 58.5 |
| 1BJ-12-16WD | G3/4"X14 | U1.5/16"X12 | | 18.5 | 23 | 29 | 1.2 | 36 | 55.5 |
| 1BJ-16WD | G1"X11 | U1.5/16"X12 | | 20.5 | 23 | 35.5 | 1.6 | 41 | 59.5 |
| 1BJ-20-16WD | G1.1/4"X11 | U1.5/16"X12 | | 20.5 | 23 | 45.6 | 1.6 | 50 | 61.5 |
| 1BJ-16-20WD | G1"X11 | U1.5/8"X12 | | 20.5 | 24.5 | 35.5 | 1.6 | 46 | 61 |
| 1BJ-20WD | G1.1/4"X11 | U1.5/8"X12 | | 20.5 | 24.5 | 45.6 | 1.6 | 50 | 63 |
| 1BJ-24-20WD | G1.1/2"X11 | U1.5/8"X12 | | 23 | 24.5 | 50.5 | 1.6 | 55 | 65 |
| 1BJ-20-24WD | G1.1/4"X11 | U1.7/8"X12 | | 20.5 | 27.5 | 45.6 | 1.6 | 50 | 66 |
| 1BJ-24WD | G1.1/2"X11 | U1.7/8"X12 | | 23 | 27.5 | 50.5 | 1.6 | 55 | 68.5 |



2TJ

英锥管外螺纹/JIC内螺纹74°内锥
BSPT MALE/JIC FEMALE 74° SEAT


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|-------------|--|---------------|------|----|----|--|
| | E | F | | A | C | S1 | S2 | |
| 2TJ-02-04 | ZG1/8"X28 | U7/16"X20 | | 10 | 8.5 | 14 | 17 | |
| 2TJ-04 | ZG1/4"X19 | U7/16"X20 | | 14 | 8.5 | 17 | 17 | |
| 2TJ-04-05 | ZG1/4"X19 | U1/2"X20 | | 14 | 9.5 | 17 | 19 | |
| 2TJ-04-06 | ZG1/4"X19 | U9/16"X18 | | 14 | 10 | 17 | 19 | |
| 2TJ-06-05 | ZG3/8"X19 | U1/2"X20 | | 14 | 9.5 | 17 | 19 | |
| 2TJ-06 | ZG3/8"X19 | U9/16"X18 | | 14 | 10 | 17 | 19 | |
| 2TJ-06-08 | ZG3/8"X19 | U3/4"X16 | | 14 | 11 | 19 | 24 | |
| 2TJ-08 | ZG1/2"X14 | U3/4"X16 | | 19 | 11 | 22 | 24 | |
| 2TJ-08-10 | ZG1/2"X14 | U7/8"X14 | | 19 | 11 | 22 | 27 | |
| 2TJ-08-12 | ZG1/2"X14 | U1.1/16"X12 | | 19 | 13.5 | 27 | 32 | |
| 2TJ-12 | ZG3/4"X14 | U1.1/16"X12 | | 19.5 | 13.5 | 30 | 32 | |
| 2TJ-12-16 | ZG3/4"X14 | U1.5/16"X12 | | 19.5 | 14.5 | 36 | 41 | |
| 2TJ-16 | ZG1"X11 | U1.5/16"X12 | | 24 | 14.5 | 36 | 41 | |
| 2TJ-20 | ZG1.1/4"X11 | U1.5/8"X12 | | 24 | 15.5 | 46 | 50 | |
| 2TJ-24 | ZG1.1/2"X11 | U1.7/8"X12 | | 25 | 18.5 | 50 | 55 | |



2NJ

布锥管外螺纹/JIC内螺纹74°内锥
NPT MALE/JIC FEMALE 74° SEAT


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|----------------|-------------|--|---------------|------|----|----|--|
| | E | F | | A | C | S1 | S2 | |
| 2NJ-02-04 | Z1/8"X27 | U7/16"X20 | | 10 | 8.5 | 14 | 17 | |
| 2NJ-02-05 | Z1/8"X27 | U1/2"X20 | | 10 | 9.5 | 14 | 19 | |
| 2NJ-04 | Z1/4"X18 | U7/16"X20 | | 14 | 8.5 | 17 | 17 | |
| 2NJ-04-05 | Z1/4"X18 | U1/2"X20 | | 14 | 9.5 | 17 | 19 | |
| 2NJ-04-06 | Z1/4"X18 | U9/16"X18 | | 14 | 10 | 17 | 19 | |
| 2NJ-04-08 | Z1/4"X18 | U3/4"X16 | | 14 | 11 | 19 | 24 | |
| 2NJ-06 | Z3/8"X18 | U9/16"X18 | | 14 | 10 | 17 | 19 | |
| 2NJ-06-08 | Z3/8"X18 | U3/4"X16 | | 14 | 11 | 19 | 24 | |
| 2NJ-06-10 | Z3/8"X18 | U7/8"X14 | | 14 | 11 | 22 | 27 | |
| 2NJ-08 | Z1/2"X14 | U3/4"X16 | | 19 | 11 | 22 | 24 | |
| 2NJ-08-06 | Z1/2"X14 | U9/16"X18 | | 19 | 10 | 22 | 19 | |
| 2NJ-08-10 | Z1/2"X14 | U7/8"X14 | | 19 | 11 | 22 | 27 | |
| 2NJ-08-12 | Z1/2"X14 | U1.1/16"X12 | | 19 | 13.5 | 27 | 32 | |
| 2NJ-12 | Z3/4"X14 | U1.1/16"X12 | | 19.5 | 13.5 | 30 | 32 | |
| 2NJ-12-08 | Z3/4"X14 | U3/4"X16 | | 19.5 | 11 | 27 | 24 | |
| 2NJ-12-10 | Z3/4"X14 | U7/8"X14 | | 19.5 | 11 | 27 | 27 | |
| 2NJ-12-16 | Z3/4"X14 | U1.5/16"X12 | | 19.5 | 14.5 | 36 | 41 | |
| 2NJ-16 | Z1"X11.5 | U1.5/16"X12 | | 24 | 14.5 | 36 | 41 | |
| 2NJ-16-12 | Z1"X11.5 | U1.1/16"X12 | | 24 | 13.5 | 36 | 32 | |
| 2NJ-16-20 | Z1"X11.5 | U1.5/8"X12 | | 24 | 15.5 | 46 | 50 | |
| 2NJ-20 | Z1.1 / 4"X11.5 | U1.5/8"X12 | | 24 | 15.5 | 46 | 50 | |
| 2NJ-20-24 | Z1.1 / 4"X11.5 | U1.7/8"X12 | | 24 | 18.5 | 46 | 55 | |
| 2NJ-24-20 | Z1.1 / 2"X11.5 | U1.5/8"X12 | | 25 | 15.5 | 50 | 50 | |
| 2NJ-24 | Z1.1 / 2"X11.5 | U1.7/8"X12 | | 25 | 18.5 | 50 | 55 | |



2GJ

英管外螺纹O型圈/JIC内螺纹74°锥面
BSP MALE O-RING/JIC FEMALE 74° CONE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|-------------|--|---------------|------|----|----|--|
| | E | F | | A | C | S1 | S2 | |
| 2GJ-04 | G1/4"X19 | U7/16"X20 | | 12 | 8.5 | 19 | 17 | |
| 2GJ-04-05 | G1/4"X19 | U1/2"X20 | | 12 | 9.5 | 19 | 19 | |
| 2GJ-04-06 | G1/4"X19 | U9/16"X18 | | 12 | 10 | 19 | 19 | |
| 2GJ-06 | G3/8"X19 | U9/16"X18 | | 13.5 | 10 | 22 | 19 | |
| 2GJ-06-08 | G3/8"X19 | U3/4"X16 | | 13.5 | 11 | 22 | 24 | |
| 2GJ-08 | G1/2"X14 | U3/4"X16 | | 16 | 11 | 27 | 24 | |
| 2GJ-08-06 | G1/2"X14 | U9/16"X18 | | 16 | 10 | 27 | 19 | |
| 2GJ-08-10 | G1/2"X14 | U7/8"X16 | | 16 | 11 | 27 | 27 | |
| 2GJ-12 | G3/4"X14 | U1.1/16"X12 | | 18.5 | 13.5 | 32 | 32 | |
| 2GJ-12-08 | G3/4"X14 | U3/4"X16 | | 18.5 | 11 | 32 | 24 | |
| 2GJ-12-10 | G3/4"X14 | U7/8"X16 | | 18.5 | 11 | 32 | 27 | |
| 2GJ-12-16 | G3/4"X14 | U1.5/16"X12 | | 18.5 | 14.5 | 32 | 41 | |
| 2GJ-16 | G1"X11 | U1.5/16"X12 | | 20.5 | 14.5 | 41 | 41 | |
| 2GJ-20 | G1.1/4"X11 | U1.5/8"X12 | | 20.5 | 15.5 | 50 | 50 | |
| 2GJ-24 | G1.1/2"X11 | U1.7/8"X12 | | 23 | 18.5 | 55 | 55 | |



2OJ

美制SAE外螺纹带O型圈/
JIC内螺纹74°内锥
SAE O-RING BOSS/
JIC FEMALE 74° SEAT


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | | |
|----------------|---------------|---------------|--|--|------|---------------|----|----|--|
| | E | F | | | | C | S1 | S2 | |
| 2OJ-04 | U7 / 16"X20 | U7 / 16"X20 | | | 10 | 8.5 | 14 | 17 | |
| 2OJ-05 | U1 / 2"X20 | U1 / 2"X20 | | | 10 | 9.5 | 17 | 19 | |
| 2OJ-06 | U9 / 16"X18 | U9 / 16"X18 | | | 12 | 10 | 17 | 19 | |
| 2OJ-08 | U3 / 4"X16 | U3 / 4"X16 | | | 12 | 11 | 22 | 24 | |
| 2OJ-10 | U7 / 8"X14 | U7 / 8"X14 | | | 13.5 | 11 | 27 | 27 | |
| 2OJ-12 | U1.1 / 16"X12 | U1.1 / 16"X12 | | | 16 | 13.5 | 32 | 32 | |
| 2OJ-16 | U1.5 / 16"X12 | U1.5 / 16"X12 | | | 17 | 14.5 | 41 | 41 | |
| 2OJ-20 | U1.5 / 8"X12 | U1.5 / 8"X12 | | | 18 | 15.5 | 50 | 50 | |



2WJ

焊接管/美制JIC内螺纹74°内锥
BUTT-WELD TUBE/JIC FEMALE 74° SEAT


| 代号 PART NO. | 螺纹 THREADE | | 管子直径TUBE O.D. | | C | 尺寸 DIMENSIONS | | | |
|----------------|---------------|--|---------------|--|------|---------------|----|--|--|
| | E | | D1 | | | S1 | | | |
| 2WJ-10-04 | U7/16"X20 | | 10 | | 8.5 | | 17 | | |
| 2WJ-12-05 | U1/2"X20 | | 12 | | 9.5 | | 19 | | |
| 2WJ-14-04 | U7/16"X20 | | 14 | | 8.5 | | 17 | | |
| 2WJ-14-06 | U9/16"X18 | | 14 | | 10 | | 19 | | |
| 2WJ-18-08 | U3/4"X16 | | 18 | | 11 | | 24 | | |
| 2WJ-20-10 | U7/8"X14 | | 20 | | 11 | | 27 | | |
| 2WJ-22-12 | U1.1 / 16"X12 | | 22 | | 13.5 | | 32 | | |
| 2WJ-28-16 | U1.5 / 16"X12 | | 28 | | 14.5 | | 41 | | |
| 2WJ-34-20 | U1.5 / 8"X12 | | 34 | | 15.5 | | 50 | | |



5JB

美制JIC外螺纹74°外锥/英管内螺纹
JIC MALE 74° CONE/BSP FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | |
|----------------|-------------|------------|--|---------------|----|----|----|
| | E | F | | A | S1 | | L |
| 5JB-04 | U7/16"X20 | G1/4"X19 | | 14 | | 19 | 32 |
| 5JB-04-02 | U7/16"X20 | G1/8"X28 | | 14 | | 14 | 29 |
| 5JB-04-06 | U7/16"X20 | G3/8"X19 | | 14 | | 22 | 34 |
| 5JB-06 | U9/16"X18 | G3/8"X19 | | 14 | | 22 | 34 |
| 5JB-06-08 | U9/16"X18 | G1/2"X14 | | 14 | | 27 | 34 |
| 5JB-08 | U3/4"X16 | G1/2"X14 | | 16.7 | | 27 | 37 |
| 5JB-08-10 | U3/4"X16 | G5/8"X14 | | 16.7 | | 30 | 43 |
| 5JB-10-12 | U7/8"X16 | G3/4"X14 | | 19.5 | | 32 | 44 |
| 5JB-12 | U1.1/16"X12 | G3/4"X14 | | 22 | | 36 | 52 |
| 5JB-12-16 | U1.1/16"X12 | G1"X11 | | 22 | | 41 | 56 |
| 5JB-16 | U1.5/16"X12 | G1"X11 | | 23 | | 41 | 57 |
| 5JB-16-20 | U1.5/16"X12 | G1.1/4"X11 | | 23 | | 50 | 59 |
| 5JB-20 | U1.5/8"X12 | G1.1/4"X11 | | 24.5 | | 50 | 61 |
| 5JB-24 | U1.7/8"X12 | G1.1/2"X11 | | 27.5 | | 55 | 65 |
| 5JB-32 | U2.1/2"X12 | G2"X11 | | 34 | | 70 | 71 |



5JT

美制JIC外螺纹74°外锥/英锥管内螺纹
JIC MALE 74° CONE/BSPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|---------------|-----------|--|---------------|--|----|--|----|
| | E | F | | A | | S1 | | L |
| 5JT-04-02 | U7/16"X20 | ZG1/8"X28 | | 14 | | 17 | | 29 |
| 5JT-04 | U7/16"X20 | ZG1/4"X19 | | 14 | | 19 | | 32 |
| 5JT-06-04 | U9/16"X18 | ZG1/4"X19 | | 14 | | 19 | | 32 |
| 5JT-06 | U9/16"X18 | ZG3/8"X19 | | 14 | | 22 | | 34 |
| 5JT-08-06 | U3/4"X16 | ZG3/8"X19 | | 16.7 | | 22 | | 37 |
| 5JT-08 | U3/4"X16 | ZG1/2"X14 | | 16.7 | | 30 | | 43 |
| 5JT-10-08 | U7/8"X14 | ZG1/2"X14 | | 19.5 | | 30 | | 36 |
| 5JT-12 | U1.1 / 16"X12 | ZG3/4"X14 | | 22 | | 36 | | 52 |
| 5JT-16 | U1.5 / 16"X12 | ZG1"X11 | | 23 | | 41 | | 57 |



5JN

美制JIC外螺纹74°外锥/布锥管内螺纹
JIC MALE 74° CONE/NPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|--------------|--|---------------|--|----|--|----|
| | E | F | | A | | S1 | | L |
| 5JN-04-02 | U7/16"X20 | Z1/8"X27 | | 14 | | 17 | | 29 |
| 5JN-04 | U7/16"X20 | Z1/4"X18 | | 14 | | 19 | | 32 |
| 5JN-05-04 | U1/2"X20 | Z1/4"X18 | | 14 | | 19 | | 32 |
| 5JN-06-04 | U9/16"X18 | Z1/4"X18 | | 14 | | 19 | | 32 |
| 5JN-06 | U9/16"X18 | Z3/8"X18 | | 14 | | 22 | | 34 |
| 5JN-06-08 | U9/16"X18 | Z1/2"X14 | | 14 | | 30 | | 40 |
| 5JN-08-06 | U3/4"X16 | Z3/8"X18 | | 16.7 | | 22 | | 37 |
| 5JN-08 | U3/4"X16 | Z1/2"X14 | | 16.7 | | 30 | | 43 |
| 5JN-08-12 | U3/4"X16 | Z3/4"X14 | | 16.7 | | 36 | | 47 |
| 5JN-10-08 | U7/8"X14 | Z1/2"X14 | | 19.5 | | 30 | | 46 |
| 5JN-10-12 | U7/8"X14 | Z3/4"X14 | | 19.5 | | 36 | | 50 |
| 5JN-12-08 | U1.1/16"X12 | Z1/2"X14 | | 22 | | 30 | | 48 |
| 5JN-12 | U1.1/16"X12 | Z3/4"X14 | | 22 | | 36 | | 52 |
| 5JN-16-12 | U1.5/16"X12 | Z3/4"X14 | | 23 | | 36 | | 53 |
| 5JN-16 | U1.5/16"X12 | Z1"X11.5 | | 23 | | 41 | | 57 |
| 5JN-20 | U1.5/8"X12 | Z1.1/4"X11.5 | | 24.5 | | 50 | | 61 |
| 5JN-24 | U1.7/8"X12 | Z1.1/2"X11.5 | | 27.5 | | 60 | | 65 |
| 5JN-32 | U2.1/2"X12 | Z2"X11.5 | | 34 | | 70 | | 71 |



5JN9

90 ° 美制JIC外螺纹 74 ° 外锥/布锥管内螺纹
90 ° JIC MALE 74 ° CONE/NPT FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|-------------|----------|--|--|---------------|----|----|--|
| | E | F | | | A | B | S1 | |
| 5JN9-04-02 | U7/16"X20 | Z1/8"X27 | | | 27 | 21 | 17 | |
| 5JN9-04 | U7/16"X20 | Z1/4"X18 | | | 27 | 21 | 17 | |
| 5JN9-06-04 | U9/16"X18 | Z1/4"X18 | | | 32 | 27 | 22 | |
| 5JN9-06 | U9/16"X18 | Z3/8"X18 | | | 32 | 27 | 22 | |
| 5JN9-08-04 | U3/4"X16 | Z1/4"X18 | | | 35 | 30 | 27 | |
| 5JN9-08 | U3/4"X16 | Z1/2"X14 | | | 35 | 30 | 27 | |
| 5JN9-12-08 | U1.1/16"X12 | Z1/2"X14 | | | 35 | 30 | 27 | |
| 5JN9-12 | U1.1/16"X12 | Z3/4"X14 | | | 40 | 32 | 33 | |
| 5JN9-12-16 | U1.1/16"X12 | Z1"X11.5 | | | 38 | 49 | 41 | |
| 5JN9-16-12 | U1.5/16"X12 | Z3/4"X14 | | | 49 | 38 | 41 | |
| 5JN9-16 | U1.5/16"X12 | Z1"X11.5 | | | 49 | 38 | 41 | |



6NJ

美制NPT外螺纹/美制JIC外螺纹外锥过板接头
NPT MALE/JIC MALE 74 ° CONE BULKHEAD


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|----------------|---------------|--|--|---------------|------|----|------|--|
| | E | F | | | A | B | S1 | L | |
| 6NJ-02-04 | Z1/8"X27 | U7/16"X20 | | | 10 | 32.5 | 14 | 485 | |
| 6NJ-04 | Z1/4"X18 | U7/16"X20 | | | 14 | 32.5 | 14 | 52.5 | |
| 6NJ-04-06 | Z1/4"X18 | U9/16"X18 | | | 14 | 32.5 | 17 | 52.5 | |
| 6NJ-06 | Z3/8"X18 | U9/16"X18 | | | 14 | 32.5 | 17 | 52.5 | |
| 6NJ-08 | Z1/2"X14 | U3/4"X16 | | | 19 | 36.5 | 22 | 64 | |
| 6NJ-08-10 | Z1/2"X14 | U7/8"X14 | | | 19 | 40 | 22 | 67 | |
| 6NJ-12 | Z3/4"X14 | U1.1 / 16"X12 | | | 19.5 | 44.5 | 27 | 73 | |
| 6NJ-16 | Z1"X11.5 | U1.5 / 16"X12 | | | 24 | 44.5 | 36 | 79.5 | |
| 6NJ-20 | Z1.1 / 4"X11.5 | U1.5 / 8"X12 | | | 25 | 45.7 | 46 | 84 | |
| 6NJ-24 | Z1.1 / 2"X11.5 | U1.7 / 8"X12 | | | 25 | 46 | 50 | 88 | |



7NJ

布锥管内螺纹/JIC内螺纹74 ° 内锥
NPT FEMALE/JIC FEMALE 74 ° SEAT


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|----------------|---------------|--|--|---------------|--|----|----|--|
| | E | F | | | C | | S1 | S2 | |
| 7NJ-04 | Z1/4"X18 | U7/16"X20 | | | 8.5 | | 19 | 17 | |
| 7NJ-04-06 | Z1/4"X18 | U9/16"X18 | | | 10 | | 19 | 19 | |
| 7NJ-06 | Z3/8"X18 | U9/16"X18 | | | 10 | | 24 | 19 | |
| 7NJ-06-08 | Z3/8"X18 | U3/4"X16 | | | 11 | | 24 | 24 | |
| 7NJ-08 | Z1/2"X14 | U3/4"X16 | | | 11 | | 30 | 24 | |
| 7NJ-08-10 | Z1/2"X14 | U7/8"X14 | | | 11 | | 30 | 27 | |
| 7NJ-08-12 | Z1/2"X14 | U1.1 / 16"X12 | | | 13.5 | | 30 | 32 | |
| 7NJ-12 | Z3/4"X14 | U1.1 / 16"X12 | | | 13.5 | | 36 | 32 | |
| 7NJ-16 | Z1"X11.5 | U1.5 / 16"X12 | | | 14.5 | | 41 | 41 | |
| 7NJ-20 | Z1.1 / 4"X11.5 | U1.5 / 8"X12 | | | 15.5 | | 50 | 50 | |
| 7NJ-24 | Z1.1 / 2"X11.5 | U1.7 / 8"X12 | | | 18.5 | | 60 | 55 | |



AJ

美制JIC外螺纹74°外锥三通
JIC MALE 74° CONE TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|---------------|---------------|---------------|--|---------------|----|----|----|--|
| | E | F | G | | A | B | C | S1 | |
| AJ-04 | U7 / 16"X20 | U7 / 16"X20 | U7 / 16"X20 | | 24 | 24 | 24 | 11 | |
| AJ-04-06-04 | U7 / 16"X20 | U9 / 16"X18 | U7 / 16"X20 | | 27 | 27 | 27 | 14 | |
| AJ-05 | U1 / 2"X20 | U1 / 2"X20 | U1 / 2"X20 | | 27 | 27 | 27 | 14 | |
| AJ-06-04-06 | U9 / 16"X18 | U7 / 16"X20 | U9 / 16"X18 | | 27 | 27 | 27 | 14 | |
| AJ-06 | U9 / 16"X18 | U9 / 16"X18 | U9 / 16"X18 | | 27 | 27 | 27 | 14 | |
| AJ-08 | U3 / 4"X16 | U3 / 4"X16 | U3 / 4"X16 | | 30 | 30 | 30 | 19 | |
| AJ-08-06-08 | U3 / 4"X16 | U9 / 16"X18 | U3 / 4"X16 | | 30 | 30 | 30 | 19 | |
| AJ-10 | U7 / 8"X14 | U7 / 8"X14 | U7 / 8"X14 | | 33 | 33 | 33 | 22 | |
| AJ-12 | U1.1 / 16"X12 | U1.1 / 16"X12 | U1.1 / 16"X12 | | 40 | 40 | 40 | 27 | |
| AJ-16 | U1.5 / 16"X12 | U1.5 / 16"X12 | U1.5 / 16"X12 | | 49 | 49 | 49 | 33 | |
| AJ-16-12-16 | U1.5 / 16"X12 | U1.1 / 16"X12 | U1.5 / 16"X12 | | 49 | 49 | 49 | 33 | |
| AJ-20 | U1.5 / 8"X12 | U1.5 / 8"X12 | U1.5 / 8"X12 | | 57 | 57 | 57 | 44 | |



BJ

美制JIC外螺纹74°外锥/
美制JIC内螺纹74°内锥分支三通
JIC MALE 74° CONE/
JIC FEMALE BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|---------------|---------------|--|--|---------------|------|----|----|
| | E | F | | | A | C | S1 | S2 |
| BJ-04 | U7 / 16"X20 | U7 / 16"X20 | | | 24 | 8.5 | 11 | 17 |
| BJ-05 | U1 / 2"X20 | U1 / 2"X20 | | | 27 | 9.5 | 14 | 19 |
| BJ-06 | U9 / 16"X18 | U9 / 16"X18 | | | 27 | 10 | 14 | 19 |
| BJ-08 | U3 / 4"X16 | U3 / 4"X16 | | | 30 | 11 | 19 | 24 |
| BJ-10 | U7 / 8"X14 | U7 / 8"X14 | | | 33 | 11 | 22 | 27 |
| BJ-12 | U1.1 / 16"X12 | U1.1 / 16"X12 | | | 40 | 13.5 | 27 | 32 |
| BJ-16 | U1.5 / 16"X12 | U1.5 / 16"X12 | | | 49 | 14.5 | 33 | 41 |
| BJ-20 | U1.5 / 8"X12 | U1.5 / 8"X12 | | | 57 | 15.5 | 44 | 50 |



CJ

美制JIC外螺纹74°外锥/
美制JIC内螺纹74°内锥主支三通
JIC MALE 74° CONE/
JIC FEMALE 74° SEAT RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|---------------|---------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| CJ-04 | U7 / 16"X20 | U7 / 16"X20 | | | 24 | 8.5 | 11 | 17 | |
| CJ-05 | U1 / 2"X20 | U1 / 2"X20 | | | 27 | 9.5 | 14 | 19 | |
| CJ-06 | U9 / 16"X18 | U9 / 16"X18 | | | 27 | 10 | 14 | 19 | |
| CJ-08 | U3 / 4"X16 | U3 / 4"X16 | | | 30 | 11 | 19 | 24 | |
| CJ-10 | U7 / 8"X14 | U7 / 8"X14 | | | 33 | 11 | 22 | 27 | |
| CJ-12 | U1.1 / 16"X12 | U1.1 / 16"X12 | | | 40 | 13.5 | 27 | 32 | |
| CJ-16 | U1.5 / 16"X12 | U1.5 / 16"X12 | | | 49 | 14.5 | 33 | 41 | |
| CJ-20 | U1.5 / 8"X12 | U1.5 / 8"X12 | | | 57 | 15.5 | 44 | 50 | |



DJ

美制JIC内螺纹74°内锥三通
JIC FEMALE 74° SEAT TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|---------------|---------------|--|--|---------------|----|----|--|--|
| | E | F | | | C | S1 | S2 | | |
| DJ-04 | U7/16"X20 | U7/16"X20 | | | 8.5 | 11 | 17 | | |
| DJ-05 | U1/2"X20 | U1/2"X20 | | | 9.5 | 11 | 19 | | |
| DJ-06 | U9/16"X18 | U9/16"X18 | | | 10 | 14 | 19 | | |
| DJ-08 | U3/4"X16 | U3/4"X16 | | | 11 | 19 | 24 | | |
| DJ-10 | U7/8"X14 | U7/8"X14 | | | 11 | 22 | 27 | | |
| DJ-12 | U1.1 / 16"X12 | U1.1 / 16"X12 | | | 13.5 | 27 | 32 | | |
| DJ-16 | U1.5 / 16"X12 | U1.5 / 16"X12 | | | 14.5 | 33 | 41 | | |
| DJ-20 | U1.5 / 8"X12 | U1.5 / 8"X12 | | | 15.5 | 44 | 50 | | |



EJ

美制JIC内螺纹74°内锥/
美制JIC外螺纹74°外锥分支三通
JIC FEMALE 74° SEAT/
JIC MALE 74° CONE BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|---------------|---------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| EJ-04 | U7 / 16"X20 | U7 / 16"X20 | | | 24 | 8.5 | 11 | 17 | |
| EJ-05 | U1 / 2"X20 | U1 / 2"X20 | | | 27 | 9.5 | 14 | 19 | |
| EJ-06 | U9 / 16"X18 | U9 / 16"X18 | | | 27 | 10 | 14 | 19 | |
| EJ-08 | U3 / 4"X16 | U3 / 4"X16 | | | 30 | 11 | 19 | 24 | |
| EJ-10 | U7 / 8"X14 | U7 / 8"X14 | | | 33 | 11 | 22 | 27 | |
| EJ-12 | U1.1 / 16"X12 | U1.1 / 16"X12 | | | 40 | 13.5 | 27 | 32 | |
| EJ-16 | U1.5 / 16"X12 | U1.5 / 16"X12 | | | 49 | 14.5 | 33 | 41 | |
| EJ-20 | U1.5 / 8"X12 | U1.5 / 8"X12 | | | 57 | 15.5 | 44 | 50 | |



FJ

美制JIC内螺纹74°内锥/
美制JIC外螺纹74°外锥分支三通
JIC FEMALE 74° SEAT/
JIC MALE 74° CONE BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|-------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| EJ-04 | U7/16"X20 | U7/16"X20 | | | 24 | 8.5 | 11 | 17 | |
| EJ-05 | U1/2"X20 | U1/2"X20 | | | 27 | 9.5 | 14 | 19 | |
| EJ-06 | U9/16"X18 | U9/16"X18 | | | 27 | 10 | 14 | 19 | |
| EJ-08 | U3/4"X16 | U3/4"X16 | | | 30 | 11 | 19 | 24 | |
| EJ-10 | U7/8"X14 | U7/8"X14 | | | 33 | 11 | 22 | 27 | |
| EJ-12 | U1.1/16"X12 | U1.1/16"X12 | | | 40 | 13.5 | 27 | 32 | |
| EJ-16 | U1.5/16"X12 | U1.5/16"X12 | | | 49 | 14.5 | 33 | 41 | |
| EJ-20 | U1.5/8"X12 | U1.5/8"X12 | | | 57 | 15.5 | 44 | 50 | |



AJNJ

美制JIC外螺纹 74° 外锥/
布锥管外螺纹分支三通
JIC MALE 74° CONE/
NPT MALE BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | |
|----------------|-------------|--------------|--|--|----|---------------|----|--|
| | E | F | | | | B | S1 | |
| AJNJ-04 | U7/16"X20 | Z1/4"X18 | | | 27 | 27 | 14 | |
| AJNJ-04-02-04 | U7/16"X20 | Z1/8"X27 | | | 24 | 24 | 11 | |
| AJNJ-05-02-05 | U1/2"X20 | Z1/8"X27 | | | 27 | 27 | 14 | |
| AJNJ-05-04-05 | U1/2"X20 | Z1/4"X18 | | | 27 | 27 | 14 | |
| AJNJ-06 | U9/16"X18 | Z3/8"X18 | | | 28 | 28 | 17 | |
| AJNJ-06-04-06 | U9/16"X18 | Z1/4"X18 | | | 27 | 27 | 14 | |
| AJNJ-08 | U3/4"X16 | Z1/2"X14 | | | 33 | 33 | 22 | |
| AJNJ-08-06-08 | U3/4"X16 | Z3/8"X18 | | | 30 | 30 | 19 | |
| AJNJ-10-08-10 | U7/8"X14 | Z1/2"X14 | | | 33 | 33 | 22 | |
| AJNJ-10-12-10 | U7/8"X14 | Z3/4"X14 | | | 40 | 40 | 27 | |
| AJNJ-12 | U1.1/16"X12 | Z3/4"X14 | | | 40 | 40 | 27 | |
| AJNJ-16 | U1.5/16"X12 | Z1"X11.5 | | | 49 | 49 | 33 | |
| AJNJ-20 | U1.5/8"X12 | Z1.1/4"X11.5 | | | 57 | 57 | 44 | |



AJJN

美制JIC外螺纹74°外锥/
布锥管外螺纹主支三通
JIC MALE 74° CONE/
NPT MALE RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | S1 | 尺寸 DIMENSIONS | |
|----------------|-------------|--------------|--|--|----|----|----|---------------|--|
| | E | F | | | | | | | |
| AJJN-04 | U7/16"X20 | Z1/4"X18 | | | 27 | 27 | 14 | | |
| AJJN-04-04-02 | U7/16"X20 | Z1/8"X27 | | | 24 | 24 | 11 | | |
| AJJN-05-05-02 | U1/2"X20 | Z1/8"X27 | | | 27 | 27 | 14 | | |
| AJJN-05-05-04 | U1/2"X20 | Z1/4"X18 | | | 27 | 27 | 14 | | |
| AJJN-06 | U9/16"X18 | Z3/8"X18 | | | 28 | 28 | 17 | | |
| AJJN-06-06-04 | U9/16"X18 | Z1/4"X18 | | | 27 | 27 | 14 | | |
| AJJN-08 | U3/4"X16 | Z1/2"X14 | | | 33 | 33 | 22 | | |
| AJJN-08-08-06 | U3/4"X16 | Z3/8"X18 | | | 30 | 30 | 19 | | |
| AJJN-10-10-08 | U7/8"X14 | Z1/2"X14 | | | 33 | 33 | 22 | | |
| AJJN-10-10-12 | U7/8"X14 | Z3/4"X14 | | | 40 | 40 | 27 | | |
| AJJN-12 | U1.1/16"X12 | Z3/4"X14 | | | 40 | 40 | 27 | | |
| AJJN-16 | U1.5/16"X12 | Z1"X11.5 | | | 49 | 49 | 33 | | |
| AJJN-20 | U1.5/8"X12 | Z1.1/4"X11.5 | | | 57 | 57 | 44 | | |



AJJ6J

美制JIC外螺纹74 ° 外锥过板接头主支三通
JIC MALE 74 ° CONE BULKHEAD RUN TEE

| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|---------------|--|--|--|---------------|------|----|--|--|
| | E | | | | A | B | S1 | | |
| AJJ6J-04 | U7/16"X20 | | | | 24 | 40.4 | 11 | | |
| AJJ6J-06 | U9/16"X18 | | | | 27 | 46 | 14 | | |
| AJJ6J-08 | U3/4"X16 | | | | 30 | 53.5 | 19 | | |
| AJJ6J-10 | U7/8"X14 | | | | 33 | 60.7 | 22 | | |
| AJJ6J-12 | U1.1 / 16"X12 | | | | 40 | 67.8 | 27 | | |
| AJJ6J-16 | U1.5 / 16"X12 | | | | 49 | 71 | 33 | | |
| AJJ6J-20 | U1.5 / 8"X12 | | | | 57 | 79.2 | 44 | | |




AJ6JJ

美制JIC外螺纹74 ° 外锥过板接头分支三通
JIC MALE 74 ° CONE BULKHEAD BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|---------------|--|--|--|---------------|------|----|--|--|
| | E | | | | A | B | S1 | | |
| AJ6JJ-04 | U7/16"X20 | | | | 24 | 40.4 | 11 | | |
| AJ6JJ-06 | U9/16"X18 | | | | 27 | 46 | 14 | | |
| AJ6JJ-08 | U3/4"X16 | | | | 30 | 53.5 | 19 | | |
| AJ6JJ-10 | U7/8"X14 | | | | 33 | 60.7 | 22 | | |
| AJ6JJ-12 | U1.1 / 16"X12 | | | | 40 | 67.8 | 27 | | |
| AJ6JJ-16 | U1.5 / 16"X12 | | | | 49 | 71 | 33 | | |

KJNJ



美制JIC外螺纹74°外锥/
布锥管内螺纹分支三通
JIC MALE 74° CONE/
NPT FEMALE BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|---------------|----------|--|---------------|------|----|--|--|
| | E | F | | A | B | S1 | | |
| KJNJ-04 | U7/16"X20 | Z1/4"X18 | | 30 | 22.4 | 19 | | |
| KJNJ-04-02-04 | U7/16"X20 | Z1/8"X27 | | 28 | 16.8 | 17 | | |
| KJNJ-05-02-05 | U1/2"X20 | Z1/8"X27 | | 28 | 16.8 | 17 | | |
| KJNJ-05-04-05 | U1/2"X20 | Z1/4"X18 | | 30 | 22.4 | 19 | | |
| KJNJ-06 | U9/16"X18 | Z3/8"X18 | | 33 | 25.9 | 22 | | |
| KJNJ-06-04-06 | U9/16"X18 | Z1/4"X18 | | 30 | 22.4 | 19 | | |
| KJNJ-08 | U3/4"X16 | Z1/2"X14 | | 40 | 31.2 | 27 | | |
| KJNJ-08-06-08 | U3/4"X16 | Z3/8"X18 | | 40 | 25.9 | 27 | | |
| KJNJ-10-08-10 | U7/8"X14 | Z1/2"X14 | | 40 | 31.2 | 27 | | |
| KJNJ-12 | U1.1 / 16"X12 | Z3/4"X14 | | 49 | 34.5 | 33 | | |
| KJNJ-16 | U1.5 / 16"X12 | Z1"X11.5 | | 57 | 41.1 | 44 | | |



LJJN

美制JIC外螺纹74 ° 外锥/
布锥管内螺纹主支三通
JIC MALE 74 ° CONE/
NPT FEMALE RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|----------------|--|---------------|------|----|--|--|
| | E | F | | A | B | S1 | | |
| LJJN-04 | U7/16"X20 | Z1/4"X18 | | 30 | 25.1 | 19 | | |
| LJJN-04-04-02 | U7/16"X20 | Z1/8"X27 | | 28 | 16.8 | 17 | | |
| LJJN-06 | U9/16"X18 | Z3/8"X18 | | 33 | 26.8 | 22 | | |
| LJJN-06-06-04 | U9/16"X18 | Z1/4"X18 | | 30 | 22.5 | 19 | | |
| LJJN-08 | U3/4"X16 | Z1/2"X14 | | 40 | 33 | 27 | | |
| LJJN-08-08-06 | U3/4"X16 | Z3/8"X18 | | 40 | 25.9 | 27 | | |
| LJJN-10-10-08 | U7/8"X14 | Z1/2"X14 | | 40 | 31.2 | 27 | | |
| LJJN-12 | U1.1/16"X12 | Z3/4"X14 | | 49 | 39 | 33 | | |
| LJJN-16 | U1.5/16"X12 | Z1"X11.5 | | 57 | 43.9 | 27 | | |
| LJJN-20 | U1.5/8"X12 | Z1.1 / 4"X11.5 | | 57 | 43.3 | 44 | | |



AJOJ-OG

美制JIC外螺纹74°外锥/
SAE外螺纹带O型圈分支三通
JIC MALE 74° CONE/
SAE O-RING BOSS BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | | | |
|-----------------|---------------|---------------|--|---------------|--|----|------|----|----|--|
| | E | F | | | | A | B | S1 | S2 | |
| AJOJ-04OG | U7/16"X20 | U7/16"X20 | | | | 24 | 27.2 | 11 | 17 | |
| AJOJ-05OG | U1/2"X20 | U1/2"X20 | | | | 27 | 29 | 14 | 17 | |
| AJOJ-05-04-05OG | U1/2"X20 | U7/16"X20 | | | | 27 | 30 | 14 | 17 | |
| AJOJ-06OG | U9/16"X18 | U9/16"X18 | | | | 27 | 31.8 | 14 | 19 | |
| AJOJ-06-04-06OG | U9/16"X18 | U7/16"X20 | | | | 27 | 30 | 14 | 17 | |
| AJOJ-06-05-06OG | U9/16"X18 | U1/2"X20 | | | | 27 | 30 | 14 | 17 | |
| AJOJ-08OG | U3/4"X16 | U3/4"X16 | | | | 30 | 36.8 | 19 | 24 | |
| AJOJ-08-06-08OG | U3/4"X16 | U9/16"X18 | | | | 30 | 33.5 | 19 | 19 | |
| AJOJ-10OG | U7/8"X14 | U7/8"X14 | | | | 33 | 44 | 22 | 27 | |
| AJOJ-10-08-10OG | U7/8"X14 | U3/4"X16 | | | | 33 | 40 | 22 | 24 | |
| AJOJ-12OG | U1.1 / 16"X12 | U1.1 / 16"X12 | | | | 33 | 51 | 24 | 32 | |
| AJOJ-12-08-12OG | U1.1 / 16"X12 | U3/4"X16 | | | | 33 | 44 | 24 | 24 | |
| AJOJ-12-10-12OG | U1.1 / 16"X12 | U7/8"X14 | | | | 33 | 49 | 24 | 27 | |
| AJOJ-16OG | U1.5 / 16"X12 | U1.5 / 16"X12 | | | | 49 | 54.5 | 33 | 41 | |
| AJOJ-20-16-20OG | U1.5 / 8"X12 | U1.5 / 16"X12 | | | | 57 | 59.5 | 44 | 41 | |
| AJOJ-20OG | U1.5 / 8"X12 | U1.5 / 8"X12 | | | | 57 | 59 | 44 | 50 | |



AJJO-OG

美制JIC外螺纹74 ° 外锥/
SAE外螺纹带O型圈主支三通
JIC MALE 74 ° CONE/
SAE O-RING BOSS RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|-----------------|---------------|---------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | B | S1 | S2 | |
| AJJO-04OG | U7/16"X20 | U7/16"X20 | | | 24 | 27.2 | 11 | 17 | |
| AJJO-05OG | U1/2"X20 | U1/2"X20 | | | 27 | 29 | 14 | 17 | |
| AJJO-05-05-04OG | U1/2"X20 | U7/16"X20 | | | 27 | 30 | 14 | 17 | |
| AJJO-06OG | U9/16"X18 | U9/16"X18 | | | 27 | 31.8 | 14 | 19 | |
| AJJO-06-06-04OG | U9/16"X18 | U7/16"X20 | | | 27 | 30.1 | 14 | 17 | |
| AJJO-06-06-05OG | U9/16"X18 | U1/2"X20 | | | 27 | 30 | 14 | 17 | |
| AJJO-06-06-08OG | U9/16"X18 | U3/4"X16 | | | 30 | 37.5 | 19 | 24 | |
| AJJO-08OG | U3/4"X16 | U3/4"X16 | | | 30 | 36.8 | 19 | 24 | |
| AJJO-08-08-06OG | U3/4"X16 | U9/16"X18 | | | 30 | 33.5 | 19 | 19 | |
| AJJO-08-08-10OG | U3/4"X16 | U7/8"X14 | | | 33 | 44 | 22 | 27 | |
| AJJO-10OG | U7/8"X14 | U7/8"X14 | | | 33 | 44 | 22 | 27 | |
| AJJO-10-10-08OG | U7/8"X14 | U3/4"X16 | | | 33 | 39.5 | 22 | 24 | |
| AJJO-12OG | U1.1 / 16"X12 | U1.1 / 16"X12 | | | 33 | 51 | 24 | 32 | |
| AJJO-12-12-08OG | U1.1 / 16"X12 | U3/4"X16 | | | 33 | 43 | 24 | 24 | |
| AJJO-12-12-10OG | U1.1 / 16"X12 | U7/8"X14 | | | 33 | 49 | 24 | 27 | |
| AJJO-16OG | U1.5 / 16"X12 | U1.5 / 16"X12 | | | 49 | 54.5 | 33 | 41 | |
| AJJO-20OG | U1.5 / 8"X12 | U1.5 / 8"X12 | | | 57 | 59 | 44 | 50 | |



AJGJ-OG

JIC外螺纹74°外锥/
英管外螺纹O型圈分支三通
JIC MALE 74°CONE/
BSP MALE O-RING BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | |
|-----------------|---------------|------------|--|---------------|------|----|----|
| | E | F | | A | B | S1 | S2 |
| AJGJ-04-02-04OG | U7 / 16"X20 | G1 / 8"X28 | | 24 | 26.2 | 11 | 14 |
| AJGJ-04OG | U7 / 16"X20 | G1 / 4"X19 | | 27 | 31.8 | 14 | 19 |
| AJGJ-05-02-05OG | U1/2"X20 | G1/8"X28 | | 27 | 29 | 14 | 19 |
| AJGJ-05-04-05OG | U1 / 2"X20 | G1 / 4"X19 | | 27 | 31.8 | 14 | 19 |
| AJGJ-06-04-06OG | U9 / 16"X18 | G1 / 4"X19 | | 27 | 31 | 14 | 19 |
| AJGJ-06OG | U9 / 16"X18 | G3 / 8"X19 | | 28 | 36.8 | 17 | 22 |
| AJGJ-08-06-08OG | U3/4"X16 | G3/8"X19 | | 30 | 37 | 19 | 22 |
| AJGJ-08OG | U3/4"X16 | G1/2"X14 | | 33 | 43.2 | 22 | 27 |
| AJGJ-10-08-10OG | U7/8"X16 | G1/2"X14 | | 33 | 43.5 | 22 | 27 |
| AJGJ-12OG | U1.1 / 16"X12 | G3 / 4"X14 | | 33 | 51 | 24 | 32 |
| AJGJ-16OG | U1.5/16"X12 | G1"X11 | | 49 | 53 | 33 | 41 |



AJJG-OG

JIC外螺纹74°外锥/
英管外螺纹O型圈主支三通
JIC MALE 74°CONE/
BSP MALE O-RING RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | |
|-----------------|-------------|----------|--|---------------|------|----|----|
| | E | F | | A | B | S1 | S2 |
| AJJG-04OG | U7/16"X20 | G1/4"X19 | | 27 | 31.9 | 14 | 19 |
| AJJG-05-05-04OG | U1/2"X20 | G1/4"X19 | | 27 | 31.3 | 14 | 19 |
| AJJG-06OG | U9/16"X18 | G3/8"X19 | | 28 | 36.8 | 17 | 22 |
| AJJG-06-06-04OG | U9/16"X18 | G1/4"X19 | | 27 | 31.3 | 14 | 19 |
| AJJG-08-08-06OG | U3/4"X16 | G3/8"X19 | | 30 | 36.8 | 19 | 22 |
| AJJG-08OG | U3/4"X16 | G1/2"X14 | | 33 | 43.2 | 22 | 27 |
| AJJG-10-10-08OG | U7/8"X16 | G1/2"X14 | | 33 | 44 | 22 | 27 |
| AJJG-12OG | U1.1/16"X12 | G3/4"X14 | | 33 | 49.5 | 24 | 32 |
| AJJG-16OG | U1.5/16"X12 | G1"X11 | | 49 | 53 | 33 | 41 |



AJJH-OG

美制JIC外螺纹74 ° 外锥/
公制外螺纹可调向柱端主支三通
JIC MALE 74 ° CONE/METRIC MALE
ADJUSTABLE STUD END


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | S1 | S2 | | 尺寸 DIMENSIONS | |
|-----------------|-------------|---------|--|--|----|------|----|----|--|---------------|--|
| | E | F | | | | | | | | | |
| AJJH-04-04-100G | U7/16"X20 | M10x1 | | | 24 | 26.5 | 11 | 14 | | | |
| AJJH-04-04-120G | U7/16"X20 | M12x1.5 | | | 27 | 32.5 | 14 | 17 | | | |
| AJJH-05-05-120G | U1/2"X20 | M12x1.5 | | | 27 | 32 | 14 | 17 | | | |
| AJJH-05-05-140G | U1/2"X20 | M14x1.5 | | | 27 | 32 | 14 | 19 | | | |
| AJJH-06-06-140G | U9/16"X18 | M14x1.5 | | | 27 | 32 | 14 | 19 | | | |
| AJJH-06-06-160G | U9/16"X18 | M16x1.5 | | | 28 | 34.8 | 17 | 22 | | | |
| AJJH-08-08-160G | U3/4"X16 | M16x1.5 | | | 30 | 36 | 19 | 22 | | | |
| AJJH-08-08-180G | U3/4"X16 | M18x1.5 | | | 30 | 37 | 19 | 24 | | | |
| AJJH-10-10-180G | U7/8"X14 | M18x1.5 | | | 33 | 39.5 | 22 | 24 | | | |
| AJJH-10-10-220G | U7/8"X14 | M22x1.5 | | | 33 | 40.2 | 22 | 27 | | | |
| AJJH-12-12-220G | U1.1/16"X12 | M22x1.5 | | | 33 | 44 | 24 | 27 | | | |
| AJJH-12-12-270G | U1.1/16"X12 | M27x2 | | | 40 | 48.5 | 27 | 32 | | | |
| AJJH-16-16-270G | U1.5/16"X12 | M27x2 | | | 49 | 52 | 33 | 32 | | | |



NB500

JIC公制管衬套
JIC METRIC SLEEVE


| 代号 PART NO. | 螺纹 THREADE | 管子外径 TUBE O.D. | | D | 尺寸 DIMENSIONS | | |
|----------------|-------------|----------------|--|------|---------------|--|--|
| | | mm | | | L | | |
| NB500-06 | U7/16"X20 | 6 | | 9.7 | 10.4 | | |
| NB500-08 | U1/2"X20 | 8 | | 11.3 | 11.2 | | |
| NB500-10 | U9/16"X18 | 10 | | 12.7 | 12.7 | | |
| NB500-12 | U3/4"X16 | 12 | | 17.3 | 14.2 | | |
| NB500-14 | U7/8"X16 | 14 | | 20.2 | 16.8 | | |
| NB500-15 | U7/8"X16 | 15 | | 20.2 | 16.8 | | |
| NB500-16 | U7/8"X16 | 16 | | 20.2 | 16.8 | | |
| NB500-18 | U1.1/16"X12 | 18 | | 24.7 | 17.3 | | |
| NB500-20A | U1.1/16"X12 | 20 | | 24.7 | 17.3 | | |
| NB500-20 | U1.3/16"X12 | 20 | | 27.8 | 19.3 | | |
| NB500-22 | U1.3/16"X12 | 22 | | 27.8 | 19.3 | | |
| NB500-25 | U1.5/16"X12 | 25 | | 31 | 19.8 | | |
| NB500-28 | U1.5/8"X12 | 28 | | 38.9 | 23.1 | | |
| NB500-30 | U1.5/8"X12 | 30 | | 38.9 | 23.1 | | |
| NB500-32 | U1.5/8"X12 | 32 | | 38.9 | 23.1 | | |
| NB500-35 | U1.7/8"X12 | 35 | | 45.3 | 28.4 | | |
| NB500-38 | U1.7/8"X12 | 38 | | 45.3 | 28.4 | | |
| NB500-50 | U2.1/2"X12 | 50 | | 61.2 | 30.2 | | |



NB300

JIC 英制管衬套
JIC INCH SLEEVE


| 代号 PART NO. | 螺纹 THREADE | 管子外径 TUBE O.D. | | | 尺寸 DIMENSIONS | | | |
|----------------|-------------|----------------|--------|--|---------------|------|--|--|
| | | in | | | D | L | | |
| NB300-04 | U7/16"X20 | | 1/4" | | 9.5 | 10.5 | | |
| NB300-06 | U9/16"X18 | | 3/8" | | 12.5 | 13 | | |
| NB300-08 | U3/4"X16 | | 1/2" | | 17 | 14 | | |
| NB300-10 | U7/8"X16 | | 5/8" | | 20 | 17 | | |
| NB300-12 | U1.1/16"X12 | | 3/4" | | 24.5 | 17.5 | | |
| NB300-16 | U1.5/16"X12 | | 1" | | 31 | 20 | | |
| NB300-20 | U1.5/8"X12 | | 1.1/4" | | 39 | 23.5 | | |



00Tsum-NB

美制JIC扩口管接头螺母
JIC FLARE TUBE END NUT


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|-------------|--|--|--|---------------|--|--|--|
| | | | | | S1 | | | |
| 00Tsum-04NB | U7/16"X20 | | | | 17 | | | |
| 00Tsum-06NB | U9/16"X18 | | | | 19 | | | |
| 00Tsum-08NB | U3/4"X16 | | | | 24 | | | |
| 00Tsum-10NB | U7/8"X16 | | | | 27 | | | |
| 00Tsum-12NB | U1.1/16"X12 | | | | 32 | | | |
| 00Tsum-16NB | U1.5/16"X12 | | | | 38 | | | |
| 00Tsum-20NB | U1.5/8"X12 | | | | 50 | | | |
| 00Tsum-24NB | U1.7/8"X12 | | | | 55 | | | |



1F

美制ORFS外螺纹O型圈平面密封
ORFS MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|--------------|--------------|--|---------------|------|----|--|------|
| | E | F | | A | B | S1 | | L |
| 1F-04 | U9/16"X18 | U9/16"X18 | | 12 | 12 | 17 | | 30 |
| 1F-04-06 | U9/16"X18 | U11/16"X16 | | 12 | 14 | 19 | | 32 |
| 1F-04-08 | U9/16"X18 | U13/16"X16 | | 12 | 15 | 22 | | 36 |
| 1F-06 | U11/16"X16 | U11/16"X16 | | 14 | 14 | 19 | | 34 |
| 1F-06-08 | U11/16"X16 | U13/16"X16 | | 14 | 15 | 22 | | 38 |
| 1F-06-10 | U11/16"X16 | U1"X14 | | 14 | 16.5 | 27 | | 39.5 |
| 1F-08 | U13/16"X16 | U13/16"X16 | | 15 | 15 | 22 | | 39 |
| 1F-08-10 | U13/16"X16 | U1"X14 | | 15 | 16.5 | 27 | | 40.5 |
| 1F-08-12 | U13/16"X16 | U1.3/16"X12 | | 15 | 17 | 32 | | 41 |
| 1F-10 | U1"X14 | U1"X14 | | 16.5 | 16.5 | 27 | | 42 |
| 1F-10-12 | U1"X14 | U1.3/16"X12 | | 16.5 | 17 | 32 | | 42.5 |
| 1F-12 | U1.3/16"X12 | U1.3/16"X12 | | 17 | 17 | 32 | | 43 |
| 1F-12-16 | U1.3/16"X12 | U1.7/16"X12 | | 17 | 18.5 | 41 | | 47.5 |
| 1F-12-20 | U1.3/16"X12 | U1.11/16"X12 | | 17 | 19.5 | 46 | | 50 |
| 1F-16 | U1.7/16"X12 | U1.7/16"X12 | | 18.5 | 18.5 | 41 | | 49 |
| 1F-16-20 | U1.7/16"X12 | U1.11/16"X12 | | 18.5 | 19.5 | 46 | | 51.5 |
| 1F-20 | U1.11/16"X12 | U1.11/16"X12 | | 19.5 | 19.5 | 46 | | 52.5 |
| 1F-24 | U2"X12 | U2"X12 | | 23.5 | 23.5 | 55 | | 64 |



1F4

45° 美制ORFS外螺纹O型圈平面密封
45° ORFS MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | |
|----------------|--------------|--------------|--|--|----|---------------|----|--|
| | E | F | | | | B | S1 | |
| 1F4-04 | U9/16"X18 | U9/16"X18 | | | 22 | 22 | 14 | |
| 1F4-04-06 | U9/16"X18 | U11/16"X16 | | | 25 | 25 | 19 | |
| 1F4-06 | U11/16"X16 | U11/16"X16 | | | 25 | 25 | 19 | |
| 1F4-06-08 | U11/16"X16 | U13/16"X16 | | | 27 | 27 | 22 | |
| 1F4-08 | U13/16"X16 | U13/16"X16 | | | 27 | 27 | 22 | |
| 1F4-08-12 | U13/16"X16 | U1.3/16"X12 | | | 37 | 37 | 33 | |
| 1F4-10 | U1"X14 | U1"X14 | | | 33 | 33 | 27 | |
| 1F4-12 | U1.3/16"X12 | U1.3/16"X12 | | | 37 | 37 | 33 | |
| 1F4-16 | U1.7/16"X12 | U1.7/16"X12 | | | 40 | 40 | 44 | |
| 1F4-20 | U1.11/16"X12 | U1.11/16"X12 | | | 40 | 40 | 44 | |
| 1F4-24 | U2"X12 | U2"X12 | | | 47 | 47 | 53 | |



1F9

90° 美制ORFS外螺纹O型圈平面密封
90° ORFS MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | |
|----------------|--------------|--------------|--|--|----|---------------|----|--|
| | E | F | | | | B | S1 | |
| 1F9-04 | U9/16"X18 | U9/16"X18 | | | 29 | 27 | 14 | |
| 1F9-04-06 | U9/16"X18 | U11/16"X16 | | | 30 | 29 | 17 | |
| 1F9-06 | U11/16"X16 | U11/16"X16 | | | 30 | 29 | 17 | |
| 1F9-06-08 | U11/16"X16 | U13/16"X16 | | | 37 | 37 | 22 | |
| 1F9-08 | U13/16"X16 | U13/16"X16 | | | 37 | 37 | 22 | |
| 1F9-08-12 | U13/16"X16 | U1.3/16"X12 | | | 40 | 52 | 27 | |
| 1F9-10 | U1"X14 | U1"X14 | | | 40 | 43 | 27 | |
| 1F9-12 | U1.3/16"X12 | U1.3/16"X12 | | | 40 | 47 | 27 | |
| 1F9-16 | U1.7/16"X12 | U1.7/16"X12 | | | 45 | 55 | 33 | |
| 1F9-20 | U1.11/16"X12 | U1.11/16"X12 | | | 57 | 55 | 44 | |
| 1F9-24 | U2"X12 | U2"X12 | | | 57 | 57 | 48 | |



2F

美制ORFS外螺纹O型圈平面密封/ ORFS内螺纹
ORFS MALE O-RING/ORFS FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|--------------|--------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| 2F-04 | U9/16"X18 | U9/16"X18 | | | 12 | 10 | 17 | 19 | |
| 2F-04-06 | U9/16"X18 | U11/16"X16 | | | 12 | 11 | 17 | 22 | |
| 2F-04-08 | U9/16"X18 | U13/16"X16 | | | 12 | 12 | 19 | 24 | |
| 2F-06-04 | U11/16"X16 | U11/16"X16 | | | 14 | 10 | 19 | 19 | |
| 2F-06 | U11/16"X16 | U11/16"X16 | | | 14 | 11 | 19 | 22 | |
| 2F-06-08 | U11/16"X16 | U13/16"X16 | | | 14 | 12 | 19 | 24 | |
| 2F-06-10 | U11/16"X16 | U1"X14 | | | 14 | 13.5 | 24 | 32 | |
| 2F-08-06 | U13/16"X16 | U11/16"X16 | | | 15 | 11 | 22 | 22 | |
| 2F-08 | U13/16"X16 | U13/16"X16 | | | 15 | 12 | 22 | 24 | |
| 2F-08-10 | U13/16"X16 | U1"X14 | | | 15 | 13.5 | 24 | 32 | |
| 2F-08-12 | U13/16"X16 | U1.3/16"X12 | | | 15 | 13.5 | 30 | 36 | |
| 2F-10-08 | U1"X14 | U13/16"X16 | | | 16.5 | 12 | 27 | 24 | |
| 2F-10 | U1"X14 | U1"X14 | | | 16.5 | 13.5 | 27 | 32 | |
| 2F-10-12 | U1"X14 | U1.3/16"X12 | | | 16.5 | 13.5 | 30 | 36 | |
| 2F-10-16 | U1"X14 | U1.7/16"X12 | | | 16.5 | 14.5 | 36 | 41 | |
| 2F-12-08 | U1.3/16"X12 | U13/16"X16 | | | 17 | 12 | 32 | 24 | |
| 2F-12-10 | U1.3/16"X12 | U1"X14 | | | 17 | 13.5 | 32 | 32 | |
| 2F-12 | U1.3/16"X12 | U1.3/16"X12 | | | 17 | 13.5 | 32 | 36 | |
| 2F-12-16 | U1.3/16"X12 | U1.7/16"X12 | | | 17 | 14.5 | 36 | 41 | |
| 2F-16-12 | U1.7/16"X12 | U1.3/16"X12 | | | 18.5 | 13.5 | 41 | 36 | |
| 2F-16 | U1.7/16"X12 | U1.7/16"X12 | | | 18.5 | 14.5 | 41 | 41 | |
| 2F-16-20 | U1.7/16"X12 | U1.11/16"X12 | | | 18.5 | 15.5 | 41 | 50 | |
| 2F-20-16 | U1.11/16"X12 | U1.7/16"X12 | | | 19.5 | 14.5 | 46 | 41 | |
| 2F-20 | U1.11/16"X12 | U1.11/16"X12 | | | 19.5 | 15.5 | 46 | 50 | |



2F4

45° 美制ORFS外螺纹O型
圈平面密封/ ORFS内螺纹
45° ORFS MALE
O-RING/ORFS FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|----------------|----------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| 2F4-04 | U9 / 16"X18 | U9 / 16"X18 | | | 22 | 10 | 14 | 19 | |
| 2F4-06 | U11/16"X16 | U11/16"X16 | | | 22 | 11 | 17 | 22 | |
| 2F4-08 | U13/16"X16 | U13/16"X16 | | | 27 | 12 | 22 | 24 | |
| 2F4-10 | U1"X14 | U1"X14 | | | 33 | 13.5 | 27 | 32 | |
| 2F4-12 | U1.3 / 16"X12 | U1.3 / 16"X12 | | | 37 | 13.5 | 33 | 36 | |
| 2F4-16 | U1.7 / 16"X12 | U1.7 / 16"X12 | | | 40 | 14.5 | 44 | 41 | |
| 2F4-20 | U1.11 / 16"X12 | U1.11 / 16"X12 | | | 40 | 15.5 | 44 | 50 | |



2F9

90° 美制ORFS外螺纹O型
圈平面密封/ ORFS内螺纹
90° ORFS MALE
O-RING/ORFS FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|----------------|----------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | C | S1 | S2 | |
| 2F9-04 | U9/16"X18 | U9/16"X18 | | | 29 | 10 | 14 | 19 | |
| 2F9-06 | U11/16"X16 | U11/16"X16 | | | 30 | 11 | 17 | 22 | |
| 2F9-08 | U13/16"X16 | U13/16"X16 | | | 37 | 12 | 22 | 24 | |
| 2F9-10 | U1"X14 | U1"X14 | | | 40 | 13.5 | 27 | 32 | |
| 2F9-12 | U1.3 / 16"X12 | U1.3 / 16"X12 | | | 40 | 13.5 | 27 | 36 | |
| 2F9-16 | U1.7 / 16"X12 | U1.7 / 16"X12 | | | 45 | 14.5 | 33 | 41 | |
| 2F9-20 | U1.11 / 16"X12 | U1.11 / 16"X12 | | | 57 | 15.5 | 44 | 50 | |



3F

美制ORFS内螺纹
ORFS FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | |
|----------------|--------------|--------------|--|---------------|--|----|--|--|
| | E | F | | C | | S1 | | |
| 3F-04 | U9/16"X18 | U9/16"X18 | | 10 | | 19 | | |
| 3F-06 | U11/16"X16 | U11/16"X16 | | 11 | | 22 | | |
| 3F-08 | U13/16"X16 | U13/16"X16 | | 12 | | 24 | | |
| 3F-10 | U1"X14 | U1"X14 | | 13.5 | | 32 | | |
| 3F-12 | U1.3/16"X12 | U1.3/16"X12 | | 13.5 | | 36 | | |
| 3F-16 | U1.7/16"X12 | U1.7/16"X12 | | 14.5 | | 41 | | |
| 3F-20 | U1.11/16"X12 | U1.11/16"X12 | | 15.5 | | 50 | | |



4F

美制ORFS外螺纹O型圈平面密封堵头
ORFS MALE O-RING PLUG


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | |
|----------------|--------------|--|--|---------------|--|----|----|
| | E | | | A | | S1 | L |
| 4F-04 | U9/16"X18 | | | 12 | | 19 | 18 |
| 4F-06 | U11/16"X16 | | | 14 | | 22 | 22 |
| 4F-08 | U13/16"X16 | | | 15 | | 27 | 24 |
| 4F-10 | U1"X14 | | | 16.5 | | 30 | 26 |
| 4F-12 | U1.3/16"X12 | | | 17 | | 36 | 27 |
| 4F-16 | U1.7/16"X12 | | | 18.5 | | 41 | 30 |
| 4F-20 | U1.11/16"X12 | | | 19.5 | | 50 | 36 |



6F

美制ORFS外螺纹O型圈平面密封过板接头
ORFS MALE O-RING BULKHEAD


| 代号 PART NO. | 螺纹 THREADE | 尺寸 DIMENSIONS | | | | | | |
|----------------|----------------|---------------|--|--|------|------|----|------|
| | | E | | | A | B | S1 | L |
| 6F-04 | U9 / 16"X18 | | | | 12 | 31.5 | 19 | 49.5 |
| 6F-06 | U11/16"X16 | | | | 14 | 34 | 22 | 56 |
| 6F-08 | U13/16"X16 | | | | 15 | 36.5 | 27 | 61 |
| 6F-10 | U1"X14 | | | | 16.5 | 40.6 | 30 | 67 |
| 6F-12 | U1.3 / 16"X12 | | | | 17 | 41.7 | 36 | 70 |
| 6F-16 | U1.7 / 16"X12 | | | | 18.5 | 42.2 | 41 | 72 |
| 6F-20 | U1.11 / 16"X12 | | | | 19.5 | 42.2 | 50 | 79 |



6F4

45 ° 美制ORFS外螺纹O型圈平面密封过板接头
45 ° ORFS MALE O-RING BULKHEAD


| 代号 PART NO. | 螺纹 THREADE | 尺寸 DIMENSIONS | | | | | |
|----------------|---------------|---------------|--|--|----|------|----|
| | | E | | | A | B | S1 |
| 6F4-04 | U9/16"X18 | | | | 22 | 42.4 | 14 |
| 6F4-06 | U11/16"X16 | | | | 22 | 48.5 | 17 |
| 6F4-08 | U13/16"X16 | | | | 27 | 51 | 22 |
| 6F4-10 | U1"X14 | | | | 33 | 56.6 | 27 |
| 6F4-12 | U1.3 / 16"X12 | | | | 37 | 60.7 | 33 |
| 6F4-16 | U1.7 / 16"X12 | | | | 40 | 65.2 | 44 |



6F9

90 ° 美制ORFS外螺纹O型圈平面密封过板接头
90 ° ORFS MALE O-RING BULKHEAD


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|-------------|--|--|--|---------------|------|----|--|
| | E | | | | A | B | S1 | |
| 6F9-04 | U9/16"X18 | | | | 29 | 47 | 14 | |
| 6F9-06 | U11/16"X16 | | | | 30 | 52 | 17 | |
| 6F9-08 | U13/16"X16 | | | | 37 | 55.5 | 22 | |
| 6F9-10 | U1"X14 | | | | 40 | 63 | 27 | |
| 6F9-12 | U1.3/16"X12 | | | | 40 | 67.2 | 27 | |
| 6F9-16 | U1.7/16"X12 | | | | 45 | 71.2 | 33 | |



8F

美制ORFS锁母
ORFS LOCK NUT


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | |
|----------------|----------------|--|--|---------------|----|--|--|
| | E | | | A | S1 | | |
| 8F-04 | U9/16"X18 | | | 7 | 19 | | |
| 8F-06 | U11/16"X16 | | | 8 | 22 | | |
| 8F-08 | U13/16"X16 | | | 9 | 27 | | |
| 8F-10 | U1"X14 | | | 10.4 | 30 | | |
| 8F-12 | U1.3 / 16"X12 | | | 10.4 | 36 | | |
| 8F-16 | U1.7 / 16"X12 | | | 10.4 | 41 | | |
| 8F-20 | U1.11 / 16"X12 | | | 10.4 | 50 | | |
| 8F-24 | U2"X12 | | | 10.4 | 60 | | |



9F

美制ORFS内螺纹堵头
ORFS FEMALE PLUG


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | |
|----------------|----------------|--|--|---------------|----|--|--|
| | E | | | C | S1 | | |
| 9F-04 | U9/16"X18 | | | 11 | 19 | | |
| 9F-06 | U11/16"X16 | | | 10 | 22 | | |
| 9F-08 | U13/16"X16 | | | 11 | 27 | | |
| 9F-10 | U1"X14 | | | 13.5 | 30 | | |
| 9F-12 | U1.3 / 16"X12 | | | 13 | 36 | | |
| 9F-16 | U1.7 / 16"X12 | | | 15 | 41 | | |
| 9F-20 | U1.11 / 16"X12 | | | 17.5 | 50 | | |



1FN

美制ORFS外螺纹O型圈平面密封/
布锥管外螺纹
ORFS MALE O-RING/
NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|--------------|--------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | B | S1 | L | |
| 1FN-04-02 | U9/16"X18 | Z1/8"X27 | | | 10 | 10 | 17 | 26 | |
| 1FN-04 | U9/16"X18 | Z1/4"X18 | | | 10 | 14 | 17 | 30 | |
| 1FN-04-06 | U9/16"X18 | Z3/8"X18 | | | 10 | 14 | 17 | 30 | |
| 1FN-06-04 | U11/16"X16 | Z1/4"X18 | | | 11 | 14 | 19 | 31 | |
| 1FN-06 | U11/16"X16 | Z3/8"X18 | | | 11 | 14 | 19 | 31 | |
| 1FN-06-08 | U11/16"X16 | Z1/2"X14 | | | 11 | 19 | 22 | 38 | |
| 1FN-08-04 | U13/16"X16 | Z1/4"X18 | | | 12 | 14 | 22 | 34 | |
| 1FN-08-06 | U13/16"X16 | Z3/8"X18 | | | 12 | 14 | 22 | 34 | |
| 1FN-08 | U13/16"X16 | Z1/2"X14 | | | 12 | 19 | 22 | 39 | |
| 1FN-08-12 | U13/16"X16 | Z3/4"X14 | | | 12 | 19.5 | 27 | 40 | |
| 1FN-10-08 | U1"X14 | Z1/2"X14 | | | 13.5 | 19 | 27 | 41 | |
| 1FN-10-12 | U1"X14 | Z3/4"X14 | | | 13.5 | 19.5 | 27 | 42 | |
| 1FN-12-08 | U1.3/16"X12 | Z1/2"X14 | | | 13.5 | 19 | 32 | 41 | |
| 1FN-12 | U1.3/16"X12 | Z3/4"X14 | | | 13.5 | 19.5 | 32 | 42 | |
| 1FN-12-16 | U1.3/16"X12 | Z1"X11.5 | | | 13.5 | 24 | 36 | 48 | |
| 1FN-16-12 | U1.7/16"X12 | Z3/4"X14 | | | 14.5 | 19.5 | 41 | 46 | |
| 1FN-16 | U1.7/16"X12 | Z1"X11.5 | | | 14.5 | 24 | 41 | 51 | |
| 1FN-16-20 | U1.7/16"X12 | Z1.1/4"X11.5 | | | 14.5 | 25 | 46 | 53 | |
| 1FN-20-16 | U1.11/16"X12 | Z1"X11.5 | | | 15.5 | 24 | 46 | 53 | |
| 1FN-20 | U1.11/16"X12 | Z1.1/4"X11.5 | | | 15.5 | 25 | 46 | 54 | |
| 1FN-20-24 | U1.11/16"X12 | Z1.1/2"X11.5 | | | 15.5 | 25 | 50 | 57 | |



1FN4

45° 美制ORFS外螺纹O型圈平面密封/
布锥管外螺纹45°
ORFS MALE O-RING/
NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|--------------|--------------|--|--|---------------|----|----|--|
| | E | F | | | A | B | S1 | |
| 1FN4-04-02 | U9/16"X18 | Z1/8"X27 | | | 22 | 22 | 14 | |
| 1FN4-04 | U9/16"X18 | Z1/4"X18 | | | 22 | 22 | 14 | |
| 1FN4-04-06 | U9/16"X18 | Z3/8"X18 | | | 22 | 22 | 17 | |
| 1FN4-06-04 | U11/16"X16 | Z1/4"X18 | | | 25 | 25 | 19 | |
| 1FN4-06 | U11/16"X16 | Z3/8"X18 | | | 25 | 25 | 19 | |
| 1FN4-06-08 | U11/16"X16 | Z1/2"X14 | | | 27 | 27 | 22 | |
| 1FN4-08-06 | U13/16"X16 | Z3/8"X18 | | | 27 | 27 | 22 | |
| 1FN4-08 | U13/16"X16 | Z1/2"X14 | | | 27 | 27 | 22 | |
| 1FN4-10-08 | U1"X14 | Z1/2"X14 | | | 33 | 33 | 27 | |
| 1FN4-12 | U1.3/16"X12 | Z3/4"X14 | | | 37 | 37 | 33 | |
| 1FN4-16 | U1.7/16"X12 | Z1"X11.5 | | | 40 | 40 | 44 | |
| 1FN4-20 | U1.11/16"X12 | Z1.1/4"X11.5 | | | 40 | 40 | 44 | |



1FN9

90 ° 美制ORFS外螺纹O型圈平面密封/
布锥管外螺纹90 °
ORFS MALE O-RING/
NPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|--------------|--------------|--|--|---------------|----|----|--|
| | E | F | | | A | B | S1 | |
| 1FN9-04-02 | U9/16"X18 | Z1/8"X27 | | | 29 | 27 | 14 | |
| 1FN9-04 | U9/16"X18 | Z1/4"X18 | | | 29 | 27 | 14 | |
| 1FN9-06-04 | U11/16"X16 | Z1/4"X18 | | | 33 | 33 | 19 | |
| 1FN9-06 | U11/16"X16 | Z3/8"X18 | | | 33 | 33 | 19 | |
| 1FN9-06-08 | U11/16"X16 | Z1/2"X14 | | | 37 | 37 | 22 | |
| 1FN9-08-06 | U13/16"X16 | Z3/8"X18 | | | 37 | 37 | 22 | |
| 1FN9-08 | U13/16"X16 | Z1/2"X14 | | | 37 | 37 | 22 | |
| 1FN9-08-12 | U13/16"X16 | Z3/4"X14 | | | 40 | 40 | 27 | |
| 1FN9-10-08 | U1"X14 | Z1/2"X14 | | | 40 | 40 | 27 | |
| 1FN9-10-12 | U1"X14 | Z3/4"X14 | | | 40 | 40 | 27 | |
| 1FN9-12-08 | U1.3/16"X12 | Z1/2"X14 | | | 40 | 40 | 27 | |
| 1FN9-12 | U1.3/16"X12 | Z3/4"X14 | | | 40 | 40 | 27 | |
| 1FN9-12-16 | U1.3/16"X12 | Z1"X11.5 | | | 45 | 45 | 33 | |
| 1FN9-16-12 | U1.7/16"X12 | Z3/4"X14 | | | 45 | 45 | 33 | |
| 1FN9-16 | U1.7/16"X12 | Z1"X11.5 | | | 45 | 45 | 33 | |
| 1FN9-20-16 | U1.11/16"X12 | Z1"X11.5 | | | 57 | 57 | 44 | |
| 1FN9-20 | U1.11/16"X12 | Z1.1/4"X11.5 | | | 57 | 57 | 44 | |



1FH

美制ORFS外螺纹O型圈平面密封/公制外螺纹
ORFS MALE O-RING/METRIC MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | S1 | 尺寸 DIMENSIONS | |
|----------------|-------------|---------|--|--|------|----|----|---------------|--|
| | E | F | | | | | | L | |
| 1FH-04-10 | U9/16"X18 | M10x1 | | | 12 | 11 | 17 | 29 | |
| 1FH-04-12 | U9/16"X18 | M12x1.5 | | | 12 | 11 | 17 | 29 | |
| 1FH-06-12 | U11/16"X16 | M12x1.5 | | | 14 | 11 | 19 | 31 | |
| 1FH-06-14 | U11/16"X16 | M14x1.5 | | | 14 | 11 | 19 | 31 | |
| 1FH-06-16 | U11/16"X16 | M16x1.5 | | | 14 | 11 | 22 | 33 | |
| 1FH-08-16 | U13/16"X16 | M16x1.5 | | | 15 | 11 | 22 | 34 | |
| 1FH-08-18 | U13/16"X16 | M18x1.5 | | | 15 | 11 | 24 | 34 | |
| 1FH-08-22 | U13/16"X16 | M22x1.5 | | | 15 | 12 | 27 | 36 | |
| 1FH-10-22 | U1"X14 | M22x1.5 | | | 16.5 | 12 | 27 | 37 | |
| 1FH-12-22 | U1.3/16"X12 | M22x1.5 | | | 17 | 12 | 32 | 38 | |
| 1FH-12-27 | U1.3/16"X12 | M27x2 | | | 17 | 13 | 32 | 39 | |



1FH4-OG

45° 美制ORFS外螺纹O型圈平面密封/
公制外螺纹可调向柱端 45°
ORFS MALE O-RING/ METRIC
MALE ADJUSTABLE STUD END


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | | |
|----------------|---------------|---------|--|--|----|---------------|----|--|--|
| | E | F | | | | B | S1 | | |
| 1FH4-04-14OG | U9 / 16"X18 | M14x1.5 | | | 22 | 29.5 | 14 | | |
| 1FH4-06-14OG | U11/16"X16 | M14x1.5 | | | 25 | 33 | 19 | | |
| 1FH4-06-16OG | U11/16"X16 | M16x1.5 | | | 25 | 33.5 | 19 | | |
| 1FH4-08-16OG | U13/16"X16 | M16x1.5 | | | 27 | 33.5 | 22 | | |
| 1FH4-08-18OG | U13/16"X16 | M18x1.5 | | | 27 | 36 | 22 | | |
| 1FH4-10-22OG | U1"X14 | M22x1.5 | | | 33 | 38.5 | 27 | | |
| 1FH4-12-22OG | U1.3 / 16"X12 | M22x1.5 | | | 37 | 39.5 | 33 | | |
| 1FH4-12-27OG | U1.3 / 16"X12 | M27x2 | | | 37 | 40 | 33 | | |



1FH9-OG

90° 美制ORFS外螺纹O型圈平面密封/
公制外螺纹可调向柱端
90° ORFS MALE O-RING/ METRIC
MALE ADJUSTABLE STUD END


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | | |
|----------------|---------------|---------|--|--|----|---------------|----|--|--|
| | E | F | | | | B | S1 | | |
| 1FH9-04-12OG | U9/16"X18 | M12x1.5 | | | 29 | 32 | 14 | | |
| 1FH9-06-14OG | U11/16"X16 | M14x1.5 | | | 33 | 35.5 | 19 | | |
| 1FH9-06-16OG | U11/16"X16 | M16x1.5 | | | 33 | 38 | 19 | | |
| 1FH9-08-16OG | U13/16"X16 | M16x1.5 | | | 37 | 40.5 | 22 | | |
| 1FH9-08-18OG | U13/16"X16 | M18x1.5 | | | 37 | 43 | 22 | | |
| 1FH9-08-22OG | U13/16"X16 | M22x1.5 | | | 40 | 44.5 | 27 | | |
| 1FH9-10-22OG | U1"X14 | M22x1.5 | | | 40 | 48 | 27 | | |
| 1FH9-12-27OG | U1.3 / 16"X12 | M27x2 | | | 40 | 50 | 27 | | |



1FO

美制ORFS外螺纹O型圈平面密封/
美制外螺纹带O型圈重系列
ORFS MALE O-RING/
SAE O-RING BOSS S-SERIES


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | 尺寸 DIMENSIONS | |
|----------------|--------------|-------------|--|--|------|------|---------------|----|
| | E | F | | | | | S1 | L |
| 1FO-04 | U9/16"X18 | U7/16"X20 | | | 12 | 10 | 17 | 28 |
| 1FO-04-05 | U9/16"X18 | U1/2"X20 | | | 12 | 10 | 17 | 28 |
| 1FO-04-06 | U9/16"X18 | U9/16"X18 | | | 12 | 12 | 17 | 30 |
| 1FO-04-08 | U9/16"X18 | U3/4"X16 | | | 12 | 12 | 22 | 32 |
| 1FO-06-04 | U11/16"X16 | U7/16"X20 | | | 14 | 10 | 19 | 30 |
| 1FO-06-05 | U11/16"X16 | U1/2"X20 | | | 14 | 10 | 19 | 30 |
| 1FO-06 | U11/16"X16 | U9/16"X18 | | | 14 | 12 | 19 | 32 |
| 1FO-06-08 | U11/16"X16 | U3/4"X16 | | | 14 | 12 | 22 | 34 |
| 1FO-06-10 | U11/16"X16 | U7/8"X14 | | | 14 | 13.5 | 27 | 37 |
| 1FO-08-06 | U13/16"X16 | U9/16"X18 | | | 15 | 12 | 22 | 35 |
| 1FO-08 | U13/16"X16 | U3/4"X16 | | | 15 | 12 | 22 | 35 |
| 1FO-08-10 | U13/16"X16 | U7/8"X14 | | | 15 | 13.5 | 27 | 38 |
| 1FO-08-12 | U13/16"X16 | U1.1/16"X12 | | | 15 | 16 | 32 | 40 |
| 1FO-10 | U1"X14 | U7/8"X14 | | | 16.5 | 13.5 | 27 | 39 |
| 1FO-10-08 | U1"X14 | U3/4"X16 | | | 16.5 | 12 | 27 | 38 |
| 1FO-10-12 | U1"X14 | U1.1/16"X12 | | | 16.5 | 16 | 32 | 42 |
| 1FO-12-10 | U1.3/16"X12 | U7/8"X14 | | | 17 | 13.5 | 32 | 41 |
| 1FO-12 | U1.3/16"X12 | U1.1/16"X12 | | | 17 | 16 | 32 | 42 |
| 1FO-12-16 | U1.3/16"X12 | U1.5/16"X12 | | | 17 | 17 | 41 | 46 |
| 1FO-16-12 | U1.7/16"X12 | U1.1/16"X12 | | | 18.5 | 16 | 41 | 46 |
| 1FO-16 | U1.7/16"X12 | U1.5/16"X12 | | | 18.5 | 17 | 41 | 47 |
| 1FO-16-20 | U1.7/16"X12 | U1.5/8"X12 | | | 18.5 | 18 | 50 | 53 |
| 1FO-20-16 | U1.11/16"X12 | U1.5/16"X12 | | | 19.5 | 17 | 46 | 50 |
| 1FO-20 | U1.11/16"X12 | U1.5/8"X12 | | | 19.5 | 18 | 50 | 54 |



1FO4-OG

45° 美制ORFS外螺纹O型圈平面密封/
美制SAE外螺纹带O型圈45°
ORFS MALE O-RING/
SAE O-RING BOSS


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | S1 | S2 | 尺寸 DIMENSIONS | |
|----------------|--------------|-------------|--|--|----|------|----|----|---------------|--|
| | E | F | | | | | | | | |
| 1FO4-04OG | U9/16"X18 | U7/16"X20 | | | 22 | 26 | 14 | 17 | | |
| 1FO4-04-06OG | U9/16"X18 | U9/16"X18 | | | 22 | 28 | 14 | 19 | | |
| 1FO4-06-04OG | U11/16"X16 | U7/16"X20 | | | 25 | 27.3 | 19 | 17 | | |
| 1FO4-06OG | U11/16"X16 | U9/16"X18 | | | 25 | 29.5 | 19 | 19 | | |
| 1FO4-06-08OG | U11/16"X16 | U3/4"X16 | | | 25 | 32.5 | 19 | 24 | | |
| 1FO4-08-06OG | U13/16"X16 | U9/16"X18 | | | 27 | 30.8 | 22 | 19 | | |
| 1FO4-08OG | U13/16"X16 | U3/4"X16 | | | 27 | 34 | 22 | 24 | | |
| 1FO4-08-10OG | U13/16"X16 | U7/8"X14 | | | 27 | 39.5 | 22 | 27 | | |
| 1FO4-08-12OG | U13/16"X16 | U1.1/16"X12 | | | 33 | 44 | 27 | 32 | | |
| 1FO4-10-08OG | U1"X14 | U3/4"X16 | | | 33 | 34 | 27 | 24 | | |
| 1FO4-10OG | U1"X14 | U7/8"X14 | | | 33 | 41.5 | 27 | 27 | | |
| 1FO4-10-12OG | U1"X14 | U1.1/16"X12 | | | 33 | 44 | 27 | 32 | | |
| 1FO4-12-10OG | U1.3/16"X12 | U7/8"X14 | | | 37 | 42 | 33 | 27 | | |
| 1FO4-12OG | U1.3/16"X12 | U1.1/16"X12 | | | 37 | 45.5 | 33 | 32 | | |
| 1FO4-12-16OG | U1.3/16"X12 | U1.5/16"X12 | | | 37 | 47.9 | 33 | 41 | | |
| 1FO4-16-12OG | U1.7/16"X12 | U1.1/16"X12 | | | 40 | 47.9 | 44 | 32 | | |
| 1FO4-16OG | U1.7/16"X12 | U1.5/16"X12 | | | 40 | 47.9 | 44 | 41 | | |
| 1FO4-16-20OG | U1.7/16"X12 | U1.5/8"X12 | | | 40 | 48.5 | 44 | 50 | | |
| 1FO4-20OG | U1.11/16"X12 | U1.5/8"X12 | | | 40 | 48.8 | 44 | 50 | | |
| 1FO4-20-24OG | U1.11/16"X12 | U1.7/8"X12 | | | 47 | 51 | 53 | 55 | | |



1FO9-OG

90 ° 美制ORFS外螺纹O型圈平面密封/
美制SAE外螺纹带O型圈90 °
ORFS MALE O-RING/
SAE O-RING BOSS


| 代号 PART NO. | 螺纹 THREADE | | | | | 尺寸 DIMENSIONS | | | | |
|----------------|--------------|-------------|--|--|----|---------------|----|----|----|--|
| | E | F | | | | A | B | S1 | S2 | |
| 1FO9-04OG | U9/16"X18 | U7/16"X20 | | | 29 | 30.3 | 14 | 17 | | |
| 1FO9-04-06OG | U9/16"X18 | U9/16"X18 | | | 29 | 32 | 14 | 19 | | |
| 1FO9-06-04OG | U11/16"X16 | U7/16"X20 | | | 33 | 33.5 | 19 | 17 | | |
| 1FO9-06OG | U11/16"X16 | U9/16"X18 | | | 33 | 34.5 | 19 | 19 | | |
| 1FO9-06-08OG | U11/16"X16 | U3/4"X16 | | | 33 | 38 | 19 | 24 | | |
| 1FO9-06-10OG | U11/16"X16 | U7/8"X14 | | | 37 | 47 | 22 | 27 | | |
| 1FO9-08-06OG | U13/16"X16 | U9/16"X18 | | | 37 | 37 | 22 | 19 | | |
| 1FO9-08OG | U13/16"X16 | U3/4"X16 | | | 37 | 40.5 | 22 | 24 | | |
| 1FO9-08-10OG | U13/16"X16 | U7/8"X14 | | | 37 | 45.3 | 22 | 27 | | |
| 1FO9-08-12OG | U13/16"X16 | U1.1/16"X12 | | | 40 | 52 | 27 | 32 | | |
| 1FO9-10-08OG | U1"X14 | U3/4"X16 | | | 40 | 45 | 27 | 24 | | |
| 1FO9-10OG | U1"X14 | U7/8"X14 | | | 40 | 50.8 | 27 | 27 | | |
| 1FO9-10-12OG | U1"X14 | U1.1/16"X12 | | | 40 | 52 | 27 | 32 | | |
| 1FO9-12-10OG | U1.3/16"X12 | U7/8"X14 | | | 40 | 52.8 | 27 | 27 | | |
| 1FO9-12OG | U1.3/16"X12 | U1.1/16"X12 | | | 40 | 54 | 27 | 32 | | |
| 1FO9-12-16OG | U1.3/16"X12 | U1.5/16"X12 | | | 45 | 55.5 | 33 | 41 | | |
| 1FO9-16-12OG | U1.7/16"X12 | U1.1/16"X12 | | | 45 | 59 | 33 | 32 | | |
| 1FO9-16OG | U1.7/16"X12 | U1.5/16"X12 | | | 45 | 59 | 33 | 41 | | |
| 1FO9-20OG | U1.11/16"X12 | U1.5/8"X12 | | | 57 | 60.5 | 44 | 50 | | |
| 1FO9-20-24OG | U1.11/16"X12 | U1.7/8"X12 | | | 57 | 66.5 | 48 | 55 | | |



1FG

美制ORFS外螺纹O型圈平面密封/
英管外螺纹O型圈
ORFS MALE O-RING/
BSP MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | 尺寸 DIMENSIONS | |
|----------------|--------------|------------|--|--|------|------|---------------|----|
| | E | F | | | | | S1 | L |
| 1FG-04-02 | U9/16"X18 | G1/8"X28 | | | 10 | 9 | 17 | 25 |
| 1FG-04 | U9/16"X18 | G1/4"X19 | | | 10 | 12 | 19 | 28 |
| 1FG-04-06 | U9/16"X18 | G3/8"X19 | | | 10 | 13.5 | 22 | 31 |
| 1FG-06 | U11/16"X16 | G3/8"X19 | | | 11 | 13.5 | 22 | 32 |
| 1FG-06-04 | U11/16"X16 | G1/4"X19 | | | 11 | 12 | 19 | 29 |
| 1FG-06-08 | U11/16"X16 | G1/2"X14 | | | 11 | 16 | 27 | 36 |
| 1FG-08 | U13/16"X16 | G1/2"X14 | | | 12 | 16 | 27 | 37 |
| 1FG-08-06 | U13/16"X16 | G3/8"X19 | | | 12 | 13.5 | 22 | 33 |
| 1FG-08-12 | U13/16"X16 | G3/4"X14 | | | 12 | 18.5 | 32 | 40 |
| 1FG-10-08 | U1"X14 | G1/2"X14 | | | 13.5 | 16 | 27 | 39 |
| 1FG-10-12 | U1"X14 | G3/4"X14 | | | 13.5 | 18.5 | 32 | 42 |
| 1FG-12-08 | U1.3/16"X12 | G1/2"X14 | | | 13.5 | 16 | 32 | 39 |
| 1FG-12 | U1.3/16"X12 | G3/4"X14 | | | 13.5 | 18.5 | 32 | 42 |
| 1FG-12-16 | U1.3/16"X12 | G1"X11 | | | 13.5 | 20.5 | 41 | 46 |
| 1FG-16-12 | U1.7/16"X12 | G3/4"X14 | | | 14.5 | 18.5 | 41 | 45 |
| 1FG-16 | U1.7/16"X12 | G1"X11 | | | 14.5 | 20.5 | 41 | 47 |
| 1FG-20 | U1.11/16"X12 | G1.1/4"X11 | | | 15.5 | 20.5 | 50 | 53 |
| 1FG-20-16 | U1.11/16"X12 | G1"X11 | | | 15.5 | 20.5 | 46 | 49 |



1FG4-OG

45° 美制ORFS外螺纹O型圈平面密封/
英管外螺纹O型圈45°
ORFS MALE O-RING / BSP
MALE O-RING

| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|--------------|------------|--|--|---------------|------|----|----|--|
| | E | F | | | A | B | S1 | S2 | |
| 1FG4-04OG | U9/16"X18 | G1/4"X19 | | | 22 | 27 | 14 | 19 | |
| 1FG4-04-02OG | U9/16"X18 | G1/8"X28 | | | 22 | 24.8 | 14 | 14 | |
| 1FG4-04-06OG | U9/16"X18 | G3/8"X19 | | | 22 | 30 | 17 | 22 | |
| 1FG4-06OG | U11/16"X16 | G3/8"X19 | | | 25 | 31 | 19 | 22 | |
| 1FG4-06-04OG | U11/16"X16 | G1/4"X19 | | | 25 | 28 | 19 | 19 | |
| 1FG4-06-08OG | U11/16"X16 | G1/2"X14 | | | 27 | 36 | 22 | 27 | |
| 1FG4-08OG | U13/16"X16 | G1/2"X14 | | | 27 | 36 | 22 | 27 | |
| 1FG4-08-06OG | U13/16"X16 | G3/8"X19 | | | 27 | 32 | 22 | 22 | |
| 1FG4-10-08OG | U1"X14 | G1/2"X14 | | | 33 | 37.5 | 27 | 27 | |
| 1FG4-10-12OG | U1"X14 | G3/4"X14 | | | 33 | 42 | 27 | 32 | |
| 1FG4-12OG | U1.3/16"X12 | G3/4"X14 | | | 37 | 42.5 | 33 | 32 | |
| 1FG4-12-08OG | U1.3/16"X12 | G1/2"X14 | | | 37 | 38.5 | 33 | 27 | |
| 1FG4-12-16OG | U1.3/16"X12 | G1"X11 | | | 37 | 44 | 33 | 41 | |
| 1FG4-16OG | U1.7/16"X12 | G1"X11 | | | 40 | 44.5 | 44 | 41 | |
| 1FG4-16-12OG | U1.7/16"X12 | G3/4"X14 | | | 40 | 44.5 | 44 | 32 | |
| 1FG4-20OG | U1.11/16"X12 | G1.1/4"X11 | | | 40 | 47.5 | 44 | 50 | |



1FG9-OG


90° 美制ORFS外螺纹O型圈平面密封/

英管外螺纹O型圈90°

ORFS MALE O-RING / BSP

MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | | |
|----------------|--------------|------------|--|--|----|---------------|----|----|--|
| | E | F | | | | B | S1 | S2 | |
| 1FG9-04-02OG | U9/16"X18 | G1/8"X28 | | | 29 | 29 | 14 | 14 | |
| 1FG9-04OG | U9/16"X18 | G1/4"X19 | | | 29 | 31.3 | 14 | 19 | |
| 1FG9-04-06OG | U9/16"X18 | G3/8"X19 | | | 30 | 35.8 | 17 | 22 | |
| 1FG9-06-04OG | U11/16"X16 | G1/4"X19 | | | 33 | 33.5 | 19 | 19 | |
| 1FG9-06OG | U11/16"X16 | G3/8"X19 | | | 33 | 36.8 | 19 | 22 | |
| 1FG9-06-08OG | U11/16"X16 | G1/2"X14 | | | 37 | 43.2 | 22 | 27 | |
| 1FG9-08-06OG | U13/16"X16 | G3/8"X19 | | | 37 | 39.5 | 22 | 22 | |
| 1FG9-08OG | U13/16"X16 | G1/2"X14 | | | 37 | 43.2 | 22 | 27 | |
| 1FG9-10-08OG | U1"X14 | G1/2"X14 | | | 40 | 46.5 | 27 | 27 | |
| 1FG9-10-12OG | U1"X14 | G3/4"X14 | | | 40 | 49.3 | 27 | 32 | |
| 1FG9-12-08OG | U1.3/16"X12 | G1/2"X14 | | | 40 | 47.5 | 27 | 27 | |
| 1FG9-12OG | U1.3/16"X12 | G3/4"X14 | | | 40 | 52 | 27 | 32 | |
| 1FG9-12-16OG | U1.3/16"X12 | G1"X11 | | | 45 | 53 | 33 | 41 | |
| 1FG9-16-12OG | U1.7/16"X12 | G3/4"X14 | | | 45 | 56 | 33 | 32 | |
| 1FG9-16OG | U1.7/16"X12 | G1"X11 | | | 45 | 56 | 33 | 41 | |
| 1FG9-20-16OG | U1.11/16"X12 | G1"X11 | | | 57 | 60 | 44 | 41 | |
| 1FG9-20OG | U1.11/16"X12 | G1.1/4"X11 | | | 57 | 60 | 44 | 50 | |



2OF

美制SAE外螺纹O型圈重系列/
ORFS 内螺纹
SAE O-RING BOSS S-SERIES/
ORFS FEMALE


| 代号 PART NO. | 螺纹 THREADE | | | | A | C | 尺寸 DIMENSIONS | | |
|----------------|-------------|--------------|--|--|------|------|---------------|----|--|
| | E | F | | | | | S1 | S2 | |
| 2OF-04 | U7/16"X20 | U9/16"X18 | | | 10 | 10 | 14 | 19 | |
| 2OF-04-06 | U7/16"X20 | U11/16"X16 | | | 10 | 11 | 17 | 22 | |
| 2OF-06-04 | U9/16"X18 | U9/16"X18 | | | 12 | 10 | 17 | 19 | |
| 2OF-06 | U9/16"X18 | U11/16"X16 | | | 12 | 11 | 17 | 22 | |
| 2OF-06-08 | U9/16"X18 | U13/16"X16 | | | 12 | 12 | 19 | 27 | |
| 2OF-08-06 | U3/4"X16 | U11/16"X16 | | | 12 | 11 | 22 | 22 | |
| 2OF-08 | U3/4"X16 | U13/16"X16 | | | 12 | 12 | 22 | 27 | |
| 2OF-10-08 | U7/8"X14 | U13/16"X16 | | | 13.5 | 12 | 27 | 27 | |
| 2OF-10 | U7/8"X14 | U1"X14 | | | 13.5 | 13.5 | 27 | 32 | |
| 2OF-12-10 | U1.1/16"X12 | U1"X14 | | | 16 | 13.5 | 32 | 32 | |
| 2OF-12 | U1.1/16"X12 | U1.3/16"X12 | | | 16 | 13.5 | 32 | 36 | |
| 2OF-16-12 | U1.5/16"X12 | U1.3/16"X12 | | | 17 | 13.5 | 41 | 36 | |
| 2OF-16 | U1.5/16"X12 | U1.7/16"X12 | | | 17 | 14.5 | 41 | 41 | |
| 2OF-20-16 | U1.5/8"X12 | U1.7/16"X12 | | | 18 | 14.5 | 50 | 41 | |
| 2OF-20 | U1.5/8"X12 | U1.11/16"X12 | | | 18 | 15.5 | 50 | 50 | |



AFF6F

美制ORFS外螺纹O型圈平面密封过板接头主支三通
ORFS MALE O-RING
BULKHEAD RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|----------------|--|--|--|---------------|------|----|--|
| | E | | | | A | B | S1 | |
| AFF6F-04 | U9 / 16"X18 | | | | 27 | 47 | 14 | |
| AFF6F-06 | U11/16"X16 | | | | 30 | 52 | 19 | |
| AFF6F-08 | U13/16"X16 | | | | 33 | 55.5 | 22 | |
| AFF6F-10 | U1"X14 | | | | 33 | 63 | 24 | |
| AFF6F-12 | U1.3 / 16"X12 | | | | 40 | 67.2 | 27 | |
| AFF6F-16 | U1.7 / 16"X12 | | | | 45 | 71.2 | 33 | |
| AFF6F-20 | U1.11 / 16"X12 | | | | 57 | 75.5 | 44 | |



AF6FF

美制ORFS外螺纹O型圈平面密封过板接头分支三通
ORFS MALE O-RING
BULKHEAD BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|----------------|--|--|--|---------------|------|----|--|
| | E | | | | A | B | S1 | |
| AF6FF-04 | U9/16"X18 | | | | 27 | 47 | 14 | |
| AF6FF-06 | U11/16"X16 | | | | 30 | 52 | 19 | |
| AF6FF-08 | U13/16"X16 | | | | 33 | 55.5 | 22 | |
| AF6FF-10 | U1"X14 | | | | 33 | 63 | 24 | |
| AF6FF-12 | U1.3 / 16"X12 | | | | 40 | 67.2 | 27 | |
| AF6FF-16 | U1.7 / 16"X12 | | | | 45 | 71.2 | 33 | |
| AF6FF-20 | U1.11 / 16"X12 | | | | 57 | 75.5 | 44 | |



AFFG-OG

美制ORFS外螺纹O型圈平面密封/
英管外螺纹O型圈主支三通
ORFS MALE O-RING/
BSP MALE O-RING RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS |
|-----------------|---------------|------------|--|--|---------------------------------|
| | E | F | | | A B S1 S2 U |
| AFFG-04OG | U9 / 16"X18 | G1 / 4"X19 | | | 27 31.3 14 19 |
| AFFG-04-04-06OG | U9 / 16"X18 | G3 / 8"X19 | | | 28 35.5 17 22 |
| AFFG-06-06-04OG | U11/16"X16 | G1 / 4"X19 | | | 30 33.5 19 19 |
| AFFG-06OG | U11/16"X16 | G3 / 8"X19 | | | 30 36.8 19 22 |
| AFFG-08-08-06OG | U13/16"X16 | G3 / 8"X19 | | | 33 39.5 22 22 |
| AFFG-08OG | U13/16"X16 | G1 / 2"X14 | | | 33 43.2 22 27 |
| AFFG-10-10-12OG | U1"X14 | G3 / 4"X14 | | | 40 49.3 27 32 |
| AFFG-12OG | U1.3 / 16"X12 | G3 / 4"X14 | | | 40 53.5 27 32 |
| AFFG-16OG | U1.7 / 16"X12 | G1"X11 | | | 45 56 33 41 |



AFGF-OG

美制ORFS外螺纹O型圈平面密封/
英管外螺纹O型圈分支三通
ORFS MALE O-RING/
BSP MALE O-RING RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS |
|-----------------|---------------|------------|--|--|---------------------------------|
| | E | F | | | A B S1 S2 U |
| AFGF-04OG | U9/16"X18 | G1 / 4"X19 | | | 27 31.3 14 19 |
| AFGF-04-06-04OG | U9/16"X18 | G3 / 8"X19 | | | 28 35.5 17 22 |
| AFGF-06OG | U11/16"X16 | G3 / 8"X19 | | | 30 36.8 19 22 |
| AFGF-08-06-08OG | U13/16"X16 | G3 / 8"X19 | | | 33 39.5 22 22 |
| AFGF-08OG | U13/16"X16 | G1 / 2"X14 | | | 33 43.2 22 27 |
| AFGF-10-12-10OG | U1"X14 | G3 / 4"X14 | | | 40 49.3 27 32 |
| AFGF-12OG | U1.3 / 16"X12 | G3 / 4"X14 | | | 40 53.5 27 32 |
| AFGF-16OG | U1.7 / 16"X12 | G1"X11 | | | 45 56 33 41 |



AFOF-OG

美制ORFS外螺纹O型圈平面密封/
美制SAE外螺纹带O型圈分支三通
ORFS MALE O-RING/
SAE O-RING BOSS BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | | |
|-----------------|--------------|-------------|--|--|----|---------------|----|----|--|
| | E | F | | | | B | S1 | S2 | |
| AFOF-04OG | U9/16"X18 | U7/16"X20 | | | 27 | 30.3 | 14 | 17 | |
| AFOF-04-06-04OG | U9/16"X18 | U9/16"X18 | | | 27 | 32 | 14 | 19 | |
| AFOF-06OG | U11/16"X16 | U9/16"X18 | | | 30 | 35.5 | 19 | 19 | |
| AFOF-06-08-06OG | U11/16"X16 | U3/4"X16 | | | 30 | 38 | 19 | 24 | |
| AFOF-08OG | U13/16"X16 | U3/4"X16 | | | 33 | 40.5 | 22 | 24 | |
| AFOF-08-10-08OG | U13/16"X16 | U7/8"X14 | | | 33 | 45.3 | 22 | 27 | |
| AFOF-08-12-08OG | U13/16"X16 | U1.1/16"X12 | | | 33 | 54 | 24 | 32 | |
| AFOF-10OG | U1"X14 | U7/8"X14 | | | 40 | 50.8 | 27 | 27 | |
| AFOF-10-12-10OG | U1"X14 | U1.1/16"X12 | | | 40 | 52 | 27 | 32 | |
| AFOF-12OG | U1.3/16"X12 | U1.1/16"X12 | | | 40 | 55.3 | 27 | 32 | |
| AFOF-16OG | U1.7/16"X12 | U1.5/16"X12 | | | 45 | 59.3 | 33 | 41 | |
| AFOF-20OG | U1.11/16"X12 | U1.5/8"X12 | | | 57 | 60.5 | 44 | 50 | |



AFFO-OG

美制ORFS外螺纹O型圈平面密封/
美制SAE外螺纹带O型圈主支三通
ORFS MALE O-RING/
SAE O-RING BOSS RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | 尺寸 DIMENSIONS | | |
|-----------------|--------------|-------------|--|--|----|------|---------------|----|--|
| | E | F | | | | | S1 | S2 | |
| AFFO-04OG | U9/16"X18 | U7/16"X20 | | | 27 | 30 | 14 | 17 | |
| AFFO-04-04-06OG | U9/16"X18 | U9/16"X18 | | | 27 | 32 | 14 | 19 | |
| AFFO-06OG | U11/16"X16 | U9/16"X18 | | | 30 | 35.5 | 19 | 19 | |
| AFFO-06-06-08OG | U11/16"X16 | U3/4"X16 | | | 30 | 38 | 19 | 24 | |
| AFFO-08-08-06OG | U13/16"X16 | U9/16"X18 | | | 33 | 37.5 | 22 | 19 | |
| AFFO-08OG | U13/16"X16 | U3/4"X16 | | | 33 | 40.5 | 22 | 24 | |
| AFFO-08-08-10OG | U13/16"X16 | U7/8"X14 | | | 33 | 45.3 | 22 | 27 | |
| AFFO-08-08-12OG | U13/16"X16 | U1.1/16"X12 | | | 33 | 54 | 24 | 32 | |
| AFFO-10OG | U1"X14 | U7/8"X14 | | | 40 | 50.8 | 27 | 27 | |
| AFFO-10-10-12OG | U1"X14 | U1.1/16"X12 | | | 40 | 52 | 27 | 32 | |
| AFFO-12OG | U1.3/16"X12 | U1.1/16"X12 | | | 40 | 55.3 | 27 | 32 | |
| AFFO-16-16-12OG | U1.7/16"X12 | U1.1/16"X12 | | | 45 | 59.5 | 33 | 32 | |
| AFFO-16OG | U1.7/16"X12 | U1.5/16"X12 | | | 45 | 59.3 | 33 | 41 | |
| AFFO-20OG | U1.11/16"X12 | U1.5/8"X12 | | | 57 | 60.5 | 44 | 50 | |



AFFH-OG

美制ORFS外螺纹O型圈平面密封/
公制外螺纹可调向柱端主支三通
ORFS MALE O-RING/ METRIC
MALE ADJUSTABLE STUD END RUN TEE


| 代号 PART NO. | 螺纹 THREADE | | O型圈 O RING | | | 尺寸 DIMENSIONS | | | | |
|-----------------|-------------|---------|------------|--|--|---------------|------|----|----|--|
| | E | F | F端 | | | A | B | S1 | S2 | |
| AFFH-04-04-14OG | U9/16"X18 | M14x1.5 | 11.3x2.4 | | | 27 | 33.5 | 14 | 19 | |
| AFFH-06-06-16OG | U11/16"X16 | M16x1.5 | 13.3x2.4 | | | 30 | 38 | 19 | 22 | |
| AFFH-08-08-22OG | U13/16"X16 | M22x1.5 | 19.3x2.4 | | | 33 | 44.5 | 24 | 27 | |
| AFFH-10-10-22OG | U1"X14 | M22x1.5 | 19.3x2.4 | | | 40 | 48 | 27 | 27 | |
| AFFH-12-12-27OG | U1.3/16"X12 | M27x2 | 23.5x3 | | | 40 | 50 | 27 | 32 | |



AFHF-OG

美制ORFS外螺纹O型圈平面密封/
公制外螺纹可调向柱端分支三通
ORFS MALE O-RING/ METRIC
MALE ADJUSTABLE STUD END BRANCH TEE


| 代号 PART NO. | 螺纹 THREADE | | O型圈 O RING | | | 尺寸 DIMENSIONS | | | | |
|-----------------|-------------|---------|------------|--|--|---------------|------|----|----|--|
| | E | F | F端 | | | A | B | S1 | S2 | |
| AFHF-04-14-04OG | U9/16"X18 | M14x1.5 | 11.3x2.4 | | | 27 | 23 | 14 | 19 | |
| AFHF-06-16-06OG | U11/16"X16 | M16x1.5 | 13.3x2.4 | | | 30 | 27 | 19 | 22 | |
| AFHF-08-22-08OG | U13/16"X16 | M22x1.5 | 19.3x2.4 | | | 33 | 31 | 24 | 27 | |
| AFHF-10-22-10OG | U1"X14 | M22x1.5 | 19.3x2.4 | | | 40 | 36.5 | 27 | 27 | |
| AFHF-12-27-12OG | U1.3/16"X12 | M27x2 | 23.5x3 | | | 40 | 40.5 | 27 | 32 | |



1G

英管外螺纹O型圈
BSP MALE O-RING


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|---------------|----|---|----|
| | E | | | | A | S1 | L | |
| 1G-02 | G1/8"x28 | | | | 9 | 14 | | 24 |
| 1G-04 | G1/4"x19 | | | | 12 | 19 | | 30 |
| 1G-06 | G3/8"x19 | | | | 13.5 | 22 | | 35 |
| 1G-08 | G1/2"x14 | | | | 16 | 27 | | 41 |
| 1G-12 | G3/4"x14 | | | | 18.5 | 32 | | 47 |
| 1G-16 | G1"x11 | | | | 20.5 | 41 | | 53 |
| 1G-20 | G1.1/4"x12 | | | | 20.5 | 50 | | 55 |
| 1G-24 | G1.1/2"x11 | | | | 23 | 55 | | 62 |



4G

英管外螺纹O型圈堵头
BSP MALE O-RING PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|--|---------------|----|---|----|
| | E | | | | A | S1 | L | |
| 4G-04 | G1/4"x19 | | | | 12 | 19 | | 18 |
| 4G-06 | G3/8"x19 | | | | 13.5 | 22 | | 21 |
| 4G-08 | G1/2"x14 | | | | 16 | 27 | | 25 |
| 4G-12 | G3/4"x14 | | | | 18.5 | 32 | | 28 |
| 4G-16 | G1"x11 | | | | 20.5 | 41 | | 32 |



1GT

英管外螺纹O型圈/ 英锥管外螺纹
BSP MALE O-RING/BSPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | | A | B | S1 | 尺寸 DIMENSIONS | |
|----------------|------------|-------------|--|--|------|------|----|---------------|------|
| | E | F | | | | | | L | |
| 1GT-04-04 | G1/4"X19 | ZG1/4"X19 | | | 12 | 14 | 19 | | 32 |
| 1GT-06-04 | G3/8"X19 | ZG1/4"X19 | | | 13.5 | 14 | 22 | | 35.5 |
| 1GT-06-06 | G3/8"X19 | ZG3/8"X19 | | | 13.5 | 14 | 22 | | 35.5 |
| 1GT-08-06 | G1/2"X14 | ZG3/8"X19 | | | 16 | 14 | 27 | | 38 |
| 1GT-08-08 | G1/2"X14 | ZG1/2"X14 | | | 16 | 19 | 27 | | 43 |
| 1GT-12-08 | G3/4"X14 | ZG1/2"X14 | | | 18.5 | 19 | 32 | | 48 |
| 1GT-12-12 | G3/4"X14 | ZG3/4"X14 | | | 18.5 | 19.5 | 32 | | 48 |
| 1GT-16-16 | G1"X11 | ZG1"X11 | | | 20.5 | 24 | 41 | | 55 |
| 1GT-20-20 | G1.1/4"X11 | ZG1.1/4"X11 | | | 20.5 | 25 | 50 | | 62 |
| 1GT-24-24 | G1.1/2"X11 | ZG1.1/2"X11 | | | 23 | 25 | 55 | | 65 |
| 1GT-32-32 | G2"X11 | ZG2"X11 | | | 25.5 | 29 | 70 | | 72 |



4HN

公制外螺纹轻系列内六角堵头
METRIC MALE L-SERIES
HOLLOW HEX PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | A | | S1 | 尺寸 DIMENSIONS | |
|----------------|------------|--|--|--|----|--|----|---------------|------|
| | E | | | | | | | L | |
| 4HN-10 | M10x1 | | | | 11 | | 5 | | 14 |
| 4HN-12 | M12x1.5 | | | | 11 | | 6 | | 14 |
| 4HN-14 | M14x1.5 | | | | 11 | | 6 | | 14 |
| 4HN-16 | M16x1.5 | | | | 11 | | 8 | | 13.5 |
| 4HN-18 | M18x1.5 | | | | 11 | | 8 | | 14.5 |
| 4HN-22 | M22x1.5 | | | | 12 | | 10 | | 15 |
| 4HN-27 | M27x2 | | | | 13 | | 12 | | 16 |



1H

公制外螺纹轻系列
METRIC MALE L-SERIES


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|---------------|----|----|----|
| | E | | | A | S1 | | L |
| 1H-10 | M10x1 | | | 11 | | 14 | 28 |
| 1H-12 | M12x1.5 | | | 11 | | 17 | 28 |
| 1H-14 | M14x1.5 | | | 11 | | 19 | 28 |
| 1H-16 | M16x1.5 | | | 11 | | 22 | 30 |
| 1H-18 | M18x1.5 | | | 11 | | 24 | 30 |
| 1H-22 | M22x1.5 | | | 12 | | 27 | 33 |
| 1H-27 | M27x2 | | | 13 | | 32 | 35 |



4H

公制外螺纹轻系列堵头
METRIC MALE L-SERIES PLUG


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|--|--|---------------|----|----|----|
| | E | | | A | S1 | | L |
| 4H-10 | M10x1 | | | 11 | | 14 | 17 |
| 4H-12 | M12x1.5 | | | 11 | | 17 | 17 |
| 4H-14 | M14x1.5 | | | 11 | | 19 | 17 |
| 4H-16 | M16x1.5 | | | 11 | | 22 | 19 |
| 4H-18 | M18x1.5 | | | 11 | | 24 | 19 |
| 4H-22 | M22x1.5 | | | 12 | | 27 | 21 |
| 4H-27 | M27x2 | | | 13 | | 32 | 22 |



1M

公制外螺纹60°内锥或六角端面组合垫密封
METRIC MALE DOUBLE FOR 60°
CONE SEAT BONDED SEAL


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|---------|--|--|---------------|----|----|--|----|
| | E | F | | | A | B | S1 | | L |
| 1M-12 | M12x1.5 | M12x1.5 | | | 10 | 10 | 17 | | 30 |
| 1M-12-14 | M12x1.5 | M14x1.5 | | | 10 | 11 | 19 | | 31 |
| 1M-14 | M14x1.5 | M14x1.5 | | | 11 | 11 | 19 | | 32 |
| 1M-14-16 | M14x1.5 | M16x1.5 | | | 11 | 12 | 22 | | 35 |
| 1M-16 | M16x1.5 | M16x1.5 | | | 12 | 12 | 22 | | 36 |
| 1M-16-18 | M16x1.5 | M18x1.5 | | | 12 | 12 | 24 | | 36 |
| 1M-18 | M18x1.5 | M18x1.5 | | | 12 | 12 | 24 | | 36 |
| 1M-18-22 | M18x1.5 | M22x1.5 | | | 12 | 14 | 27 | | 38 |
| 1M-22 | M22x1.5 | M22x1.5 | | | 14 | 14 | 27 | | 42 |



4M

公制外螺纹60°内锥或六角端面组合垫密封堵头
METRIC MALE DOUBLE FOR 60°
CONE SEAT BONDED SEAL PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | |
|----------------|------------|---------|--|--|---------------|----|---|----|
| | E | F | | | A | S1 | L | |
| 4M-12 | M12x1.5 | M12x1.5 | | | 10 | 17 | | 18 |
| 4M-14 | M14x1.5 | M14x1.5 | | | 11 | 19 | | 19 |
| 4M-16 | M16x1.5 | M16x1.5 | | | 12 | 22 | | 21 |
| 4M-18 | M18x1.5 | M18x1.5 | | | 12 | 24 | | 21 |
| 4M-22 | M22x1.5 | M22x1.5 | | | 14 | 27 | | 24 |



4MN-WD

公制外螺纹胶垫密封内六角堵头
METRIC MALE CAPTIVE
SEAL HOLLOW HEX PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------|--|--|--|---------------|------|-----|----|----|
| | E | | | | A | D | H | S1 | L |
| 4MN-12WD | M12x1.5 | | | | 10 | 14.2 | 1.2 | 6 | 15 |
| 4MN-14WD | M14x1.5 | | | | 11 | 16.3 | 1.2 | 6 | 16 |
| 4MN-16WD | M16x1.5 | | | | 12 | 18.7 | 1.2 | 8 | 17 |
| 4MN-18WD | M18x1.5 | | | | 12 | 20.7 | 1.2 | 8 | 17 |
| 4MN-22WD | M22x1.5 | | | | 14 | 24.1 | 1.2 | 10 | 19 |



10

美制SAE外螺纹带O型圈
SAE O-RING BOSS


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | | |
|----------------|-------------|-------------|--|---------------|---|------|------|----|------|
| | E | F | | A | B | S1 | L | | |
| 1O-04 | U7/16"X20 | U7/16"X20 | | | | 10 | 10 | 14 | 26 |
| 1O-04-06 | U7/16"X20 | U9/16"X18 | | | | 10 | 12 | 17 | 28 |
| 1O-06 | U9/16"X18 | U9/16"X18 | | | | 12 | 12 | 17 | 30 |
| 1O-06-08 | U9/16"X18 | U3/4"X16 | | | | 12 | 12 | 22 | 31 |
| 1O-08 | U3/4"X16 | U3/4"X16 | | | | 12 | 12 | 22 | 31 |
| 1O-08-12 | U3/4"X16 | U1.1/16"X12 | | | | 12 | 16 | 32 | 34 |
| 1O-10 | U7/8"X14 | U7/8"X14 | | | | 13.5 | 13.5 | 27 | 35 |
| 1O-12 | U1.1/16"X12 | U1.1/16"X12 | | | | 16 | 16 | 32 | 41 |
| 1O-16 | U1.5/16"X12 | U1.5/16"X12 | | | | 17 | 17 | 41 | 44 |
| 1O-20 | U1.5/8"X12 | U1.5/8"X12 | | | | 18 | 18 | 50 | 48.5 |
| 1O-24 | U1.7/8"X12 | U1.7/8"X12 | | | | 18.5 | 18.5 | 55 | 55 |



1OT

美制SAE外螺纹带O型圈/ 英锥管外螺纹
SAE O-RING BOSS/BSPT MALE


| 代号 PART NO. | 螺纹 THREADE | | | 尺寸 DIMENSIONS | | | | | |
|----------------|-------------|-------------|--|---------------|---|------|----|----|------|
| | E | F | | A | B | S1 | L | | |
| 1OT-04-04 | U7/16"X20 | ZG1/4"-19 | | | | 10 | 14 | 14 | 30 |
| 1OT-04-06 | U7/16"X20 | ZG3/8"-19 | | | | 10 | 14 | 17 | 30 |
| 1OT-06-06 | U9/16"X18 | ZG3/8"-19 | | | | 12 | 14 | 17 | 33 |
| 1OT-06-08 | U9/16"X18 | ZG1/2"-14 | | | | 12 | 19 | 22 | 38 |
| 1OT-08-08 | U3/4"X16 | ZG1/2"-14 | | | | 12 | 19 | 22 | 38.5 |
| 1OT-08-12 | U3/4"X16 | ZG3/4"-14 | | | | 12 | 29 | 32 | 39 |
| 1OT-12-12 | U1.1/16"X12 | ZG3/4"-14 | | | | 16 | 29 | 32 | 53 |
| 1OT-16-16 | U1.5/16"X12 | ZG1"-11 | | | | 17 | 29 | 41 | 55 |
| 1OT-20-20 | U1.5/8"X12 | ZG1.1/4"-11 | | | | 18 | 29 | 50 | 58 |
| 1OT-24-24 | U1.7/8"X12 | ZG1.1/2"-11 | | | | 18.5 | 29 | 55 | 60 |



20U

SAE外螺纹带O型圈/
美制NPSM内螺纹60 °外锥
SAE O-RING BOSS /
NPSM FEMALE 60 ° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | A | 尺寸 DIMENSIONS | | | |
|----------------|-------------|----------------|--|--|------|---------------|----|----|--|
| | E | F | | | | C | S1 | S2 | |
| 20U-04 | U7/16"X20 | Z1/4"X18 | | | 10 | 5.5 | 14 | 19 | |
| 20U-04-06 | U7/16"X20 | Z3/8"X18 | | | 10 | 6.5 | 17 | 22 | |
| 20U-06 | U9/16"X18 | Z3/8"X18 | | | 12 | 6.5 | 19 | 22 | |
| 20U-06-08 | U9/16"X18 | Z1/2"X14 | | | 12 | 8 | 22 | 27 | |
| 20U-08 | U3/4"X16 | Z1/2"X14 | | | 12 | 8 | 22 | 27 | |
| 20U-08-06 | U3/4"X16 | Z3/8"X18 | | | 12 | 6.5 | 22 | 22 | |
| 20U-10-08 | U7/8"X14 | Z1/2"X14 | | | 13.5 | 8 | 27 | 27 | |
| 20U-12-08 | U1.1/16"X12 | Z1/2"X14 | | | 16 | 8 | 32 | 27 | |
| 20U-12 | U1.1/16"X12 | Z3/4"X14 | | | 16 | 11.5 | 32 | 32 | |
| 20U-12-16 | U1.1/16"X12 | Z1"X11.5 | | | 16 | 11.5 | 36 | 41 | |
| 20U-16 | U1.5/16"X12 | Z1"X11.5 | | | 17 | 11.5 | 41 | 41 | |
| 20U-20 | U1.5/8"X12 | Z1.1 / 4"X11.5 | | | 18 | 12 | 50 | 50 | |
| 20U-24 | U1.7/8"X12 | Z1.1 / 2"X11.5 | | | 18.5 | 13 | 55 | 55 | |



40

美制SAE外螺纹带O型圈堵头
SAE O-RING BOSS PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|--|--|--|---------------|--|----|--|----|
| | E | | | | A | | S1 | | L |
| 4O-04 | U7/16"X20 | | | | 10 | | 14 | | 16 |
| 4O-05 | U1/2"X20 | | | | 10 | | 17 | | 16 |
| 4O-06 | U9/16"X18 | | | | 12 | | 17 | | 18 |
| 4O-08 | U3/4"X16 | | | | 12 | | 22 | | 20 |
| 4O-10 | U7/8"X14 | | | | 13.5 | | 27 | | 23 |
| 4O-12 | U1.1/16"X12 | | | | 16 | | 32 | | 26 |
| 4O-16 | U1.5/16"X12 | | | | 17 | | 41 | | 28 |
| 4O-20 | U1.5/8"X12 | | | | 18 | | 50 | | 32 |
| 4O-24 | U1.7/8"X12 | | | | 18.5 | | 55 | | 35 |
| 4O-32 | U2.1/2"X12 | | | | 22 | | 70 | | 40 |



4ON

美制SAE外螺纹带O型圈内六角堵头
SAE O-RING BOSS HOLLOW HEX PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|--|--|--|---------------|--|----|--|------|
| | E | | | | A | | S1 | | L |
| 4ON-04 | U7/16"X20 | | | | 10 | | 5 | | 12 |
| 4ON-05 | U1/2"X20 | | | | 10 | | 5 | | 12 |
| 4ON-06 | U9/16"X18 | | | | 12 | | 6 | | 15 |
| 4ON-08 | U3/4"X16 | | | | 12 | | 8 | | 15 |
| 4ON-10 | U7/8"X14 | | | | 13.5 | | 10 | | 16.5 |
| 4ON-12 | U1.1/16"X12 | | | | 16 | | 14 | | 20 |
| 4ON-16 | U1.5/16"X12 | | | | 17 | | 16 | | 21 |
| 4ON-20 | U1.5/8"X12 | | | | 18 | | 19 | | 22 |



1P

美制SAE外螺纹90°外锥
SAE MALE 90° CONE


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|--|--|--|---------------|----|----|---|------|
| | E | | | | A | S1 | | L | |
| 1P-04 | U7/16"X20 | | | | 13 | | 14 | | 32 |
| 1P-05 | U1/2"X20 | | | | 14 | | 14 | | 34 |
| 1P-06 | U5/8"X18 | | | | 16 | | 17 | | 38 |
| 1P-08 | U3/4"X16 | | | | 19 | | 22 | | 46 |
| 1P-10 | U7/8"X14 | | | | 22.5 | | 24 | | 52.5 |
| 1P-12 | U1.1/16"X12 | | | | 25.5 | | 30 | | 60.5 |



4P

美制SAE外螺纹90°外锥堵头
SAE MALE 90° CONE PLUG


| 代号 PART NO. | 螺纹 THREADE | | | | 尺寸 DIMENSIONS | | | | |
|----------------|-------------|--|--|--|---------------|----|----|---|----|
| | E | | | | A | S1 | | L | |
| 4P-04 | U7/16"X20 | | | | 13 | | 14 | | 19 |
| 4P-05 | U1/2"X20 | | | | 14 | | 14 | | 20 |
| 4P-06 | U5/8"X18 | | | | 16 | | 17 | | 22 |
| 4P-08 | U3/4"X16 | | | | 19 | | 22 | | 27 |
| 4P-10 | U7/8"X14 | | | | 22.5 | | 24 | | 30 |
| 4P-12 | U1.1/16"X12 | | | | 25.5 | | 30 | | 35 |



FL

轻系列对开法兰夹
L-SERIES SPLIT FLANGE CLAMPS


| 代号 PART NO. | 法兰型号 FLANGE SIZE | 螺栓 BOLT | 尺寸 DIMENSIONS | | | | | | |
|----------------|---------------------|------------|---------------|---|-------|-------|-------|------|------|
| | | | A | B | C | D | E | | |
| FL-08 | 1/2" | M8x25 | | | 54 | 46 | 38.1 | 9 | 17.5 |
| FL-12 | 3/4" | M10x30 | | | 65.1 | 52 | 47.6 | 11 | 22.2 |
| FL-16 | 1" | M10x30 | | | 69.8 | 59 | 52.4 | 11 | 26.2 |
| FL-20 | 1.1/4" | M10x30 | | | 79.4 | 73 | 58.7 | 11 | 30.2 |
| FL-24 | 1.1/2" | M12x35 | | | 93.7 | 83 | 69.8 | 13.5 | 35.7 |
| FL-32 | 2" | M12x35 | | | 101.6 | 97 | 77.8 | 13.5 | 42.9 |
| FL-40 | 2.1/4" | M12x40 | | | 114 | 108 | 89 | 13.5 | 50.8 |
| FL-48 | 3" | M16x50 | | | 135 | 130.6 | 106.4 | 16.7 | 62 |



FS

重系列对开法兰夹
S-SERIES SPLIT FLANGE CLAMPS


| 代号 PART NO. | 法兰型号 FLANGE SIZE | 螺栓 BOLT | 尺寸 DIMENSIONS | | | | | | |
|----------------|---------------------|------------|---------------|---|-------|-----|------|----|------|
| | | | A | B | C | D | E | | |
| FS-08 | 1/2" | M8x30 | | | 56.3 | 47 | 40.5 | 9 | 18.2 |
| FS-12 | 3/4" | M10x35 | | | 71.4 | 60 | 50.8 | 11 | 23.8 |
| FS-16 | 1" | M12x45 | | | 80.9 | 70 | 57.1 | 13 | 27.8 |
| FS-20 | 1.1/4" | M14x30 | | | 95.2 | 77 | 66.7 | 15 | 31.8 |
| FS-24 | 1.1/2" | M16x55 | | | 112.7 | 95 | 79.5 | 17 | 36.5 |
| FS-32 | 2" | M20x70 | | | 133.3 | 114 | 96.8 | 21 | 44.5 |



FL-W

轻系列整体法兰夹
L-SERIES WHOLE FLANGE CLAMPS


| 代号 PART NO. | 法兰型号 FLANGE SIZE | 螺栓 BOLT | | 尺寸 DIMENSIONS | | | | | |
|----------------|---------------------|------------|--|---------------|-------|-------|------|------|-----|
| | | | | A | B | C | D | E | H |
| FL-08W | 1/2" | M8x25 | | 54 | 46 | 38.1 | 9 | 17.5 | 6.2 |
| FL-12W | 3/4" | M10x30 | | 65.1 | 52 | 47.6 | 11 | 22.2 | 6.2 |
| FL-16W | 1" | M10x30 | | 69.8 | 59 | 52.4 | 11 | 26.2 | 7.5 |
| FL-20W | 1.1/4" | M10x30 | | 79.4 | 73 | 58.7 | 11 | 30.2 | 7.5 |
| FL-24W | 1.1/2" | M12x35 | | 93.7 | 83 | 69.8 | 13.5 | 35.7 | 7.5 |
| FL-32W | 2" | M12x35 | | 101.6 | 97 | 77.8 | 13.5 | 42.9 | 9 |
| FL-40W | 2.1/4" | M12x40 | | 114 | 108 | 89 | 13.5 | 50.8 | 9 |
| FL-48W | 3" | M16x50 | | 135 | 130.6 | 106.4 | 16.7 | 62 | 9 |



FS-W

重系列整体法兰夹
S-SERIES WHOLE FLANGE CLAMPS


| 代号 PART NO. | 法兰型号 FLANGE SIZE | 螺栓 BOLT | | 尺寸 DIMENSIONS | | | | | |
|----------------|---------------------|------------|--|---------------|-----|------|----|------|-----|
| | | | | A | B | C | D | E | H |
| FS-08W | 1/2" | M8x30 | | 56.3 | 47 | 40.5 | 9 | 18.2 | 7.2 |
| FS-12W | 3/4" | M10x35 | | 71.4 | 60 | 50.8 | 11 | 23.8 | 8.2 |
| FS-16W | 1" | M12x45 | | 80.9 | 70 | 57.1 | 13 | 27.8 | 9 |
| FS-20W | 1.1/4" | M14x30 | | 95.2 | 77 | 66.7 | 15 | 31.8 | 9.8 |
| FS-24W | 1.1/2" | M16x55 | | 112.7 | 95 | 79.5 | 17 | 36.5 | 12 |
| FS-32W | 2" | M20x70 | | 133.3 | 114 | 96.8 | 21 | 44.5 | 12 |



1CFL

公制螺纹卡套式/轻系列法兰
METRIC MALE BITE TYPE/
L-SERIES FLANGE


| 代号 PART NO. | 螺纹 THREADE E | 法兰型号 FLANGE SIZE | 管子外径 D TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|-----------------|---------------------|---------------------|--|---------------|----|------|----|--|
| | | | | | L | L1 | d1 | S1 | |
| 1CFL-22-08 | M22x1.5 | 1/2" | 15 | | 7 | 35 | 30.2 | 24 | |
| 1CFL-26-12 | M26x1.5 | 3/4" | 18 | | 7 | 46 | 38.1 | 30 | |
| 1CFL-30-12 | M30x2 | 3/4" | 22 | | 7 | 46 | 38.1 | 32 | |
| 1CFL-36-16 | M36x2 | 1" | 28 | | 8.2 | 50 | 44.4 | 41 | |
| 1CFL-45-20 | M45x2 | 1.1/4" | 35 | | 8.2 | 66 | 50.8 | 41 | |
| 1CFL-52-24 | M52x2 | 1.1/2" | 42 | | 8.2 | 70 | 60.3 | 46 | |



1DFL

公制螺纹卡套式/轻系列法兰
METRIC MALE BITE TYPE/
L-SERIES FLANGE


| 代号 PART NO. | 螺纹 THREADE E | 法兰型号 FLANGE SIZE | 管子外径 D TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|-----------------|---------------------|---------------------|--|---------------|----|------|----|--|
| | | | | | L | L1 | d1 | S1 | |
| 1DFL-24-08 | M24x1.5 | 1/2" | 16 | | 7 | 35 | 30.2 | 24 | |
| 1DFL-24-12 | M24x1.5 | 3/4" | 20 | | 7 | 46 | 38.1 | 27 | |
| 1DFL-30-12 | M30x2 | 3/4" | 20 | | 7 | 46 | 38.1 | 30 | |
| 1DFL-36-12 | M36x2 | 3/4" | 25 | | 7 | 46 | 38.1 | 30 | |
| 1DFL-42-16 | M42x2 | 1" | 30 | | 8.2 | 50 | 44.4 | 36 | |
| 1DFL-36-20 | M36x2 | 1.1/4" | 25 | | 8.2 | 66 | 50.8 | 41 | |
| 1DFL-42-20 | M42x2 | 1.1/4" | 30 | | 8.2 | 66 | 50.8 | 41 | |
| 1DFL-52-20 | M52x2 | 1.1/4" | 38 | | 8.2 | 66 | 50.8 | 46 | |
| 1DFL-52-24 | M52x2 | 1.1/2" | 38 | | 8.2 | 70 | 60.3 | 46 | |



1CFL9

90 ° 公制螺纹卡套式/ 轻系列法兰
90 ° METRIC MALE BITE TYPE/
L-SERIES FLANGE


| 代号 PART NO. | 螺纹 THREADE E | 法兰型号 FLANGE SIZE | 管子外径 D TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|-----------------|---------------------|---------------------|--|---------------|----|------|----|--|
| | | | | | L | A | d1 | S1 | |
| 1CFL9-22-08 | M22x1.5 | 1/2" | 15 | | 7 | 36 | 30.2 | 22 | |
| 1CFL9-26-12 | M26x1.5 | 3/4" | 18 | | 7 | 42 | 38.1 | 27 | |
| 1CFL9-30-12 | M30x2 | 3/4" | 22 | | 7 | 42 | 38.1 | 27 | |
| 1CFL9-36-16 | M36x2 | 1" | 28 | | 8.2 | 45 | 44.4 | 33 | |
| 1CFL9-45-20 | M45x2 | 1.1/4" | 35 | | 8.2 | 50 | 50.8 | 44 | |
| 1CFL9-52-24 | M52x2 | 1.1/2" | 42 | | 8.2 | 55 | 60.3 | 50 | |



1DFL9

90 ° 公制螺纹卡套式/ 轻系列法兰
90 ° METRIC MALE BITE TYPE/
L-SERIES FLANGE


| 代号 PART NO. | 螺纹 THREADE E | 法兰型号 FLANGE SIZE | 管子外径 D TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|-----------------|---------------------|---------------------|--|---------------|----|------|----|--|
| | | | | | L | A | d1 | S1 | |
| 1DFL9-24-08 | M24x1.5 | 1/2" | 16 | | 7 | 36 | 30.2 | 27 | |
| 1DFL9-30-12 | M30x2 | 3/4" | 20 | | 7 | 42 | 38.1 | 27 | |
| 1DFL9-36-12 | M36x2 | 3/4" | 25 | | 7 | 42 | 38.1 | 33 | |
| 1DFL9-42-16 | M42x2 | 1" | 30 | | 8.2 | 45 | 44.4 | 44 | |
| 1DFL9-36-20 | M36x2 | 1.1/4" | 25 | | 8.2 | 50 | 50.8 | 44 | |
| 1DFL9-42-20 | M42x2 | 1.1/4" | 30 | | 8.2 | 50 | 50.8 | 44 | |
| 1DFL9-52-20 | M52x2 | 1.1/4" | 38 | | 8.2 | 50 | 50.8 | 50 | |
| 1DFL9-52-24 | M52x2 | 1.1/2" | 38 | | 8.2 | 55 | 60.3 | 50 | |



1DFS

公制螺纹卡套式/重系列法兰
METRIC MALE BITE TYPE/
S-SERIES FLANGE


| 代号 PART NO. | 螺纹 THREADE E | 法兰型号 FLANGE SIZE | 管子外径 D TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|-----------------|---------------------|---------------------|--|---------------|----|------|----|--|
| | | | | | L | L1 | d1 | S1 | |
| 1DFS-24-08 | M24x1.5 | 1/2" | 16 | | 7.9 | 37 | 31.7 | 24 | |
| 1DFS-24-12 | M24x1.5 | 3/4" | 16 | | 8.9 | 51 | 41.3 | 30 | |
| 1DFS-30-12 | M30x2 | 3/4" | 20 | | 8.9 | 51 | 41.3 | 30 | |
| 1DFS-36-12 | M36x2 | 3/4" | 25 | | 8.9 | 51 | 41.3 | 30 | |
| 1DFS-36-16 | M36x2 | 1" | 25 | | 9.6 | 53 | 47.6 | 36 | |
| 1DFS-42-16 | M42x2 | 1" | 30 | | 9.6 | 53 | 47.6 | 36 | |
| 1DFS-42-20 | M42x2 | 1.1/4" | 30 | | 10.4 | 70 | 54 | 41 | |
| 1DFS-52-20 | M52x2 | 1.1/4" | 38 | | 10.4 | 70 | 54 | 46 | |
| 1DFS-52-24 | M52x2 | 1.1/2" | 38 | | 12.7 | 80 | 63.5 | 46 | |



1DFS9

90 ° 公制螺纹卡套式/ 重系列法兰
90 ° METRIC MALE BITE TYPE/
S-SERIES FLANGE


| 代号 PART NO. | 螺纹 THREADE E | 法兰型号 FLANGE SIZE | 管子外径 D TUBE O.D. | | 尺寸 DIMENSIONS | | | | |
|----------------|-----------------|---------------------|---------------------|--|---------------|----|------|----|--|
| | | | | | L | A | d1 | S1 | |
| 1DFS9-24-08 | M24x1.5 | 1/2" | 16 | | 7.9 | 39 | 31.7 | 24 | |
| 1DFS9-24-12 | M24x1.5 | 3/4" | 16 | | 8.9 | 48 | 41.3 | 30 | |
| 1DFS9-30-12 | M30x2 | 3/4" | 20 | | 8.9 | 48 | 41.3 | 30 | |
| 1DFS9-36-12 | M36x2 | 3/4" | 25 | | 8.9 | 48 | 41.3 | 36 | |
| 1DFS9-36-16 | M36x2 | 1" | 25 | | 9.6 | 60 | 47.6 | 41 | |
| 1DFS9-42-16 | M42x2 | 1" | 30 | | 9.6 | 60 | 47.6 | 41 | |
| 1DFS9-42-20 | M42x2 | 1.1/4" | 30 | | 10.4 | 68 | 54 | 46 | |
| 1DFS9-52-20 | M52x2 | 1.1/4" | 38 | | 10.4 | 68 | 54 | 46 | |
| 1DFS9-52-24 | M52x2 | 1.1/2" | 38 | | 12.7 | 76 | 63.5 | 46 | |



1FFL

美制ORFS外螺纹O型圈平面
密封/轻系列法兰
ORFS MALE O-RING/
L-SERIES FLANGE


| 代号 PART NO. | 螺纹 THREADE E | 法兰型号 FLANGE SIZE | 尺寸 DIMENSIONS | | | | |
|----------------|-----------------|---------------------|---------------|------|------|--|--|
| | | | I | d1 | A | | |
| 1FFL-12 | U1.3 / 16"x12 | 3/4" | | 38.1 | 17 | | |
| 1FFL-16 | U1.7 / 16"x12 | 1" | | 44.4 | 18.5 | | |
| 1FFL-20 | U1.11 / 16"x12 | 1.1/4" | | 50.8 | 19.5 | | |



1FFL9

90 ° 美制ORFS外螺纹O型圈平面
密封/轻系列法兰
90 ° ORFS MALE O-RING/
L-SERIES FLANGE


| 代号 PART NO. | 螺纹 THREADE E | 法兰型号 FLANGE SIZE | 尺寸 DIMENSIONS | | | | |
|----------------|-----------------|---------------------|---------------|------|----|------|----|
| | | | I | d1 | A | B | S1 |
| 1FFL9-12 | U1.3 / 16"x12 | 3/4" | | 38.1 | 43 | 54.1 | 27 |
| 1FFL9-16 | U1.7 / 16"x12 | 1" | | 44.4 | 59 | 60.2 | 44 |
| 1FFL9-20 | U1.11 / 16"x12 | 1.1/4" | | 50.8 | 59 | 66.5 | 44 |



1FFS

美制ORFS外螺纹O型圈平面
密封/重系列法兰
ORFS MALE O-RING/
S-SERIES FLANGE

| 代号 PART NO. | 螺纹 THREADE E | 法兰型号 FLANGE SIZE | 尺寸 DIMENSIONS | | | | |
|----------------|-----------------|---------------------|---------------|------|------|--|--|
| | | | I | d1 | A | | |
| 1FFS-12 | U1.3 / 16"x12 | 3/4" | | 41.3 | 17 | | |
| 1FFS-16 | U1.7 / 16"x12 | 1" | | 47.6 | 18.5 | | |
| 1FFS-20 | U1.11 / 16"x12 | 1.1/4" | | 54 | 19.5 | | |




1FFS9

90 ° 美制ORFS外螺纹O型圈平面

密封/重系列法兰

90 ° ORFS MALE O-RING/
S-SERIES FLANGE


| 代号 PART NO. | 螺纹 THREADE E | 法兰型号 FLANGE SIZE | | | 尺寸 DIMENSIONS | | | | |
|----------------|------------------|---------------------|--|--|---------------|------|----|------|----|
| | | | | | I | d1 | A | B | S1 |
| 1FFS9-12 | U1.3 / 16" x 12 | 3/4" | | | 8.9 | 41.3 | 40 | 54.1 | 27 |
| 1FFS9-16 | U1.7 / 16" x 12 | 1" | | | 9.6 | 47.6 | 49 | 60.2 | 33 |
| 1FFS9-20 | U1.11 / 16" x 12 | 1.1/4" | | | 10.4 | 54 | 57 | 66.5 | 44 |



1JFL

美制JIC外螺纹74 ° 外锥/轻系列法兰
JIC MALE 74 ° CONE/L-SERIES FLANGE


| 代号 PART NO. | 螺纹 THREADE E | 法兰型号 FLANGE SIZE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-----------------|---------------------|--|--|---------------|------|------|--|--|
| | | | | | I | d1 | A | | |
| 1JFL-08 | U3/4"X16 | 1/2" | | | 7 | 30.2 | 16.7 | | |
| 1JFL-08-12 | U3/4"X16 | 3/4" | | | 7 | 38.1 | 16.7 | | |
| 1JFL-10-08 | U7/8"X14 | 1/2" | | | 7 | 30.2 | 19.5 | | |
| 1JFL-10-12 | U7/8"X14 | 3/4" | | | 7 | 38.1 | 19.5 | | |
| 1JFL-12-08 | U1.1 / 16" x 12 | 1/2" | | | 7 | 30.2 | 22 | | |
| 1JFL-12 | U1.1 / 16" X12 | 3/4" | | | 7 | 38.1 | 22 | | |
| 1JFL-12-16 | U1.1 / 16" X12 | 1" | | | 8.2 | 44.4 | 22 | | |
| 1JFL-16-12 | U1.5 / 16" X12 | 3/4" | | | 7 | 38.1 | 23 | | |
| 1JFL-16 | U1.5 / 16" X12 | 1" | | | 8.2 | 44.4 | 23 | | |
| 1JFL-16-20 | U1.5 / 16" X12 | 1.1/4" | | | 8.2 | 50.8 | 23 | | |
| 1JFL-20-16 | U1.5 / 8" X12 | 1" | | | 8.2 | 44.4 | 24.5 | | |
| 1JFL-20 | U1.5 / 8" X12 | 1.1/4" | | | 8.2 | 50.8 | 24.5 | | |
| 1JFL-20-24 | U1.5 / 8" X12 | 1.1/2" | | | 8.2 | 60.3 | 24.5 | | |
| 1JFL-24-20 | U1.7 / 8" X12 | 1.1/4" | | | 8.2 | 50.8 | 27.5 | | |
| 1JFL-24 | U1.7 / 8" X12 | 1.1/2" | | | 8.2 | 60.3 | 27.5 | | |
| 1JFL-24-32 | U1.7 / 8" X12 | 2" | | | 9.8 | 71.4 | 27.5 | | |
| 1JFL-32 | U2.1 / 2" X12 | 2" | | | 9.8 | 71.4 | 34 | | |



1JFL4

45 ° 美制JIC外螺纹74 ° 外锥/轻系列法兰
45 ° JIC MALE 74 ° CONE/L-ERIES FLANGE


| 代号 PART NO. | 螺纹 THREADE E | 法兰型号 FLANGE SIZE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-----------------|---------------------|--|--|---------------|------|----|------|----|
| | | | | | I | d1 | A | B | S1 |
| 1JFL4-08 | U3/4"X16 | 1/2" | | | 7 | 30.2 | 25 | 37 | 19 |
| 1JFL4-10-08 | U7/8"X14 | 1/2" | | | 7 | 30.2 | 27 | 37 | 22 |
| 1JFL4-10-12 | U7/8"X14 | 3/4" | | | 7 | 38.1 | 33 | 40.1 | 27 |
| 1JFL4-12 | U1.1/16"X12 | 3/4" | | | 7 | 38.1 | 33 | 40.1 | 27 |
| 1JFL4-12-16 | U1.1/16"X12 | 1" | | | 8.2 | 44.4 | 37 | 47 | 33 |
| 1JFL4-16 | U1.5/16"X12 | 1" | | | 8.2 | 44.4 | 37 | 47 | 33 |
| 1JFL4-16-12 | U1.5/16"X12 | 3/4" | | | 7 | 38.1 | 37 | 42 | 33 |
| 1JFL4-16-20 | U1.5/16"X12 | 1.1/4" | | | 8.2 | 50.8 | 40 | 51.8 | 44 |
| 1JFL4-20 | U1.5/8"X12 | 1.1/4" | | | 8.2 | 50.8 | 40 | 51.8 | 44 |
| 1JFL4-20-16 | U1.5/8"X12 | 1" | | | 8.2 | 44.4 | 40 | 51 | 44 |
| 1JFL4-20-24 | U1.5/8"X12 | 1.1/2" | | | 8.2 | 60.3 | 47 | 60.5 | 53 |
| 1JFL4-24-20 | U1.7/8"X12 | 1.1/4" | | | 8.2 | 50.8 | 47 | 54 | 53 |
| 1JFL4-24 | U1.7/8"X12 | 1.1/2" | | | 8.2 | 60.3 | 47 | 60.5 | 53 |
| 1JFL4-32 | U2.1/2"X12 | 2" | | | 9.8 | 71.4 | 55 | 76.2 | 65 |



1JFL9

90 ° 美制JIC外螺纹74 ° 外锥/轻系列法兰
90 ° JIC MALE 74 ° CONE/L-ERIES FLANGE


| 代号 PART NO. | 螺纹 THREADE E | 法兰型号 FLANGE SIZE | 尺寸 DIMENSIONS | | | | | | |
|----------------|-----------------|---------------------|---------------|----|-----|------|----|------|----|
| | | | I | d1 | A | B | S1 | | |
| 1JFL9-08 | U3/4"X16 | 1/2" | | | 7 | 30.2 | 33 | 44 | 19 |
| 1JFL9-10-08 | U7/8"X14 | 1/2" | | | 7 | 30.2 | 37 | 44 | 22 |
| 1JFL9-10-12 | U7/8"X14 | 3/4" | | | 7 | 38.1 | 43 | 54.1 | 27 |
| 1JFL9-12 | U1.1/16"X12 | 3/4" | | | 7 | 38.1 | 40 | 40.1 | 27 |
| 1JFL9-12-16 | U1.1/16"X12 | 1" | | | 8.2 | 44.4 | 49 | 60.2 | 33 |
| 1JFL9-16 | U1.5/16"X12 | 1" | | | 8.2 | 44.4 | 49 | 60.2 | 33 |
| 1JFL9-16-12 | U1.5/16"X12 | 3/4" | | | 7 | 38.1 | 49 | 58 | 33 |
| 1JFL9-16-20 | U1.5/16"X12 | 1.1/4" | | | 8.2 | 50.8 | 57 | 66.5 | 44 |
| 1JFL9-20 | U1.5/8"X12 | 1.1/4" | | | 8.2 | 50.8 | 57 | 66.5 | 44 |
| 1JFL9-20-16 | U1.5/8"X12 | 1" | | | 8.2 | 44.4 | 57 | 65 | 44 |
| 1JFL9-20-24 | U1.5/8"X12 | 1.1/2" | | | 8.2 | 60.3 | 57 | 79.3 | 48 |
| 1JFL9-24-20 | U1.7/8"X12 | 1.1/4" | | | 8.2 | 50.8 | 57 | 75.5 | 48 |
| 1JFL9-24 | U1.7/8"X12 | 1.1/2" | | | 8.2 | 60.3 | 57 | 79.3 | 48 |
| 1JFL9-32 | U2.1/2"X12 | 2" | | | 9.8 | 71.4 | 66 | 108 | 65 |



1JFS

美制JIC外螺纹74°外锥/重系列法兰
JIC MALE 74° CONE/S-ERIES FLANGE


| 代号 PART NO. | 螺纹 THREADE E | 法兰型号 FLANGE SIZE | 尺寸 DIMENSIONS | | | | |
|----------------|-----------------|---------------------|---------------|----|------|------|------|
| | | | I | d1 | A | | |
| 1JFS-08 | U3/4"X16 | 1/2" | | | 7.9 | 31.7 | 16.7 |
| 1JFS-10-08 | U7/8"X14 | 1/2" | | | 7.9 | 31.7 | 19.5 |
| 1JFS-10-12 | U7/8"X14 | 3/4" | | | 8.9 | 41.3 | 22 |
| 1JFS-12 | U1.1/16"X12 | 3/4" | | | 8.9 | 41.3 | 22 |
| 1JFS-12-16 | U1.1/16"X12 | 1" | | | 8.9 | 41.3 | 22 |
| 1JFS-16 | U1.5/16"X12 | 1" | | | 9.6 | 47.6 | 23 |
| 1JFS-16-12 | U1.5/16"X12 | 3/4" | | | 9.6 | 47.6 | 23 |
| 1JFS-16-20 | U1.5/16"X12 | 1.1/4" | | | 9.6 | 47.6 | 23 |
| 1JFS-20 | U1.5/8"X12 | 1.1/4" | | | 10.4 | 54 | 24.5 |
| 1JFS-20-16 | U1.5/8"X12 | 1" | | | 10.4 | 54 | 24.5 |
| 1JFS-20-24 | U1.5/8"X12 | 1.1/2" | | | 10.4 | 54 | 24.5 |
| 1JFS-24-20 | U1.7/8"X12 | 1.1/4" | | | 12.7 | 63.5 | 27.5 |
| 1JFS-24 | U1.7/8"X12 | 1.1/2" | | | 12.7 | 63.5 | 27.5 |



1JFS4

45° 美制JIC外螺纹74° 外锥/重系列法兰
45° JIC MALE 74° CONE/S-SERIES FLANGE


| 代号 PART NO. | 螺纹 THREADE E | 法兰型号 FLANGE SIZE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-----------------|---------------------|--|--|---------------|------|----|------|----|
| | | | | | I | d1 | A | B | S1 |
| 1JFS4-08 | U3/4"X16 | 1/2" | | | 7.9 | 31.7 | 25 | 38 | 19 |
| 1JFS4-10-08 | U7/8"X14 | 1/2" | | | 7.9 | 31.7 | 27 | 39 | 22 |
| 1JFS4-10-12 | U7/8"X14 | 3/4" | | | 8.9 | 41.3 | 27 | 40.1 | 22 |
| 1JFS4-12 | U1.1/16"X12 | 3/4" | | | 8.9 | 41.3 | 33 | 40.1 | 27 |
| 1JFS4-12-16 | U1.1/16"X12 | 1" | | | 8.9 | 41.3 | 37 | 47 | 33 |
| 1JFS4-16 | U1.5/16"X12 | 1" | | | 9.6 | 47.6 | 37 | 47 | 33 |
| 1JFS4-16-12 | U1.5/16"X12 | 3/4" | | | 9.6 | 47.6 | 37 | 45 | 33 |
| 1JFS4-16-20 | U1.5/16"X12 | 1.1/4" | | | 9.6 | 47.6 | 40 | 52 | 44 |
| 1JFS4-20 | U1.5/8"X12 | 1.1/4" | | | 10.4 | 54 | 40 | 52 | 44 |
| 1JFS4-20-16 | U1.5/8"X12 | 1" | | | 10.4 | 54 | 40 | 52 | 44 |
| 1JFS4-20-24 | U1.5/8"X12 | 1.1/2" | | | 10.4 | 54 | 40 | 60.5 | 44 |
| 1JFS4-24 | U1.7/8"X12 | 1.1/2" | | | 12.7 | 63.5 | 47 | 27.5 | 53 |



1JFS9

90 ° 美制JIC外螺纹74 ° 外锥/重系列法兰
90 ° JIC MALE 74 ° CONE/S-ERIES FLANGE


| 代号 PART NO. | 螺纹 THREADE E | 法兰型号 FLANGE SIZE | | | 尺寸 DIMENSIONS | | | | |
|----------------|-----------------|---------------------|--|--|---------------|------|----|------|----|
| | | | | | I | d1 | A | B | S1 |
| 1JFS9-08 | U3/4"X16 | 1/2" | | | 7.9 | 31.7 | 33 | 44 | 19 |
| 1JFS9-10-08 | U7/8"X14 | 1/2" | | | 7.9 | 31.7 | 37 | 46 | 22 |
| 1JFS9-10-12 | U7/8"X14 | 3/4" | | | 8.9 | 41.3 | 37 | 54.1 | 22 |
| 1JFS9-12 | U1.1/16"X12 | 3/4" | | | 8.9 | 41.3 | 40 | 54.1 | 27 |
| 1JFS9-12-16 | U1.1/16"X12 | 1" | | | 8.9 | 41.3 | 49 | 60.2 | 33 |
| 1JFS9-16 | U1.5/16"X12 | 1" | | | 9.6 | 47.6 | 49 | 60.2 | 33 |
| 1JFS9-16-12 | U1.5/16"X12 | 3/4" | | | 9.6 | 47.6 | 49 | 57 | 33 |
| 1JFS9-16-20 | U1.5/16"X12 | 1.1/4" | | | 9.6 | 47.6 | 57 | 66.5 | 44 |
| 1JFS9-20 | U1.5/8"X12 | 1.1/4" | | | 10.4 | 54 | 57 | 66.5 | 44 |
| 1JFS9-20-16 | U1.5/8"X12 | 1" | | | 10.4 | 54 | 57 | 65 | 44 |
| 1JFS9-20-24 | U1.5/8"X12 | 1.1/2" | | | 10.4 | 54 | 57 | 79.3 | 44 |
| 1JFS9-24 | U1.7/8"X12 | 1.1/2" | | | 12.7 | 63.5 | 57 | 79.3 | 48 |



1FLW

轻系列法兰/焊接管
L-SERIES FLANGE/BUTT-WELD TUBE


| 代号 PART NO. | 法兰型号 FLANGE SIZE | DXt | | | 尺寸 DIMENSIONS | | | |
|----------------|---------------------|--------|--|--|---------------|------|----|--|
| | | | | | I | d1 | D | |
| 1FLW-08-16X2 | 1/2" | 16x2 | | | 7 | 30.2 | 16 | |
| 1FLW-08-20X2.5 | 1/2" | 20x2.5 | | | 7 | 30.2 | 20 | |
| 1FLW-12-25X3 | 3/4" | 25x3 | | | 7 | 38.1 | 25 | |
| 1FLW-16-25X3 | 1" | 25x3 | | | 8.2 | 44.4 | 25 | |
| 1FLW-16-28X3 | 1" | 28x3 | | | 8.2 | 44.4 | 28 | |
| 1FLW-16-30X4 | 1" | 30x4 | | | 8.2 | 44.4 | 30 | |
| 1FLW-16-38X5 | 1" | 38x5 | | | 8.2 | 44.4 | 38 | |
| 1FLW-20-25X3 | 1.1/4" | 25x3 | | | 8.2 | 50.8 | 25 | |
| 1FLW-20-30X4 | 1.1/4" | 30x4 | | | 8.2 | 50.8 | 30 | |
| 1FLW-20-38X5 | 1.1/4" | 38x5 | | | 8.2 | 50.8 | 38 | |
| 1FLW-20-42X6 | 1.1/4" | 42x6 | | | 8.2 | 50.8 | 42 | |
| 1FLW-24-38X4 | 1.1/2" | 38x4 | | | 8.2 | 60.3 | 38 | |
| 1FLW-24-42X6 | 1.1/2" | 42x6 | | | 8.2 | 60.3 | 42 | |
| 1FLW-24-45X5 | 1.1/2" | 45x5 | | | 8.2 | 60.3 | 45 | |
| 1FLW-24-50X6 | 1.1/2" | 50x6 | | | 8.2 | 60.3 | 50 | |
| 1FLW-32-55X5 | 2" | 55x5 | | | 9.8 | 71.4 | 55 | |
| 1FLW-32-60X8 | 2" | 60x8 | | | 9.8 | 71.4 | 60 | |
| 1FLW-40-65X6 | 2.1/2" | 65x6 | | | | | | |
| 1FLW-40-70X7.5 | 2.1/2" | 70x7.5 | | | | | | |
| 1FLW-48-80X6 | 3" | 80x6 | | | | | | |
| 1FLW-48-90X8 | 3" | 90x8 | | | | | | |



1FSW

重系列法兰/焊接管
S-SERIES FLANGE/BUTT-WELD TUBE


| 代号 PART NO. | 法兰型号 FLANGE SIZE | Dx t | 尺寸 DIMENSIONS | | | | |
|----------------|---------------------|--------|---------------|----|------|------|----|
| | | | I | d1 | D | | |
| 1FSW-08-16X2 | 1/2" | 16x2 | | | 7.9 | 31.7 | 16 |
| 1FSW-08-20X2.5 | 1/2" | 20x2.5 | | | 7.9 | 31.7 | 20 |
| 1FSW-12-16X2 | 3/4" | 16x2 | | | 8.9 | 41.3 | 16 |
| 1FSW-12-20X2.5 | 3/4" | 20x2.5 | | | 8.9 | 41.3 | 20 |
| 1FSW-12-25X4 | 3/4" | 25x4 | | | 8.9 | 41.3 | 25 |
| 1FSW-16-25X3 | 1" | 25x3 | | | 9.6 | 47.6 | 25 |
| 1FSW-16-30X4 | 1" | 30x4 | | | 9.6 | 47.6 | 30 |
| 1FSW-16-38X5 | 1" | 38x5 | | | 9.6 | 47.6 | 38 |
| 1FSW-20-25X3 | 1.1/4" | 25x3 | | | 10.4 | 54 | 25 |
| 1FSW-20-30X4 | 1.1/4" | 30x4 | | | 10.4 | 54 | 30 |
| 1FSW-20-38X5 | 1.1/4" | 38x5 | | | 10.4 | 54 | 38 |
| 1FSW-20-42X6 | 1.1/4" | 42x6 | | | 10.4 | 54 | 42 |
| 1FSW-24-38X5 | 1.1/2" | 38x5 | | | 12.7 | 63.5 | 38 |
| 1FSW-24-45X6.5 | 1.1/2" | 45x2.5 | | | 12.7 | 63.5 | 45 |
| 1FSW-24-48X8 | 1.1/2" | 48x8 | | | 12.7 | 63.5 | 48 |
| 1FSW-24-50X8 | 1.1/2" | 50x8 | | | 12.7 | 63.5 | 50 |
| 1FSW-32-60X8 | 2" | 60x8 | | | 12.7 | 71.4 | 60 |
| 1FSW-32-60X10 | 2" | 60x10 | | | 12.7 | 71.4 | 60 |



4FL

轻系列法兰堵头
L-SERIES FLANGE PLUG


| 代号 PART NO. | 法兰型号 FLANGE SIZE | | | 尺寸 DIMENSIONS | | | | | |
|----------------|---------------------|--|--|---------------|------|-----|----|--|--|
| | | | | D | d1 | I | L | | |
| 4FL-08 | 1/2" | | | 30.2 | 24 | 7 | 16 | | |
| 4FL-12 | 3/4" | | | 38.1 | 31.5 | 7 | 17 | | |
| 4FL-16 | 1" | | | 44.4 | 38 | 8.2 | 17 | | |
| 4FL-20 | 1.1/4" | | | 50.8 | 43 | 8.2 | 17 | | |
| 4FL-24 | 1.1/2" | | | 60.3 | 50 | 8.2 | 19 | | |
| 4FL-32 | 2" | | | 71.4 | 62 | 9.8 | 19 | | |
| 4FL-40 | 2.1/4" | | | 84.1 | 74 | 9.8 | 40 | | |
| 4FL-48 | 3" | | | 101.6 | 90 | 9.8 | 45 | | |



4FS

重系列法兰堵头
S-SERIES FLANGE PLUG


| 代号 PART NO. | 法兰型号 FLANGE SIZE | | | 尺寸 DIMENSIONS | | | | | |
|----------------|---------------------|--|--|---------------|----|------|----|--|--|
| | | | | D | d1 | I | L | | |
| 4FS-08 | 1/2" | | | 31.7 | 24 | 7.9 | 18 | | |
| 4FS-12 | 3/4" | | | 41.3 | 32 | 8.9 | 18 | | |
| 4FS-16 | 1" | | | 47.6 | 38 | 9.6 | 18 | | |
| 4FS-20 | 1.1/4" | | | 54 | 44 | 10.4 | 18 | | |
| 4FS-24 | 1.1/2" | | | 63.5 | 51 | 12.7 | 20 | | |
| 4FS-32 | 2" | | | 79.4 | 67 | 12.7 | 30 | | |



4FL-M

轻系列平面法兰堵头
L-SERIES FLANGE PLUG

| 代号 PART NO. | 法兰型号 FLANGE SIZE | | | 尺寸 DIMENSIONS | | | | |
|----------------|---------------------|--|--|---------------|------|-----|----|--|
| | | | | D | d1 | I | L | |
| 4FL-08M | 1/2" | | | 30.2 | 24 | 7 | 16 | |
| 4FL-12M | 3/4" | | | 38.1 | 31.5 | 7 | 17 | |
| 4FL-16M | 1" | | | 44.4 | 38 | 8.2 | 17 | |
| 4FL-20M | 1.1/4" | | | 50.8 | 43 | 8.2 | 17 | |
| 4FL-24M | 1.1/2" | | | 60.3 | 50 | 8.2 | 19 | |
| 4FL-32M | 2" | | | 71.4 | 62 | 9.8 | 19 | |
| 4FL-40M | 2.1/4" | | | 84.1 | 74 | 9.8 | 40 | |
| 4FL-48M | 3" | | | 101.6 | 90 | 9.8 | 45 | |



4FS-M

重系列平面法兰堵头
S-SERIES FLANGE PLUG

| 代号 PART NO. | 法兰型号 FLANGE SIZE | | | 尺寸 DIMENSIONS | | | | |
|----------------|---------------------|--|--|---------------|----|------|----|--|
| | | | | D | d1 | I | L | |
| 4FS-08M | 1/2" | | | 31.7 | 24 | 7.9 | 18 | |
| 4FS-12M | 3/4" | | | 41.3 | 32 | 8.9 | 18 | |
| 4FS-16M | 1" | | | 47.6 | 38 | 9.6 | 18 | |
| 4FS-20M | 1.1/4" | | | 54 | 44 | 10.4 | 18 | |
| 4FS-24M | 1.1/2" | | | 63.5 | 51 | 12.7 | 20 | |
| 4FS-32M | 2" | | | 79.4 | 67 | 12.7 | 30 | |

声 明

本产品目录所采用之图样只作参考之用,其尺寸和比例可能与实际产品有差异.所列产品并非本公司之全部产品,如客户对其它产品感兴趣,请直接与本公司联系.

本公司出版此目录时已尽量力求准确,但为改良及发展产品,可能会 对产品规格作出修改,而未及在本书中注明,本公司并且保留权利, 在日 后对产品之设计,规格作出更改或停止生产某种产,而恕不另行通知.

NOTES

The drawings in this catalogue are for reference only, and their dimensions and proportions may be a little different from those of the real products. Products included in this catalogue don't refer to all , so if customers are interested in other products, please don't hesitate to contact our company for further information.

Our company has made much effort to record the correct data in this publication. However, in order to promote our products, we may make some changes of their size or description, which haven' t been shown yet. We reserve the rights for explanation, but sorry for no further notice to customer the change of products' design, description or even stop of some products' manufacture in future .